गृह मन्त्रालय

जिल्ला प्रशासन कार्यालय

धनगढी, कैलाली

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
धनगढी, कैलाली

आ.व. २०८१/०८२ को कैलाली जिल्लाको स्वीकृत

जिल्ला दररेट

धर्मेन्द्र कुमार मिश्र
प्रमुख जिल्ला अधिकारी

कैलाली जिल्लाको आ.व. २०८१/०८२ को दररेट

क्र. सं	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ.व. ०८१/८२ को दररेट
१	अदक्ष (ज्यामी)	श्रमदिन	६७५	६८०	७००
२	दक्ष (मिस्त्री)	,,	९५०	९५५	१०५०
३	चौकिदार	,,	६७५	६८०	७००
४	क्याम्प वर्कर	,,	६७५	६८०	७००
५	चैनमेन	,,	६७५	६८०	७००
६	बिजुलीको लाइनमा (तार तान्ने) काम गर्ने ज्यामी	,,		७३०	७४०
७	बिजुलीको मिटर रिडर (तालिम प्राप्त)	,,		७३०	७४०
८	प्लम्बर	,,	९५०	९५५	९६५
९	प्लम्बिङ हेल्पर	,,	६७५	६८०	७००
१०	हेल्पर (खलासीं)	,,	६७५	६८०	७००
११	सुपरभाईजर (साधारण)	,,	६७५	६८०	७००
१२	सिनियर सुपरभाईजर (तालीम प्राप्त)	,,	७००	७०५	७१५
१३	सडक सुपरभाईजर	,,	६७५	६८०	७००
१४	लेन्थ वर्कर दैनिक ज्यालादारीमा	,,	६७५	६८०	७००
१५	लेन्थ वर्कर (रोड बोर्ड तर्फ करारमा)	,,	६७५	६८०	७००
१६	सडक सुपरभाइजर (रोड बोर्ड तर्फ करारमा)	,,	६७५	६८०	७००
१७	सिचाइ ढाल्पा	,,	६७५	६८०	७००
१८	सिचाइ गेट अपरेटर	,,	६७५	६८०	७००
१९	ड्राईभर	,,	नेपाल सरकारको को शुरु तलव मानलाई २६ दिनले भाग गरी आउने रकमलाई प्रतिदिनको ज्याला कायम गर्ने ।	नेपाल सरकारको को शुरु तलव मानलाई २६ दिनले भाग गरी आउने रकमलाई प्रतिदिनको ज्याला कायम गर्ने ।	नेपाल सरकारको को शुरु तलव मानलाई २६ दिनले भाग गरी आउने रकमलाई प्रतिदिनको ज्याला कायम गर्ने ।
२०	अमिन	,,			
२१	कम्प्युटर अप्रेटर	,,			
२२	ईन्जिनियर	,,			
२३	सव–ईन्जिनियर	,,			
२४	ल्याब टेक्निसियन (ना.सु. वा खरिदार सरह)	,,			
२५	इक्विपमेन्ट अपरेटर				
२५.१	हेवि	श्रमदिन			
२५.२	लाइट	,,			
२६	नाला तथा सेप्टी टंकी सफा गर्ने कार्य	,,	८९०	८९५	९०५
३०	**Mechanically treated earth work for Road and Canal including mobilization and de-mobilization of machine**				
३०.०१	Excavation in Ordinary soil	cum	७२	७३	७३
३०.०२	Excavation in Hard soil	cum	९७	९८	९८
३०.०३	Excavation in Ordinary Rock	cum	२९५	२९८	२९८
३०.०४	Excavation in Medium Rock	cum	४६०	४६५	४६५
३०.०५	Excavation in Hard Rock	cum	१७३०	१७३५	१७३५
३०.०६	Landslide clearance	cum	७२	७३	७३

क्र. सं	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ.व. ०८१/८२ को दररेट
३०.०७	Landslide clearance (rocks to be broken)	cum	१०२	१०४	१०४
३१	मानिस व्दारा ढुवानी गर्ने				
३१.०१	सजिलो भारी पहाडको लागी	रु/केजी/किमी	१.६९	१.७२	१.७३
३१.०२	असजिलो भारी ,,	,,	१.८३	१.८६	१.८७
३१.०३	सजिलो भारी तराईको लागी	,,	१.२७	१.२९	१.३
३१.०४	असजिलो भारी ,,	,,	१.४	१.४२	१.४३
३१.०५	झोलुंगे पुलका लट्ठा बोक्ने	,,	२.८७	२.९२	२.९४
३१.०६	एच.डि.पि./जि.आई पाईप बोक्ने	,,	२.८७	२.९२	२.९४
३१.०७	विरुवा ढुवानी पहाडमा	,,	२.७४	२.७९	२.८१
३१.०८	विरुवा ढुवानी तराइमा	,,	२.१६	२.२०	२.२२
३२	गाडा, रिक्सा र ठेलाव्दारा ढुवानी गर्ने कार्य				
३२.०१	पिच रोडमा	,,	०.४१	०.४२	०.४२
३२.०२	ग्रावेल सडकमा	,,	०.४८	०.४९	०.४९
३२.०३	कच्ची (माटो) सडकमा	,,	०.४५	०.५०	०.५०
३३	लोड । अनलोड गर्ने काम				
३३.०१	फलामे सामान	क्वीन्टल	४८.००	४०.८०	४०.८०
३३.०२	सिमेन्ट (५० केजी.)	ब्याग	१९.१९	१६.३१	१६.३१
३३.०३	अन्य सामान (खाद्य सामाग्री समेत)	क्वीन्टल	१३.७१	११.६५	११.६५
३४	डुंगाबाट समान ढुवानी गर्ने कार्य				
३४.०१	ग्याविन जालि	प्रति गोटा			६०
३४.०२	ढुंगा	प्रति घमी			३००
३४.०३	अन्य सामग्री	प्रति किलो			०.६
३५	ढक तथा अन्य निर्माण उपकरण भाडा		सडक विभागबाट निर्धारित दररेट अनुसार		
३६	वन संवन्धि कामको लागि				
३६.०१	मार्किंग	प्रति रुख	२३.२४	२३.७	२३.९३
३६.०२	कटान मुछान	घन फूट	३३.४५	३४.१	३४.४
३६.०३	बोक्रा झिक्ने	,,	५.६७	५.७६	५.८
३६.०४	जरा निमाल्ने कार्य (गोलाइ ३० से.मी. सम्म)	प्रति जरा	३१५	३२०	३२३
३६.०५	जरा निमाल्ने कार्य (गोलाइ ३१ से.मी. देखी ६० से.मी. सम्म)	प्रति जरा	४२०	४२५	४२९

क्र. सं	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ.व. ०८१/८२ को दररेट
३६.०६	जरा निमाल्ने कार्य (गोलाइ ६० से.मी. भन्दा बढी)	प्रति जरा	५२५	५३०	५३५
३६.०७	जरा ढुवानी (गोलाइ ३० से.मी. सम्म) २५ कि.मि. सम्म	प्रति जरा	१०५	१०७	१०८
३६.०८	जरा ढुवानी (गोलाइ ३१ से.मी. देखी ६० से.मी. सम्म) २५ कि.मि. सम्म	प्रति जरा	१५७	१६०	१६१
३६.०९	जरा ढुवानी (गोलाइ ६० से.मी. भन्दा बढी) २५ कि.मि. सम्म	प्रति जरा	२१०	२१३	२१५
३७	यार्डिग				
३७.०१	क) पहाडि भिराला क्षेत्रमा गोलिया	घन फूट	१०४	१०६	१०७
३७.०२	ख) तराईमा गोलिया	,,	१४.७	१४.९९	१५.१३
३७.०३	ग) पहाडि भिराला क्षेत्रमा दाउरा	चट्टा	४०८०	४१००	४१४१
३७.०४	घ) तराई क्षेत्रमा दाउरा	चट्टा	६८०	६९०	६९६
३८	पाईलिग	,,	१६.५	१६.८	१६.९
३९	लोडिग (गोलिया)	,,	२२	२२.४०	२२.६०
४०	अनलोडिग	,,	१३.५	१३.७६	१३.८८
४१	ढुवानी (वन जंगल क्षेत्रमा) गोलिया				
४१.०१	० देखि ३ कि.मि. सम्म	घन फुट	३६.००	३६.७१	३७.०७
४१.०२	४ देखि ७ कि.मि. सम्म	,,	४०.००	४०.७०	४१.१०
४१.०३	८ देखि १२ कि.मि. सम्म	,,	४१.००	४१.८०	४२.२१
४१.०४	१३ देखि १६ कि.मि. सम्म	,,	४४.००	४४.८०	४५.२४
४१.०५	१७ देखि २० ,,	,,	४९.००	४९.९०	५०.३०
४१.०६	२१ देखि २४ ,,	,,	४९.००	४९.९०	५०.३०
४१.०७	२५ देखि ३० ,,	,,	५६.००	५७.१०	५७.६०
४१.०८	३० कि.मि. देखि माथि प्रति कि.मि. मा थप	,,	२.००	२.०४	२.०६
४२	ढुवानी गोलिया काठ र चिरानी काठ ढुवानी (घाटगद्दी देखि मिल र मिल देखि डिपो सम्म)				
४२.०१	० देखि ५ कि.मि. सम्म	घन फुट	१९.५७	१९.९६	२०.१५
४२.०२	६ देखि १० कि.मि. सम्म	,,	२३.००	२३.४६	२३.६९
४२.०३	११ देखि १५ कि.मि. सम्म	,,	२५.००	२५.५०	२५.७५
४२.०४	१६ देखि २० कि.मि. सम्म	,,	३२.००	३२.६४	३२.९६
४२.०५	२१ देखि २५ कि.मि. सम्म	,,	३४.००	३४.६८	३५.०२
४२.०६	२६ देखि ३० कि.मि. सम्म	,,	३५.००	३५.७०	३६.०५
४२.०७	३१ देखि ४० कि.मि. सम्म	,,	३६.००	३६.७२	३७.०८
४२.०८	४० कि.मि. देखि माथि प्रति कि.मि. मा थप	,,	१.९९	२.०२	२.०४
४३	चिरान पाईलिङ्ग	घ.मी.	१६.५०	१६.८३	१६.९९
४४	चिरान लोडिग	,,	१५.२२	१५.५२	१५.६७

क्र. सं	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ.व. ०८१/८२ को दररेट
४५	चिरान अनलोडिग	,,	११.०१	११.२३	११.३४
४६	दाउरा कटानी संवन्धि				
४६.१	कटान मुछान (२० x ५ x ५) फिट	चट्टा	५४५०.००	५४५०.००	५५०४.००
४६.२	लोड अनलोड	,,	२८८०.००	२९३७.००	२९६६.००
४६.३	चट्टा निर्माण	,,	१९६५.००	२००४.००	२०२४.००
४६.४	ढुवानी २५ कि.मि. सम्म	,,	५५८२.००	५५८२.००	५६३७.००
४६.५	ढुवानी २५ कि.मि.भन्दा माथि थप प्रत्येक कि.मि. का लागि	,,	२७१.००	२७१.००	२७३.००
४७	हरेक गोलियमा ईनामेलले गोलियाको साईज र नं. एवं लट नं. समेत स्पष्ट वुझिने गरी लेख्ने कामका लागि	गोलिया	६.३८	६.३८	६.४४
४८	चिरान उत्पादन गर्ने कार्य	घ.फी.	७३.००	७३.००	७३.७३
४९	उत्पादित चिरान बाहेक भुस,वाकल तोकिएको स्थानमा फाल्ने कार्य	प्रति क्वीन्टल	२९.००	२९.००	२९.२९
५०	अन्य साइज तथा सह उतपादन कार्य	प्रति क्वीन्टल	९४.००	९४.००	९४.९४
५१	वाकल लोड गर्ने कार्य	प्रति क्वीन्टल	४६.००	४६.००	४६.४६
५२	वाकल अन लोड गर्ने कार्य	प्रति क्वीन्टल	१५.५०	१५.८०	१५.९५
५३	१०० मी. टाढाबाट गोलिया मिलडेकसम्म बेलान गर्ने कार्य	घ.फी.	१५.५०	१५.८०	१५.९५
५४	चिरान काठमाण्डौ सिपमेण्ट	घ.फी.	२२१.००	२२५.००	२२७.००
५५	दाउरा काठमाण्डौ सिपमेण्ट	क्विटल	७१३.००	७२०.००	७२७.००
५६	भाडाको स:मिलवाट गोलिया काठ चिरान गर्नुपर्दा गोलियामा	घ.फी.	१०७.००	१०८.००	१०९.००
५७	घाटगद्धी स्थानवाट स:मिल सम्म गोलिया काठ ढूवानी गर्दा लोड	घ.फी.	३६.००	३६.७२	३७.०८
५८	घाटगद्धी स्थानवाट स:मिल सम्म गोलिया काठ ढूवानी गर्दा अनलोड	घ.फी.	८.००	८.१६	८.२४
५९	ट्रकजान नसक्ने अवस्थामा स्थान देखी सडक सम्म टेक्टर वाट गोलिया झिकाउने	घ.फी.	१३.००	१३.२६	१३.३९
६०	सहजपुर, पण्डौन, निगाली र सुगरखाल क्षेत्रको रा.व. बाट गोलिया काठको कटान, मुछानसहित पहाडी बेलान	घ.फी.	२८०.००	२८४.००	२८६.००
६१	छपान गरेको रुखको फोटो खिंचेको	गोटा	१०.४०	१०.६०	१०.७०
६२	घाटगद्धीबाट दाउरा ढूवानी गर्दा लोड अनलोड	चट्टा	७२८०.००	७३००.००	७३७३.००
६३	जलवायु कार्यको लागी				

क्र. सं	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ.व. ०८१/८२ को दररेट
६३.१	गेज रिडर	श्रम दिन	४४२.००	४५०.००	४५४.००
६३.२	अव्जरभर	,,	२४६.००	२५०.००	२५२.००
६४	हलुका सवारी साधन (जीप) भाडा ईन्धन बाहेक	कार्य दिन	५३०६.००	५४००.००	५४५४.००
६५	सर्भे ईक्युप्मेन्ट भाडा (टोटल स्टेशन सेट)	,,	३५३७.००	३६००.००	३६३६.००
६६	घर भाडा	महिना	छुट्टै तालिकामा दिइएअनुसार	छुट्टै तालिकामा दिइएअनुसार	छुट्टै तालिकामा दिइएअनुसार
	भवनको प्लीन्थ एरिया दर (मुआब्जा प्रयोजनको लागी)				
६७	फ्रेम स्ट्रक्चर पक्की भवन सिमेन्ट मसालमा				
६७.०१	ग्राउन्ड फ्लोर	वर्ग फिट.	२३८०.००	२४७५.००	२४९९.००
६७.०२	अन्य फ्लोर	वर्ग फिट	१९००.००	१९७५.००	१९९४.००
६८	लोड वियरिङ्ग पक्की भवन सिमेन्ट मसाल				
६८.०१	ग्राउन्ड फ्लोर	वर्ग फिट	२४००.००	२४९५.००	२५१९.००
६८.०२	अन्य फ्लोर	वर्ग फिट	१५६०.००	१६२०.००	१६३६.००
६९	लोड वियरिङ्ग पक्की भवन माटोको जोडाईमा				
६९.०१	ग्राउन्ड फ्लोर	वर्ग फिट	१४४०.००	१४९५.००	१५०९.००
६९.०२	अन्य फ्लोर	वर्ग फिट	११००.००	११४०.००	११५१.००
७०	लोड वियरिङ्ग भवन टाईलको छाना भएको	वर्ग फिट	१११६.००	११६०.००	११७१.००
	शिलालेख लेख्ने कार्य				
७१	मार्वलमा				
७१.०१	अक्षर माथी उठेको	वर्ग फिट	३०३१.००	३०९०.००	३१२०.००
७१.०२	अक्षर तल दवेको	वर्ग फिट	२४२५.००	२४७२.००	२४९६.००
७२	पित्तलमा				
७२.०१	अक्षर माथी उठेको	वर्ग फिट	४२४४.००	४३२०.००	४३६३.००
७२.०२	अक्षर तल दवेको	वर्ग फिट	३६३७.००	३७००.००	३७३७.००
७३	तामामा				
७३.०१	अक्षर माथी उठेको	वर्ग फिट	४८५०.००	४९४०.००	४९८९.००
७३.०२	अक्षर तल दवेको	वर्ग फिट	४२४४.००	४३२०.००	४३६३.००

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
१	ईटा नेपाल स्टान्डार्डको				
१.१	अव्वल (एक नम्बर) – चिम्नी भट्टाको	१०००	१४०००	१३५००	१३५००
१.२	दुई नम्बर (लालपेटी) – चिम्नी भट्टाको	१०००	१०५००	१०२००	१०२००
१.३	ओवर बर्न्ड/अण्डर बर्न्ड – चिम्नी भट्टाको	१०००	९०००	९०००	९०००
१.४	टुक्रा	ट्राली	७०००	७०००	७०००
१.५	मेसिनबाट उत्पादित ईटा (१ नम्बर)	१०००	११७००	११७००	११७००
२	सिमेन्टको ईटा				
२.१	Compressed Interlocking Concrete Block 12"*6"*4"	गोटा	४०	४०	४०
३	वालुवा , ढुंगा र माटो				
३.१	वालुवा	घ.मि.	नर्मस् अनुसार		
३.२	धोएको वालुवा	घ.मि.	७५०	७५०	७५०
३.३	खोलाको ढुंगा	घ.मि.	नर्मस् अनुसार		
३.४	कुदेको ,,	घ.मि.			
३.५	वण्ड ,,	घ.मि.			
३.६	माटो खरिद धनगढी उ.म.न.पा. भित्र	घ.मि.	४३०	४५०	४५०
३.७	माटो खरिद अन्य क्षेत्रमा	घ.मि.	३३०	३४५	३४५
४	गिट्टी क्रसरको				
४.१	४० मि.मि. ढुवानी वाहेक	घ.मि	१३५०	१३५०	१३५०
४.२	२० मि.मि. ,,	घ.मि	१८९०	१८९०	१८९०
४.३	१० मि.मि. ,,	घ.मि	१४००	१४००	१४००
४.४	६ मि.मि ,,	घ.मि	१६००	१६००	१६००
४.५	ढुङ्गाको धूलो ,,	घ.मि	६८२	६८२	६८२
५	खोलाको छानेको गोलो गिट्टी				
५.१	४० मि.मि. ढुवानी वाहेक	घ.मि	नर्मस् अनुसार		
५.२	२० मि.मि. ,,	घ.मि			
५.३	१० मि.मि. ,,	घ.मि			
५.४	४ मि.मि. देखि १० मि.मि सम्म	घ.मि			
६	सिमेन्ट				
६.१	४३/५३ ग्रेड ५० केजीको PPC (NS)	बोरा	७५०	६००	६००
६.२	४३/५३ ग्रेड ५० केजीको OPC (NS)	बोरा	८५०	७००	७००
६.३	सेतो सिमेन्ट	के.जी.	३३.०	३३.०	३३.०
७	काठ				
७.१	साल	घ.मी.	२१८३८५	२१८३८५	१७७०००
७.२	सिसम	घ.मी.	१५१९३८	१५१९३८	१४४९००
७.३	सल्लो	घ.मी.	५४०२७	५४०२७	४४१००
७.४	कुकाठ	घ.मी.	३७०५३	३७०५३	३७०००
८	बांस (७ मी लम्बाइ)				
८.१	धनगढी नपा. क्षेत्रमा	गोटा	३९०	३९०	३५०
८.२	धनगढी नपा. बाहेकका क्षेत्रमा	गोटा	३४०	३४०	२९०

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
९	ग्रेनाइट/मार्बल				
९.०१	१६ मि.मि. बाक्लो ग्रेनाइट राम्रो- Colourful	व.मी.	४०००	४२००	४२००
९.०२	ग्रेनाइट सादा	व.मी.	३१५०	३२००	३२००
९.०३	१६ मि.मि. बाक्लो मार्बल	व.मी.	३०८०	३०००	३०००
९.०४	१३ मि.मि. बाक्लो मार्बल	व.मी.	१६८८	१७७२	१७७२
९.०५	मार्वल चिप्स (३ मि.मी.को)	के.जी.	२०	२०	२०
९.०६	मार्वल चिप्स (५ मि.मी.को)	के.जी.	२१	२१	२१
९.०७	अक्जालीक एसिड पाउडर	के.जी.	१७१	१७१	१७१
९.०८	मैन पोलिस	के.जी	६२६	६२६	६२६
९.०९	कार्वोरेन्डम ढुंगा (२ x २ x ४ ईन्ची)	गोटा	६५१	६५१	६५१
१०	टाईल (Procelain Glazed & Non-skid Tiles)				
१०.०१	12"*18" Wall Tile	ब.फि.	१०५	१०५	१०५
१०.०२	12"*18" Wall Tile kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.	१२०	११६	११६
१०.०३	12"*24" Wall Tile	ब.फि.	१३०	१३०	१३०
१०.०४	12"*24" Wall Tile Kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.	१६५	१६०	१६०
१०.०५	16"*32" Wall Tile	ब.फि.	१४०	१४०	१४०
१०.०६	16"*32" Wall Tile kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.	१८५	१८५	१८५
१०.०७	12"*12" Floor Tile	ब.फि.	१०५	१०५	१०५
१०.०८	12"*12" Floor Tile kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.	१२०	११६	११६
१०.०९	16"*16" Floor Tile kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.		१२०	१२०
१०.१	24"*24" Vertified Tile-Plain Ivory	ब.फि.	११३	११३	११३
१०.११	24"*24" Vertified Tile-Plain Ivory kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.	१३०	१३५	१३५
१०.१२	24"*24" Doube Charged Vertified Tile-Light Shade	ब.फि.	१५०	१४५	१४५
१०.१३	24"*24" Doube Charged Vertified Tile-Dark Shade	ब.फि.	१६०	१५५	१५५
१०.१४	16"*16" Parking Tile- 12mm thickness	ब.फि.	११९	१२५	१२५
११	Bitumen/ Emulsion/Anti stripping additive				
११.१	Bitumen 80/100 grade	के.जी.	नेपाल बिटुमीन तथा ब्यारेल उद्योग	नेपाल बिटुमीन तथा ब्यारेल उद्योग	नेपाल बिटुमीन तथा ब्यारेल उद्योग

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
११.२	ईमल्सन Medium Setting with 65% Bitumen (M/S 65%)	के.जी.	लिमिटेडले निर्धारण गरे वमोजिम ।	लिमिटेडले निर्धारण गरे वमोजिम ।	लिमिटेडले निर्धारण गरे वमोजिम ।
११.३	Anti stripping additive, ex-factory rate Amlekhgunj	के.जी.	४१०	४१०	४१०
११.४	Instant Road repair Premix (pot Holes) 25kg per bag	Bag	११५०	११५०	११५०
१२	फलामे डण्डी				
१२.१	४.७५ देखि ७ मि.मि.को टीएमटी	के.जी.	१०४	१००	१००
१२.२	८ मिमि को टीएमटी	के.जी.	१०७	१०३	१०३
१२.३	१० देखी २० मि.मि. सम्मका टीएमटी	के.जी.	१०४	१००	१००
१२.४	२५, २८ र ३२ मि.मि का टीएमटी	के.जी.	१०७	१०३	१०३
१२.५	वाईण्डींग तार	के.जी.	१३०	१३०	१३०
१३	गिट्टी छान्ने तारजाली				
१३.१	२४ गेजको	व.मी.	१०१५	१०१५	१०१५
१३.२	२६ गेजको	व.मी.	८१२	८१२	८१२
१३.३	एक्सपेण्डेड मेटल वायर मेश	व.मी.	२६३	२६३	२६३
१३.४	चिकेन वायर मेश	व.मी.	३२४	३२४	३२४
१४	गेविन जी.आइ. तार र सडक सम्बन्धी				
१४.०१	७ र ८ गेजको हेभी	के.जी.	१३०	१३०	१३०
१४.०२	१० ,, ,,	के.जी.	१३०	१३०	१३०
१४.०३	१२ ,, ,,	के.जी.	१३२	१३२	१३२
१४.०४	७ र ८ गेजको मध्यम	के.जी.	१२५	१२५	१२५
१४.०५	१० ,, ,,	के.जी.	१२५	१२५	१२५
१४.०६	१२ ,, ,,	के.जी.	१२७	१२७	१२७
१४.०७	७ र ८ गेजको कमर्सियल (हल्का)	के.जी.	१२२	१२२	१२२
१४.०८	१० ,, ,,	के.जी.	१२२	१२२	१२२
१४.०९	१२ ,, ,,	के.जी.	१२४	१२४	१२४
१४.१०	विभिन्न साइजको मेसिनमेड जालीहरु	छुट्टै तालिकामा दिईएअनुसार			
१४.११	जीओ-टेक्स्टाइल (१०० ग्राम)	व.मी.	१००	१००	१००
१४.१२	जीओ-टेक्स्टाइल (१५० ग्राम)	व.मी.	११३	११३	११३
१४.१३	जीओ-टेक्स्टाइल (२०० ग्राम)		१३०	१३०	१३०
१४.१४	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-२५० जी.एस.एम.)	व.मी.	४१५	४१५	४१५
१४.१५	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-३०० जी.एस.एम.)	व.मी.	४५०	४५०	४५०
१४.१६	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-३५० जी.एस.एम.)	व.मी.	५१६	५१६	५१६
१४.१७	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-४०० जी.एस.एम.)	व.मी.	५५०	५५०	५५०
१४.१८	रङ्गरोगन सहितको ट्राफिक चिन्ह	गोटा	५५२५	५५२५	५५२५
१४.१९	सौर्य उर्जा सडक स्ट्रड	थान	४०००	४०००	४०००

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
१४.२०	साधारण क्याट्स आई	गोटा	६००	६००	६००
१४.२१	सडकमा लगाउने थर्मोप्लास्टिक रङ्ग	कि.ग्रा.	२२५	२२५	२२५
१४.२२	Glass beads	कि.ग्रा.		२६०	२६०
१४.२३	सडकमा मार्किङ्ग गर्ने रङ्ग	लीटर	५२०	५२०	५२०
१४.२४	Double sank cat eye 25 ton capacity	Nos	११५०	११५०	११५०
१४.२५	Simple sank cat eye 25 ton capacity	Nos	७५०	७५०	७५०
१४.२६	Aluminium Solar strud 45 ton capacity	Nos	५०००	५०००	५०००
१५	काडेतार				
१५.१	८ गेजको	के.जी.		१३१	१३१
१५.२	१० गेजको	के.जी.		१३१	१३१
१५.३	१२ गेजको	के.जी.	१३०	१३२	१३२
१५.४	१४ गेजको	के.जी.	१३२	१३०	१३०
१६	किला काँटी बिभिन्न साईज				
१६.१	साधारण कीला	के.जी.	१३०	१३०	१३०
१६.२	ल्वाङ किला	के.जी.	२२८	२२८	२२८
१६.३	नटवोल्ट ६० मि.मिको	के.जी.	२४०	२४०	२४०
१६.४	नटवोल्ट ८० मि.मिको	के.जी.	२५०	२५०	२५०
१६.५	जे हुक/यू हुक विभिन्न साइजको	के.जी.	१५५	१५५	१५५
१६.६	जस्ता पाताको किला	के.जी.	१७३	१७३	१७३
१६.७	५० मि.मि.को पेच किला	गोटा	४	४	४
१६.८	६० मि.मि. को पेच किला	गोटा	४.५	४.५	४.५
१७	बिटुमिन वासर	पेकेट	३९	३९	३९
१८	होल्ड फाष्ट	के.जी.	१६०	१६०	१६०
१९	कब्जा				
१९.१	कब्जा ६ इन्ची	गोटा	५४	५५	५५
१९.२	„ ४ „	गोटा	२९	३०	३०
१९.३	„ ३ „	गोटा	२३	२४	२४
२०	छेस्कीनी				
२०.१	६" स्टील	गोटा	८५	८५	८५
२०.२	४" स्टील	गोटा	८०	८०	८०
२०.३	६" पितलको	गोटा	२६९	२७०	२७०
२०.४	४" „	गोटा	२१५	२१५	२१५
२०.५	६" अलम्युनिम	गोटा	१०७	१०७	१०७
२०.६	४" „	गोटा	९७	९७	९७
२१	डोर लकिङ सेट/अल्ड्राफ (वेलन)				
२१.१	१०" स्टील	सेट	२२८	२२८	२२८
२१.२	१२" „	सेट	२८६	२८६	२८६

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
२१.३	१० " पितलको	सेट	११८४	११८४	११८४
२१.४	१२ " पितलको	सेट	१३६०	१३६०	१३६०
२१.५	१० " अलम्युनियम	सेट	४५४	४५४	४५४
२१.६	१२ " अलम्युनियम	सेट	५६९	५६९	५६९
२२	हेण्डील				
२२.१	६" स्टील	गोटा	५३	५३	५३
२२.२	४" "	गोटा	४२	४२	४२
२२.३	६" पितलको	गोटा	२६७	२६७	२६७
२२.४	४" "	गोटा	१७०	१७०	१७०
२२.५	६" अलम्युनिम	गोटा	६४	६४	६४
२२.६	४" "	गोटा	५८	५८	५८
२२.७	मोर्टिस ताला ढोकाको साधारण	गोटा	११२८	११२८	११२८
२२.८	" " राम्रो पित्तल	गोटा	२३५४	२३५४	२३५४
२३	डोर स्प्रीङ (जाली ढोकाको)				
२३.१	साधारण	गोटा	३७१	३७१	३७१
२३.२	मध्यम	गोटा	११३३	११३३	११३३
२३.३	राम्रो	गोटा	२०६०	२०६०	२०६०
२४	ग्लास				
२४.१	३.५ मिमी.	व.फु.	७६	७७	७७
२४.२	४ मिमी.	व.फु.	८८	८९	८९
२४.३	४ मिमी.(रगिंन)	व.फु.	९६	९७	९७
२४.४	५.० मिमी.	व.फु.	१०९	१११	१११
२४.५	५.० मिमी.(रगिंन)	व.फु.	१३१	१३३	१३३
२५	प्लाइउड				
२५.०१	३ मिमी. कमर्सियल	व.फु.	३६	३६	३६
२५.०२	४ मिमी. कमर्सियल	व.फु.	२८	२८	२८
२५.०३	६ मिमी. कमर्सियल	व.फु.	३८	३८	३८
२५.०४	८ मिमी. कमर्सियल	व.फु.	५८	५८	५८
२५.०५	१० मिमी. कमर्सियल	व.फु.	६१	६१	६१
२५.०६	१२ मिमी. कमर्सियल	व.फु.	८५	८५	८५
२५.०७	४ मिमी. वाटरप्रुफ	व.फु.	५५	५५	५५
२५.०८	६ मिमी. वाटरप्रुफ	व.फु.	७०	७०	७०
२५.०९	८. मिमी. वाटरप्रुफ	व.फु.	६६	६६	६६
२५.१०	९ मिमी. वाटरप्रुफ	व.फु.	९४	९४	९४
२५.११	१२ मिमी. वाटरप्रुफ	व.फु.	११५	११५	११५
२५.१२	१९ मिमी. कमर्सियल भित्र काठ राखेको	व.फु.	११५	११५	११५
२५.१३	१९ मिमी. कमर्सियल भित्र काठ नराखेको	व.फु.	१२६	१२६	१२६
२५.१४	१९ मिमी. वाटरप्रूफ	व.फु.	१५८	१५८	१५८
२५.१५	टिक प्लाइउड ४ मी.मी. (Natural texure)	व.फु.	६५	६५	६५
२५.१६	टिक प्लाइउड ४ मी.मी. (Simple texure)	व.फु.	६५	६५	६५

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
२५.१७	12mm thick 8'*4* Film Coated Ply 30kg/pics	व.फु.	१०२	१०२	१०२
२५.१८	18mm thick 8'*4* Film Coated Ply 39kg/pics	व.फु.	१७०	१७०	१७०
२५.१९	32m thick Paandoor Flush Door of Differnet Size	व.फु.	३००	३००	३००
२६	लेमिनेटेड पार्टिशन बोर्ड				
२६.१	४ मिमी.	व.फु.	२२	२२	२२
२६.२	९ मिमी.	व.फु.	७५	७५	७५
२६.३	१२ मिमी.	व.फु.	२२०	२२०	२२०
२६.४	१८ मिमी.	व.फु.	३३०	३३०	३३०
२६.५	२५ मिमी	व.फु.	४७५	४७५	४७५
२७	सनमाईका तथा फरमाईका				
२७.१	सनमाईका (४'×८')	व.फु.	१७	१७	१७
२७.२	फोरमाईका	व.फु.	७५	७५	७५
२८	**Gypsum Board**				
२८.१	12.5mm thick Gypsum Board False ceiling with GI Channel 0.4mm*0.26mm*0.26mm and 0.26mm thick hanger- Norman Gypsum Board	व.फु.	८३	८०	८७
२८.२	12.5mm thick Gypsum Board False ceiling with GI Channel 0.4mm*0.26mm*0.26mm and 0.26mm thick hanger- USG Knauf Gypsum Board	व.फु.			९२
२८.३	12.5mm thick Gypsum Board False ceiling with GI Channel 0.4mm*0.30mm*0.30mm and 0.30mm thick hanger-Normal Gypsum Board	व.फु.	९१	९०	९७
२८.४	12.5mm thick Gypsum Board False ceiling with GI Channel 0.4mm*0.30mm*0.30mm and 0.30mm thick hanger-USG Knauf Gypsum Board	व.फु.			१०२
२८.५	12.5mm thick Gypsum Board False ceiling with GI Channel 0.5mm*0.4mm*0.4mm and 0.4mm thick hanger-Normal Gypsum Board	व.फु.			१०७
२८.६	12.5mm thick Gypsum Board False ceiling with GI Channel 0.5mm*0.4mm*0.4mm and 0.4mm thick hanger-USG Knauf Gypsum Board	व.फु.			११२
२८.७	Dry Wall Partition using 12.5mm thick Gypsum board both side on 50mm stud	व.फु.			१७२
२८.८	Dry Wall Partition using 12.5mm thick Gypsum board both side on 75mm stud	व.फु.			२०५
२९	**PVC Panel**				
२९.१	8mm thick PVC Board for False Ceiling	व.फु.			१६८
२९.२	Design	र.फु.			१६८

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
२९.३	PVC Wall Paneling work 6mm	व.फु.			१७४
२९.४	Design	र.फु.			१७४
२९.५	PVC Fluted Wall Paneling work 10mm	व.फु.			२२१
२९.६	Design	र.फु.			२२१
२९.७	PVC Louvered Wall Paneling work 23mm	व.फु.			३१०
२९.८	Design	र.फु.			३१०
३०	**Fiber Cement Board**				
३०.१	6mm thick (6'*4')	व.फु.	३५	३६	३६
३०.२	8mm thick (8'*4')	व.फु.	८४	५०	५०
३०.३	10mm thick (8'*4')	व.फु.	५७	५८	५८
३०.४	12mm thick (8'*4')	व.फु.		६६	६६
३०.५	16mm thick (8'*4')	व.फु.	७०	७६	७६
३०.६	20mm thick (8'*4')	व.फु.	९०	९२	९२
३०.७	Fiber Cement Board Wall Pannel-50mm (70-80 Kg/pc)	व.फु.	१३२	१३५	१३५
३०.८	Fiber Cement Board Wall Pannel-75mm (100-110 Kg/pc)	व.फु.	१६८	१८०	१८०
३०.९	Cement Board Flse Ceiling- 2'*2' Plain	व.फु.	८४	६५	६५
३१	**Sandwich EPS Panel**				
	Providing and fitting EPS Sandwich panel FR 3 rated Exterior & interior skin of .30 - .40mm PPGI with flame retardant EPS core insulation Base metal 1105mm and effective width 1000mm,length 2m -13m with specified color and thickness all complete.				
	Ivory color/white color flat partition and exterior wall				
३१.०१	Thickness 50mm	व.फु.	३१५	३३०	३३०
३१.०२	75mm	व.फु.	३६०	३७७	३७७
३१.०३	100mm	व.फु.	४०५	४२५	४२५
३१.०४	125mm	व.फु.	४५३	४७५	४७५
३१.०५	150mm	व.फु.	४९९	५२३	५२३
३२	**Blue and orange roof panel**				
३२.०१	50mm	व.फु.	३६०	३७८	३७८
३२.०२	75mm	व.फु.	४०६	४२६	४२६
३२.०३	100mm	व.फु.	४९१	५१५	५१५
३२.०४	125mm	व.फु.	४९९	५२३	५२३
३२.०५	150mm	व.फु.	५४६	५७३	५७३
३३	**Sandwich EPE Panel**				
३३.०१	40mm	व.फु.	२४५	२५७	२५७
३३.०२	50mm	व.फु.	२८०	२९४	२९४

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
३३.०३	60mm	व.फु.	३१५	३३०	३३०
३३.०४	80mm	व.फु.	३७०	३८८	३८८
३३.०५	100mm	व.फु.	४३०	४५१	४५१
३४	**Sandwich PUF Panel**				
३४.०१	50mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.	२६७	२८०	२९४
३४.०२	75mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.	३१५	३३०	३४६
३४.०३	100mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.	३८०	३९९	४१८
३४.०४	150mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.	४५०	४७२	४९५
३४.०५	30mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with all accessories	व.फु.	२४०	२५२	२६४
३४.०६	40mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with all accessories	व.फु.	२६०	२७३	२८६
३४.०७	50mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with all accessories	व.फु.	२८०	२९४	३०८
३४.०८	0.4mm thick Ridge Cap	र.फि	१८९	१९८	२००
३४.०९	Gutter 0.30mm thick (Size-4")	र.फि		९०	९०
३४.१	Gutter 0.35mm thick (Size-4")	र.फि		१००	१००
३४.११	Gutter 0.40mm thick (Size-16")	र.फि		११०	११५
३४.१२	Gutter 0.40mm thick (Size-12")	र.फि			८८
३४.१३	Gutter 0.50mm thick (Size-16")	र.फि		१३०	१११
३४.१४	Gutter 0.50mm thick (Size-12")	र.फि			९७
३४.१५	Polycarbonate Corrugated sheet 0.8mm thick	व.फु.		१२५	१२५
३४.१६	Polycarbonate Corrugated sheet 1.0mm thick	व.फु.		१४५	१४५

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
३४.१७	Polycarbonate Corrugated sheet 1.2mm thick	व.फु.		१७०	१४८
३४.१८	Polycarbonate Corrugated sheet 1.5mm thick	व.फु.		२००	१६५
३४.१९	Polycarbonate Corrugated sheet 1.8mm thick	व.फु.		२४०	२४०
३४.२	Polycarbonate Corrugated sheet 2.0mm thick	व.फु.		२५०	२१५
३४.२१	Polycarbonate Corrugated sheet 2.5mm thick	व.फु.		३०५	२८७
३४.२२	Polycarbonate Corrugated sheet 3mm thick	व.फु.			३४२
३४.२३	Polycarbonate Plain sheet 1.0mm thick	व.फु.		१३५	११४
३४.२४	Polycarbonate Plain sheet 1.5mm thick	व.फु.		१७५	१७५
३४.२५	Polycarbonate Plain sheet 2.0mm thick	व.फु.		२४०	१६९
३४.२६	Polycarbonate Plain sheet 2.5mm thick	व.फु.		२९५	२२३
३४.२७	Polycarbonate Plain sheet 3mm thick	व.फु.			२७०
३४.२८	Polycarbonate Plain sheet 4mm thick	व.फु.			३१६
३४.२९	Polycarbonate Plain sheet 5mm thick	व.फु.			३७५
३४.३	Polycarbonate Plain sheet 6mm thick	व.फु.			४५०
३४.३१	Polycarbonate Plain sheet 7mm thick	व.फु.			५४०
३४.३२	Polycarbonate Plain sheet 8mm thick	व.फु.			५८१
३४.३३	Polycarbonate Plain sheet 9mm thick	व.फु.			७२५
३४.३४	Polycarbonate Plain sheet 10mm thick	व.फु.			७६७
३४.३५	Polycarbonate Plain sheet 12mm thick	व.फु.			८७३
३४.३६	Polycarbonate Compact Sheet (Tilara or Eqvt.)-1mm thick	व.फु.			१०२

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
३४.३७	Polycarbonate Compact Sheet (Tilara or Eqvt.)-2mm thick	व.फु.			२०४
३४.३८	Polycarbonate Compact Sheet (Tilara or Eqvt.)-3mm thick	व.फु.			३०६
३४.३९	Polycarbonate Compact Sheet (Tilara or Eqvt.)-5mm thick	व.फु.			५०९
३४.४	Polycarbonate Compact Sheet (Tilara or Eqvt.)-8mm thick	व.फु.			८१५
३४.४१	Polycarbonate Compact Sheet (Tilara or Eqvt.)-10mm thick	व.फु.			१०१८
३४.४२	Polycarbonate Compact Sheet (Tilara or Eqvt.)-12mm thick	व.फु.			१२२२
३४.४३	Polycarbonate Multiwall Sheet (Tilara or Eqvt.)-4mm thick	व.फु.			६८
३४.४४	Polycarbonate Multiwall Sheet (Tilara or Eqvt.)-6mm thick	व.फु.			९८
३४.४५	Polycarbonate Multiwall Sheet (Tilara or Eqvt.)-8mm thick	व.फु.			११३
३४.४६	Polycarbonate Multiwall Sheet (Tilara or Eqvt.)-10mm thick	व.फु.			१२८
३४.४७	Polycarbonate Multiwall Sheet (Tilara or Eqvt.)-16mm thick	व.फु.			२२५
३५	Supplying and laying of polythene and polypropylene polymer compound for water proof membarane	व.फु.			८०
३६	जस्ता पाता (सिजिआई सीट)				
३६.१	0.35 mm (26 guage light)	वण्डल	८४४६	८४४६	८४४६
३६.२	0.37 mm (26 guage Medium)	वण्डल	९५००	९५००	९५००
३६.३	0.41 mm (26 guage Heavy)	वण्डल	१०९९०	१०९९०	१०९९०
३६.४	0.45 mm (24 guage light)	वण्डल	११२००	११२००	११२००
३६.५	0.50 mm (24 guage Medium)	वण्डल	११७००	११७००	११७००
३६.६	0.52 mm (24 guage Heavy)	वण्डल	१३४००	१३४००	१३४००
३७	जि आई प्लेन सीट				
३७.१	३×६ फीट २६ गेजको मिडियम	गोटा	७४०	७४०	७४०
३७.२	३×६ फीट २४ गेजको मिडियम	गोटा	७७०	७७०	७७०
३८	रंगीन जस्ता पाता (सिजिआई सीट)				
३८.१	0.35 mm (26 guage light)	वण्डल	११४००	११४००	११४००
३८.२	0.37 mm (26 guage Medium)	वण्डल	११८००	११८००	११८००
३८.३	0.41 mm (26 guage Heavy)	वण्डल	१२९००	१२९००	१२९००
३८.४	0.45 mm (24 guage light)	वण्डल	१३४००	१३४००	१३४००
३८.५	0.50 mm (24 guage Medium)	वण्डल	१४५००	१४५००	१४५००

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
३८.६	0.55 mm (24 guage Heavy)	वण्डल	१५५००	१५५००	१५५००
३९	रंगीन प्लेन सीट				
३९.१	३×६ फीट २४ गेजको	गोटा	११८०	११८०	११८०
३९.२	३×६ फीट २६ गेजको	गोटा	९६५	९६५	९६५
४०	फलामे सामग्री				
४०.०१	फलामको स्क्वायर पाईप र गोलो पाईप	के.जी.	१२०	१२०	१२०
४०.०२	विभिन्न साइजको एंगल, चेनल, टी, फ्ल्याट इत्यादि	के.जी.	१११	११०	११०
४०.०३	कालो पाईपको तयारी ट्रस	के.जी.	१४५	१४५	१४५
४०.०४	३×२०मि.मि./४.५×२०मि.मि तयारी ग्रील	के.जी.	१४०	१४०	१४०
४०.०५	फलामे गेट (घर कम्पाउण्ढको)	के.जी.	१४०	१५०	१५०
४०.०६	च्यानल गेट (घर कम्पाउण्ढको)	के.जी.	१४०	१४०	१४०
४०.०७	च्यानल एंगल गेट (घर कम्पाउण्ढको)	के.जी.	१४०	१४०	१४०
४०.०८	कोल्याव्सीवल गेट	के.जी.	१४०	१४०	१४०
४०.०९	Mild Steel Props for Concreting 2" dia 3.5mm wall thickness and 3.5m-4.0m height	गोटा		२०००	२०००
४१	रोलिङ सटर				
४१.१	१८ गेजको व्ल्याकसीट	व.फु.	१६२	१६२	१६२
४१.२	२०गेजको व्ल्याकसीट	व.फु.	१५८	१५८	१५८
४२	रबरसिल				
४२.१	क्यानल लाईनिङ्ग	मी.	२३८	२३८	२३८
४२.२	गेटको लागि	मी.	२७५	२७५	२७५
	पाइप, फिटिङ्ग तथा टंकी (खानेपानी, सिचाई सम्वन्धि)				
४३	जि. आई पाईप				
४३.०१	½"ø को लाइट	र.मी.	१७६.००	१७६.००	१७६.००
४३.०२	½"ø को मिडियम	र.मी.	२०७.००	२०७.००	२०७.००
४३.०३	½"ø को हेवी	र.मी.	२४४.००	२४४.००	२४४.००
४३.०४	३/४"ø को लाइट	र.मी.	२४४.००	२४४.००	२४४.००
४३.०५	३/४"ø को मिडियम	र.मी.	२६२.००	२६२.००	२६२.००
४३.०६	३/४"ø को हेवी	र.मी.	३११.००	३११.००	३११.००
४३.०७	१"ø को लाइट	र.मी.	३३५.००	३३५.००	३३५.००
४३.०८	१"ø को मिडियम	र.मी.	३९६.००	३९६.००	३९६.००
४३.०९	१"ø को हेवी	र.मी.	४६३.००	४६३.००	४६३.००
४३.१०	११/४"ø को लाइट	र.मी.	४५१.००	४५१.००	४५१.००
४३.११	११/४"ø को मिडियम	र.मी.	५१२.००	५१२.००	५१२.००
४३.१२	११/४"ø को हेवी	र.मी.	५९१.००	५९१.००	५९१.००
४३.१३	११/२"ø को लाइट	र.मी.	५३०.००	५३०.००	५३०.००
४३.१४	११/२"ø को मिडियम	र.मी.	५९२.००	५९२.००	५९२.००

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
४३.१५	११/२"ø को हेवी	र.मी.	६८३.००	६८३.००	६८३.००
४३.१६	२"ø को लाइट	र.मी.	६७१.००	६७१.००	६७१.००
४३.१७	२"ø को मिडियम	र.मी.	८०६.००	८०६.००	८०६.००
४३.१८	२"ø को हेवी	र.मी.	९९५.००	९९५.००	९९५.००
४३.१९	२१/२"ø को लाइट	र.मी.	९२७.००	९२७.००	९२७.००
४३.२०	२१/२"ø को मिडियम	र.मी.	१०३१.००	१०३१.००	१०३१.००
४३.२१	२१/२"ø को हेवी	र.मी.	१२४४.००	१२४४.००	१२४४.००
४३.२२	३"ø को लाइट	र.मी.	१०८५.००	१०८५.००	१०८५.००
४३.२३	३"ø को मिडियम	र.मी.	१२७४.००	१२७४.००	१२७४.००
४३.२४	३"ø को हेवी	र.मी.	१४६४.००	१४६४.००	१४६४.००
४३.२५	४"ø को लाइट	र.मी.	१५५५.००	१५५५.००	१५५५.००
४३.२६	४"ø को मिडियम	र.मी.	१८९१.००	१८९१.००	१८९१.००
४३.२७	४"ø को हेवी	र.मी.	२२६९.००	२२६९.००	२२६९.००
४३.२८	५"ø को लाइट	र.मी.	२४९१.००	२४९१.००	२४९१.००
४३.२९	५"ø को मिडियम	र.मी.	२६३२.००	२६३२.००	२६३२.००
४३.३०	५"ø को हेवी	र.मी.	२९६५.००	२९६५.००	२९६५.००
४३.३१	६"ø को लाइट	र.मी.	२९५७.००	२९५७.००	२९५७.००
४३.३२	६"ø को मिडियम	र.मी.	३१८३.००	३१८३.००	३१८३.००
४३.३३	६"ø को हेवी	र.मी.	३३५७.००	३३५७.००	३३५७.००
४३.३४	८"ø को लाइट	र.मी.	४१३२.००	४१३२.००	४१३२.००
४३.३५	८"ø को मिडियम	र.मी.	४८७०.००	४८७०.००	४८७०.००
४३.३६	८"ø को हेवी	र.मी.	५१७५.२४	५१७५.२४	५१७५.२४
४४	एम्. एस्. केसिङ पाईप र फिटिंहरु				
४३.३७	३०० मि मि ø कसिङ पाईप	मी.	१३०००	१३०००	१३०००
४४.०१	२५० मि मि ø कसिङ पाईप	मी.	११०००	११०००	११०००
४४.०२	१५० मि मि ø केसिङ पाईप	मी.	२९५०	२९५०	२९५०
४४.०३	१५० मि मि ø स्लटेड स्कीन पाइप	मी.	४१००	४१००	४१००
४४.०४	२०० मि मि ø केसिङ पाईप	मी.	६३५०	६३५०	६३५०
४४.०५	१०० मि मि ø केसिङ पाईप	मी.	१९००	१९००	१९००
४४.०६	१२५ मि मि ø केसिङ पाईप	मी.	२५९०	२५९०	२५९०
४४.०७	।२०० मि मि ø स्लटेड स्कीन पाइप	मी.	६०००	६०००	६०००
४४.०८	१५० मि मि ø स्लटेड स्कीन पाइप	मी.	८५००	८५००	८५००
४४.०९	200mm dia SS304 Stainless Steel continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm	२१५००	२१५००	२१५००

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
४४.१०	150mm dia SS304 Stainless Steel continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm	१७५००	१७५००	१७५००
४४.११	200mm dia LCG continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm	१०५००	१०५००	१०५००
४४.१२	150mm dia LCG continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm	८५००	८५००	८५००
४४.१३	MS Reducer 250/200 mm	गोटा	७५००	७५००	७५००
४४.१४	MS Reducer 250/150 mm	गोटा	७९००	७९००	७९००
४४.१५	MS Reducer 200/150 mm	गोटा	६०००	६०००	६०००
४४.१६	Casing Shoe 5" dia	गोटा	४५००	४५००	४५००
४४.१७	Casing Shoe 6" dia	गोटा	८०००	८०००	८०००
४४.१८	Casing Shoe 8" dia	गोटा	१५०००	१५०००	१५०००
४४.१९	150mm dia. .30*.50m Elbow	गोटा	२६२५	२६२५	२६२५
४४.२०	150mm dia.Non Return Valve	गोटा	१८३७५	१८३७५	१८३७५
४४.२१	150mm dia. Flange	गोटा	२१००	२१००	२१००
४४.२२	150mm dia. .45*.15m Tee	गोटा	३१५०	३१५०	३१५०
४४.२३	150mm dia. Sluice Valve	गोटा	१८३७५	१८३७५	१८३७५
४४.२४	150mm dia. .3*.3m Bend	गोटा	२६२५	२६२५	२६२५
४४.२५	200mm dia. .60*.40m Tee	गोटा	५२५०	५२५०	५२५०
४४.२६	200mm dia. Flange	गोटा	२६२५	२६२५	२६२५
४४.२७	250mm dia. Flange	गोटा	३६७५	३६७५	३६७५
४४.२८	200mm dia. Sluice Valve	गोटा	२८८७५	२८८७५	२८८७५
४४.२९	200mm dia. .3*.3m Elbow	गोटा	४२००	४२००	४२००
४४.३०	100mm dia.Non Return Valve (Wt min^{m} 10Kg)	गोटा	१३१२५	१३१२५	१३१२५
४४.३१	100mm dia. .15*.15m Elbow	गोटा	१५७५	१५७५	१५७५
४४.३२	100mm dia. Sluice Valve	गोटा	१३१२५	१३१२५	१३१२५
४४.३३	100mm dia. Flange (Wt. min^{m} 6 kg)	गोटा	१३१२	१३१२	१३१२
४४.३४	४" एम्. एस्. पाईप Screen Knock	गोटा	२१००	२१००	२१००
४४.३५	माछा छेक्ने जाली स्टेनलेस स्टीलको ५ मि.मी. मेश भएको	व.मी.	५७७	५७७	५७७
४४.३६	माछा छेक्ने जाली मशीनमेड जी.आई. ५ सेमी. मेश भएको	व.मी.	५२५	५२५	५२५

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
४४.३७	२०० मि.मि. Alpha Alpha Valve	गोटा	४७२५	४७२५	४७२५
४४.३८	बटरफ्लाई भल्भ ६"	गोटा	७८७५	७८७५	७८७५
४४.३९	बटरफ्लाई भल्भ ४"	गोटा	६८२५	६८२५	६८२५
४४.४०	आपतकालिन नदी नियन्त्रण कार्यका लागि नाइलन जाली ६x३x०.७५ मि., २०x२० से.मी. ६ मि.मि dia ७.२५ kg	गोटा	२२००	२२००	२२००
४४.४१	10mm joint filler for canal lining	ब.मि.	१२००	१२००	१२००
४४.४२	Polysulphide joint sealer for cana lining	मि.	८००	८००	८००
४४.४३	Supplying, fitting, fixing and installation complete work of Steel Gate for HR/CR	के.जी.	३००	३००	३००
४४.४४	PVC Water stopper 230mm width 25mm dia center bub	मि.	११००	११००	११००
४५.०	यू.पी.भि.सि. फिटिंग				
४५.०१	Tee ND 16*16*16 cm (4 Kg/sq.cm)	गोटा	१२००	१२००	१२००
४५.०२	Tee ND 20*20*20 cm (4 Kg/sq.cm)	गोटा	२२५०	२२५०	२२५०
४५.०३	Bend ND 200 mm (4 Kg/sq.cm)	गोटा	१७५०	१७५०	१७५०
४५.०४	Bend ND 160 mm (4 Kg/sq.cm)	गोटा	७१०	७१०	७१०
४५.०५	Reducer ND 200 mm (4 Kg/sq.cm)	गोटा	१२५०	१२५०	१२५०
४५.०६	Coupler ND 160 mm (4 Kg/sq.cm)	गोटा	६५०	६५०	६५०
४५.०७	Coupler ND 200 mm (4 Kg/sq.cm)	गोटा	८५०	८५०	८५०
४५.०८	End Cap ND 200 mm (4 Kg/sq.cm)	गोटा	१०००	१०००	१०००
४५.०९	End Cap ND 160 mm (4 Kg/sq.cm)	गोटा	८००	८००	८००
४५.१०	PVC Coupler Flange 6" dia	गोटा	२५००	२५००	२५००
४५.११	Solvent Cement	लि.	५५०	५५०	५५०
४५.१२	४"ø सक्सन पाइप	र.मी.	७१०	७१०	७१०
४५.१३	४"ø सर्भिस पाइप	के.जी.	२७५	२७५	२७५
४५.१४	४"ø भल्व बेण्ड	सेट	२५००	२५००	२५००
४६.०	कस टी				
४६.१०	११/२"ø मिडियम जि.आई. ६ मुखे	गोटा	३३३५	३३३५	३३३५
४६.२०	११/२"ø ,, ४ मुखे	गोटा	१९३५	१९३५	१९३५
४७.०	जि.आई. सकेट				
४७.०१	१/२"ø को मिडियम	गोटा	४३	४३	४३
४७.०२	३/४"ø को मिडियम	गोटा	६६	६६	६६
४७.०३	१"ø को मिडियम	गोटा	८६	८६	८६
४७.०४	११/४"ø को मिडियम	गोटा	१४०	१४०	१४०
४७.०५	११/२"ø को मिडियम	गोटा	१९०	१९०	१९०
४७.०६	२"ø को मिडियम	गोटा	२८०	२८०	२८०
४७.०७	२१/२"ø को मिडियम	गोटा	४७०	४७०	४७०
४७.०८	३"ø को मिडियम	गोटा	६३०	६३०	६३०

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
४७.०९	४"ø को मिडियम	गोटा	१०००	१०००	१०००
४८.०	जि.आई युनियन				
४८.०१	१/२"ø को मिडियम	गोटा	१३०	१३०	१३०
४८.०२	३/४"ø को मिडियम	गोटा	१८५	१८५	१८५
४८.०३	१"ø को मिडियम	गोटा	२४५	२४५	२४५
४८.०४	११/४"ø को मिडियम	गोटा	३७०	३७०	३७०
४८.०५	११/२"ø को मिडियम	गोटा	४७५	४७५	४७५
४८.०६	२"ø को मिडियम	गोटा	६७५	६७५	६७५
४८.०७	२१/२"ø को मिडियम	गोटा	७९०	७९०	७९०
४८.०८	३"ø को मिडियम	गोटा	१७८०	१७८०	१७८०
४८.०९	४"ø को मिडियम	गोटा	२४३०	२४३०	२४३०
४९	जि.आई. निप्पल				
४९.०१	१/२"ø को मिडियम ६"	गोटा	८५	८५	८५
४९.०२	३/४"ø को मिडियम ६"	गोटा	११५	११५	११५
४९.०३	१"ø को मिडियम ६"	गोटा	१५०	१५०	१५०
४९.०४	११/४"ø को मिडियम ६"	गोटा	२१०	२१०	२१०
४९.०५	११/२"ø को मिडियम ६"	गोटा	२६०	२६०	२६०
४९.०६	२"ø को मिडियम ६"	गोटा	३६९	३६९	३६९
४९.०७	२१/२"ø को मिडियम ६"	गोटा	६५०	६५०	६५०
४९.०८	३"ø को मिडियम ६"	गोटा	९७५	९७५	९७५
४९.०९	४"ø को मिडियम ६"	गोटा	११५०	११५०	११५०
४९.१०	GI nipple 3"long	गोटा	९०	९०	९०
४९.११	15 mm Φ Medium	गोटा	१२५	१२५	१२५
४९.१२	20 mm Φ Medium	गोटा	१६९	१६९	१६९
४९.१३	25 mm Φ Medium	गोटा	२२५	२२५	२२५
४९.१४	32 mm Φ Medium	गोटा	२८१	२८१	२८१
४९.१५	40 mm Φ Medium	गोटा	३९३	३९३	३९३
४९.१६	50 mm Φ Medium	गोटा	५६८	५६८	५६८
४९.१७	65 mm Φ Medium	गोटा	८५२	८५२	८५२
४९.१८	80 mm Φ Medium	गोटा	१००५	१००५	१००५
५०	जि.आई. टी				
५०.०१	१/२"ø को मिडियम	गोटा	७४	७४	७४
५०.०२	३/४"ø को मिडियम	गोटा	१२०	१२०	१२०
५०.०३	१"ø को मिडियम	गोटा	१६०	१६०	१६०
५०.०४	११/४"ø को मिडियम	गोटा	२६३	२६३	२६३
५०.०५	११/२"ø को मिडियम	गोटा	३१६	३१६	३१६
५०.०६	२"ø को मिडियम	गोटा	४९५	४९५	४९५

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
५०.०७	२१/२"ø को मिडियम	गोटा	१०४८	१०४८	१०४८
५०.०८	३"ø को मिडियम	गोटा	१५९५	१५९५	१५९५
५०.०९	४"ø को मिडियम	गोटा	२८५५	२८५५	२८५५
५१.००	GI unequal Tee				
५१.०१	20x20x15 mm Φ	गोटा	१६०	१६०	१६०
५१.०२	25x25x15 mm Φ	गोटा	२१७	२१७	२१७
५१.०३	32x32x15 mm Φ	गोटा	३१६	३१६	३१६
५१.०४	40x40x15 mm Φ	गोटा	४१८	४१८	४१८
५१.०५	50x50x15 mm Φ	गोटा	६६२	६६२	६६२
५१.०६	65x65x15 mm Φ	गोटा	१२४२	१२४२	१२४२
५१.०७	80x80x15 mm Φ	गोटा	१७८२	१७८२	१७८२
५१.०८	100x100x15 mm Φ	गोटा	२९०६	२९०६	२९०६
५१.०९	50x50*25 mm Φ	गोटा	६६२	६६२	६६२
५१.१०	50x50*32 mm Φ	गोटा	६६२	६६२	६६२
५१.११	50*50 *40mm Φ	गोटा	६६२	६६२	६६२
५१.१२	65x65x25mm Φ	गोटा	१२४२	१२४२	१२४२
५१.१३	65*65*32mm Φ	गोटा	१२४२	१२४२	१२४२
५१.१४	65*65*40mm Φ	गोटा	१२४२	१२४२	१२४२
५१.१५	65*65*50mm Φ	गोटा	१२४२	१२४२	१२४२
५१.१६	80x80x25 mm Φ	गोटा	१७८२	१७८२	१७८२
५१.१७	80x80x32 mm Φ	गोटा	१७८२	१७८२	१७८२
५१.१८	80x80x40 mm Φ	गोटा	१७८२	१७८२	१७८२
५१.१९	80x80x50 mm Φ	गोटा	१७८२	१७८२	१७८२
५१.२०	80x80x65mm Φ	गोटा	१७८२	१७८२	१७८२
५१.२१	100*100x25 mm Φ	गोटा	२९०६	२९०६	२९०६
५१.२२	100*100*32 mm Φ	गोटा	२९०६	२९०६	२९०६
५१.२३	100*100*40 mm Φ	गोटा	२९०६	२९०६	२९०६
५१.२४	100*100*50 mm Φ	गोटा	२९०६	२९०६	२९०६
५१.२५	100*100*65 mm Φ	गोटा	२९०६	२९०६	२९०६
५१.२६	100*100*80 mm Φ	गोटा	२९०६	२९०६	२९०६
५२	ग्लोब भल्भ				
५२.०१	१/२"ø को मिडियम	गोटा	७८०	७८०	७८०
५२.०२	३/४"ø को मिडियम	गोटा	१३२४	१३२४	१३२४
५२.०३	१"ø को मिडियम	गोटा	१८८०	१८८०	१८८०
५२.०४	११/४"ø को मिडियम	गोटा	३६६०	३६६०	३६६०
५२.०५	११/२"ø को मिडियम	गोटा	४६५०	४६५०	४६५०
५२.०६	२"ø को मिडियम	गोटा	६१७५	६१७५	६१७५
५२.०७	२१/२"ø को मिडियम	गोटा	१४९४५	१४९४५	१४९४५
५२.०८	३"ø को मिडियम	गोटा	२१३६५	२१३६५	२१३६५

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
५२.०९	४"ø को मिडियम	गोटा	३६४०७	३६४०७	३६४०७
५३	गेट भल्भ (ब्रास)				
५३.०१	१/२"ø को मिडियम	गोटा	८४४	८४४	८४४
५३.०२	३/४"ø को मिडियम	गोटा	११७५	११७५	११७५
५३.०३	१"ø को मिडियम	गोटा	१७६०	१७६०	१७६०
५३.०४	११/४"ø को मिडियम	गोटा	२६९०	२६९०	२६९०
५३.०५	११/२"ø को मिडियम	गोटा	३६६०	३६६०	३६६०
५३.०६	२"ø को मिडियम	गोटा	५५४०	५५४०	५५४०
५३.०७	२१/२"ø को मिडियम	गोटा	११६५२	११६५२	११६५२
५३.०८	३"ø को मिडियम	गोटा	१६२०५	१६२०५	१६२०५
५३.०९	४"ø को मिडियम	गोटा	३११७७	३११७७	३११७७
५४	एयर भल्ब				
५४.०१	१/२"ø को मिडियम	गोटा	४६८०	४६८०	४६८०
५४.०२	३/४"ø को मिडियम	गोटा	४८६०	४८६०	४८६०
५४.०३	१"ø को मिडियम	गोटा	७०९६	७०९६	७०९६
५५	जि.आई. रिड्यूसर				
५५.०१	१/२ x ३/४" को	गोटा	७३	७३	७३
५५.०२	३/४ x १" को	गोटा	९५	९५	९५
५५.०३	१ x ११/४" को	गोटा	१४७	१४७	१४७
५५.०४	११/४ x ११/२"को	गोटा	१८०	१८०	१८०
५५.०५	११/२ x २"को	गोटा	३१५	३१५	३१५
५५.०६	२ x २१/२" को	गोटा	४२२	४२२	४२२
५५.०७	२१/२ x ३"को	गोटा	७९०	७९०	७९०
५५.०८	३ x ४" को	गोटा	११००	११००	११००
५६	जि.आई. एल्बो				
५६.०१	१/२"ø को मिडियम	गोटा	४८	४८	४८
५६.०२	३/४"ø को मिडियम	गोटा	७४	७४	७४
५६.०३	१"ø को मिडियम	गोटा	११८	११८	११८
५६.०४	११/४"ø को मिडियम	गोटा	१८०	१८०	१८०
५६.०५	११/२"ø को मिडियम	गोटा	२५५	२५५	२५५
५६.०६	२"ø को मिडियम	गोटा	३८८	३८८	३८८
५६.०७	२१/२"ø को मिडियम	गोटा	९००	९००	९००
५६.०८	३"ø को मिडियम	गोटा	११००	११००	११००
५६.०९	४"ø को मिडियम	गोटा	२२००	२२००	२२००
५७	जि.आई. इन्डक्याप				
५७.०१	१/२" को मिडियम	गोटा	४८	४८	४८

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
५७.०२	३/४" को मिडियम	गोटा	७५	७५	७५
५७.०३	१" को मिडियम	गोटा	९५	९५	९५
५७.०४	११/४" को मिडियम	गोटा	१८५	१८५	१८५
५७.०५	११/२" को मिडियम	गोटा	२०२	२०२	२०२
५७.०६	२" को मिडियम	गोटा	२६०	२६०	२६०
५७.०७	२१/२" को मिडियम	गोटा	५५५	५५५	५५५
५८	फलामे मेनहोल कवर				
५८.०१	६० से.मी. ब्यासको (खानेपानीको लागि)	गोटा	२४५०	२४५०	२४५०
५८.०२	९० से.मी.ब्यासको (खानेपानीको लागि)	गोटा	२९५०	२९५०	२९५०
५८.०३	CI Manhole Cover 400mmx400mm Square shape 14 Kg weight	गोटा	३०००	३०००	३०००
५८.०४	CI Manhole Cover 600mmx600mm Square shape 22 Kg weight	गोटा	५५००	५५००	५५००
५८.०५	CI Manhole Cover Round 450mm 49 Kg weight	गोटा	१००००	१००००	१००००
५८.०६	CI Manhole Cover Round 500mm 50 Kg weight	गोटा	१०५००	१०५००	१०५००
५८.०७	CI Manhole Cover Round 600mm 90 Kg weight	गोटा	१९०००	१९०००	१९०००
५८.०८	CI Manhole Cover Round 750mm 115 Kg weight	गोटा	२३०००	२३०००	२३०००
५९	टुटी				
५९.०१	पित्तलको हेभी	गोटा	७००	७००	७००
५९.०२	पित्तलको लाईट	गोटा	४९०	४९०	४९०
५९.०३	प्लास्टिकको	गोटा	१६०	१६०	१६०
६०	**पोलिथिनको पानी टंकी**	लिटर	१३	१३	१३
६१	**स्टिलको पानी टंकी**	लिटर	२१	२३	२३
६२	हेण्डपम्प गाड्ने कार्य				
६२.०१	६० फीटसम्म गहिरो	फिट	४३२६	४३२६	४३२६
६२.०२	६० फीटभन्दा बढी गहिरो	फिट	६६	६६	६६
६३	हेण्डपम्प				
६३.०१	४ नं. को लाइट	गोटा	१८०२	१८०२	१८०२
६३.०२	४ नं. को हेभी	गोटा	२५२३	२५२३	२५२३
६३.०३	६ नं. को हेभी	गोटा	३२९६	३२९६	३२९६
६३.०४	६ नं. को लाईट	गोटा	३६०५	३६०५	३६०५
६४	फ्लोट भल्भ				
६४.०१	१/२"ø को	गोटा	२८६८	२८६८	२८६८
६४.०२	३/४"ø को	गोटा	३३२६	३३२६	३३२६
६४.०३	१"ø को	गोटा	४३६२	४३६२	४३६२
६४.०४	११/४"ø को	गोटा	९२७०	९२७०	९२७०

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
६४.०५	११/२"ø को	गोटा	१२७१०	१२७१०	१२७१०
६४.०६	Brass 15 mm Φ Gun Metal Ferrule	गोटा	१०८३	१०८३	१०८३
६४.०७	Brass Bib Cok Heavy 15 mm Φ(400 gm)	गोटा	७५०	७५०	७५०
६४.०८	15 mm Φ Water Meter Rotory Piston type	गोटा	२५००	२५००	२५००
६४.०९	Brass 15 mm Φ regulator With Key	गोटा	१४१०	१४१०	१४१०
६५	जि.आई/एच.डि.पि फ्लेन्ज सेट				
६५.०१	१/२"ø को	गोटा	५०९	५०९	५०९
६५.०२	३/४"ø को	गोटा	५६६	५६६	५६६
६५.०३	१"ø को	गोटा	७३६	७३६	७३६
६५.०४	११/४"ø को	गोटा	९०६	९०६	९०६
६५.०५	११/२"ø को	गोटा	११८९	११८९	११८९
६५.०६	२"ø को	गोटा	१५४५	१५४५	१५४५
६५.०७	२१/२"ø को	गोटा	१९०५	१९०५	१९०५
६५.०८	३"ø को	गोटा	२३१७	२३१७	२३१७
६५.०९	४"ø को	गोटा	२८३२	२८३२	२८३२
६५.१०	100/125 mm Φ	गोटा	३३५०	३३५०	३३५०
६५.११	125/140mm Φ	गोटा	४०००	४०००	४०००
६५.१२	150/160 mm Φ	गोटा	४५००	४५००	४५००
६५.१३	150/180 mm Φ	गोटा	४७५०	४७५०	४७५०
६५.१४	150/200 mm Φ	गोटा	५०००	५०००	५०००
६५.१५	200/225 mm Φ	गोटा	६०००	६०००	६०००
६५.१६	200/250 mm Φ	गोटा	६५००	६५००	६५००
६५.१७	250/280 mm Φ	गोटा	८०००	८०००	८०००
६६.००	HDP/HDP (MS)flange set With Adepter Nut Bolt And Gasket				
६६.०१	63mm Φ	गोटा	२२५०	२२५०	२२५०
६६.०२	75mm Φ	गोटा	२७५०	२७५०	२७५०
६६.०३	90 mm Φ	गोटा	३२५०	३२५०	३२५०
६६.०४	110 mm Φ	गोटा	३३५०	३३५०	३३५०
६६.०५	125 mm Φ	गोटा	४०००	४०००	४०००
६६.०६	140mm Φ	गोटा	४५००	४५००	४५००
६६.०७	160 mm	गोटा	४७५०	४७५०	४७५०
६६.०८	180 mm Φ	गोटा	५०००	५०००	५०००
६६.०९	200 mm Φ	गोटा	६०००	६०००	६०००
६६.१०	225 mm Φ	गोटा	६५००	६५००	६५००
६६.११	250 mm Φ		८०००	८०००	८०००
६७.००	GI /GI flange set				
६७.०१	50mm Φ	गोटा	१३००	१३००	१३००
६७.०२	65mm Φ	गोटा	१५००	१५००	१५००

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
६७.०३	80 mm Φ	गोटा	१८००	१८००	१८००
६७.०४	100 mm Φ	गोटा	२२००	२२००	२२००
६७.०५	125mm Φ	गोटा	२६००	२६००	२६००
६७.०६	150 mm Φ	गोटा	३०००	३०००	३०००
६७.०७	200 mm Φ	गोटा	५०००	५०००	५०००
६७.०८	250mm Φ	गोटा	६०००	६०००	६०००
६८	ब्रास युनियन				
६८.०१	१/२"ø को	गोटा	१९०	१९०	१९०
६८.०२	३/४"ø को	गोटा	३९०	३९०	३९०
६८.०३	१"ø को	गोटा	४७५	४७५	४७५
६८.०४	११/४"ø को	गोटा	६७५	६७५	६७५
६८.०५	११/२"ø को	गोटा	९८०	९८०	९८०
६८.०६	२"ø को	गोटा	१६१५	१६१५	१६१५
६८.०७	२१/२"ø को	गोटा	५१३९	५१३९	५१३९
६८.०८	३"ø को	गोटा	७६९६	७६९६	७६९६
६८.०९	४"ø को	गोटा	११७३१	११७३१	११७३१
६८.१०	५"ø को	गोटा	१६४२८	१६४२८	१६४२८
६८.११	एच.डी.पि.ई. पाईप NS	के.जी.	३०५	३००	२९०
६९	DI Pipe Double Flange Pipe k 9 Series				
६९.०१	80 mm dia	Mrt	४०००	४०००	४०००
६९.०२	100mm dia	Mrt	५०००	५०००	५०००
६९.०३	125mm dia	Mrt	६१००	६१००	६१००
६९.०४	150 mm dia	Mrt	७०००	७०००	७०००
६९.०५	200mm dia	Mrt	९०००	९०००	९०००
६९.०६	250mm dia	Mrt	१३०००	१३०००	१३०००
६९.०७	300mm dia	Mrt	१७५००	१७५००	१७५००
७०.००	DI Pipe Spigot Pipe C-40				
७०.०१	80 mm dia	Mrt	२४५०	२४५०	२४५०
७०.०२	100mm dia	Mrt	२७५०	२७५०	२७५०
७०.०३	125mm dia	Mrt	३७५०	३७५०	३७५०
७०.०४	150 mm dia	Mrt	५५००	५५००	५५००
७०.०५	200mm dia	Mrt	७०००	७०००	७०००
७०.०६	250mm dia	Mrt	९०००	९०००	९०००
७०.०७	300mm dia	Mrt	११५००	११५००	११५००
७१.००	CI Sluice valve				
७१.१०	65 mm Dia	No	११५००	११५००	११५००
७१.११	80 mm Dia	No	१३५००	१३५००	१३५००
७१.१२	100mm Dia	No	१७५००	१७५००	१७५००
७१.१३	125mm Dia	No	२१५००	२१५००	२१५००

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
७१.१४	150mm Dia	No	२७५००	२७५००	२७५००
७१.१५	200mm Dia	No	३७५००	३७५००	३७५००
७१.१६	250mm Dia	No	५७६००	५७६००	५७६००
७१.१७	300mm Dia	No	८९५००	८९५००	८९५००
७२.००	**DI Sluice valve**				
७२.०१	65 mm Dia	No	१७५००	१७५००	१७५००
७२.०२	80 mm Dia	No	२५५००	२५५००	२५५००
७२.०३	100mm Dia	No	३५०००	३५०००	३५०००
७२.०४	125mm Dia	No	४५०००	४५०००	४५०००
७२.०५	150mm Dia	No	५२५००	५२५००	५२५००
७२.०६	200mm Dia	No	७००००	७००००	७००००
७२.०७	250mm Dia	No	१०५०००	१०५०००	१०५०००
७२.०८	300mm Dia	No	१५१०००	१५१०००	१५१०००
७३.००	**DI Duck foot bend Double Flange**				
७३.०१	100mm Dia	No	७५००	७५००	७५००
७३.०२	125mm Dia	No	१२५००	१२५००	१२५००
७३.०३	150mm Dia	No	१५५००	१५५००	१५५००
७३.०४	200mm Dia	No	२१०००	२१०००	२१०००
७३.०५	250mm Dia	No	३५५००	३५५००	३५५००
७३.०६	300mm Dia	No	४५०००	४५०००	४५०००
७४.००	**DI Double Flange bend 90^0**				
७४.०१	80mm Dia	No	५०००	५०००	५०००
७४.०२	100mm Dia	No	६०००	६०००	६०००
७४.०३	125mm Dia	No	७०००	७०००	७०००
७४.०४	150mm Dia	No	९०००	९०००	९०००
७४.०५	200mm Dia	No	१५०००	१५०००	१५०००
७४.०६	250mm Dia	No	२१०००	२१०००	२१०००
७४.०७	300mm Dia	No	२७५००	२७५००	२७५००
७४.०८	**DI Reducer**	No			
७४.०९	300mm *250 mm	No	२५५००	२५५००	२५५००
७४.१०	250mm *200mm	No	२०००००	२०००००	२०००००
७४.११	200mm *150 mm	No	१५०००	१५०००	१५०००
७४.१२	150mm *125mm	No	१४५००	१४५००	१४५००
७४.१३	150mm *100mm	No	१४०००	१४०००	१४०००
७५.००	**C.I None return Valve**				
७५.०१०	80mm Dia	No	१३५००	१३५००	१३५००
७५.०२०	100mm Dia	No	१७५००	१७५००	१७५००
७५.०३०	125mm Dia	No	२१५००	२१५००	२१५००
७५.०४०	150mm Dia	No	२५५००	२५५००	२५५००
७५.०५०	200mm Dia	No	३५५००	३५५००	३५५००

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
७५.०६०	250mm Dia	No	४५५००	४५५००	४५५००
७५.०७०	300mm Dia	No	५९०००	५९०००	५९०००
७६.००	Cast Steel None return Valve				
७६.०१०	80mm Dia	No	६५५००	६५५००	६५५००
७६.०२०	100mm Dia	No	७५५००	७५५००	७५५००
७६.०३०	125mm Dia	No	८१५००	८१५००	८१५००
७६.०४०	150mm Dia	No	८९५००	८९५००	८९५००
७७.००	DI All Flange Tee				
७७.१०	80mm Dia	No	७५००	७५००	७५००
७७.११	100mm Dia	No	१२५००	१२५००	१२५००
७७.१२	125mm Dia	No	१५५००	१५५००	१५५००
७७.१३	150mm Dia	No	१७५००	१७५००	१७५००
७७.१४	200mm Dia	No	३२५००	३२५००	३२५००
७७.१५	250mm Dia	No	४१५००	४१५००	४१५००
७७.१६	300mm Dia	No	५९५००	५९५००	५९५००
७८.००	CI Mechanical Coupling				
७८.०१	150 mm dia	No	११५००	११५००	११५००
७८.०२	200 mm dia	No	१७५००	१७५००	१७५००
७८.०३	250 mm dia	No	२७५००	२७५००	२७५००
७८.०४	300 mm dia	No	४१५००	४१५००	४१५००
७९.००	CI Bell Mouth one side flange				
७९.०१	150 mm dia	No	१०५००	१०५००	१०५००
७९.०२	200 mm dia	No	१५५००	१५५००	१५५००
७९.०३	250 mm dia	No	२१५००	२१५००	२१५००
७९.०४	300 mm dia	No	३००००	३००००	३००००
८०.००	Quick Repar Joint for HDPE Pipe				
८०.०१	90 mm dia	No	७०००	७०००	७०००
८०.०२	110mm dia	No	८०००	८०००	८०००
८०.०३	125mm dia	No	१००००	१००००	१००००
८०.०४	140 mm dia	No	१२०००	१२०००	१२०००
८०.०५	160mm dia	No	१४०००	१४०००	१४०००
८०.०६	180mm dia	No	१७५००	१७५००	१७५००
८०.०७	200mm dia	No	२००००	२००००	२००००
८०.०८	250mm Dia	No	२३०००	२३०००	२३०००
८०.०९	Flow meter Water Meter				
८०.१०	80mm Dia	No	५५०००	५५०००	५५०००
८०.११	100mm Dia	No	६५०००	६५०००	६५०००
८०.१२	125mm Dia	No	७५०००	७५०००	७५०००
८०.१३	150mm Dia	No	८५०००	८५०००	८५०००
८०.१४	200mm Dia	No	१०५०००	१०५०००	१०५०००

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
८०.१५	250mm Dia	No	१३५०००	१३५०००	१३५०००
८०.१६	300mm Dia	No	१७५०००	१७५०००	१७५०००
८१.००	DI unequal Tee With flange				
८१.०१	125x125x100 mm Φ	No	१७५००	१७५००	१७५००
८१.०२	125x125x80 mm Φ	No	१७५००	१७५००	१७५००
८१.०३	150x150x125 mm Φ	No	२१५००	२१५००	२१५००
८१.०४	150x150x100 mm Φ	No	२२५००	२२५००	२२५००
८१.०५	150x150x80mm Φ	No	२३५००	२३५००	२३५००
८१.०६	200x200x150 mm Φ	No	३७५००	३७५००	३७५००
८१.०७	200x200x125 mm Φ	No	४००००	४००००	४००००
८१.०८	200x200x100 mm Φ	No	४२५००	४२५००	४२५००
८१.०९	250x250x200 mm Φ	No	५७५००	५७५००	५७५००
८१.१०	250x250x150mm Φ	No	६००००	६००००	६००००
८१.११	250x250x125 mm Φ	No	६५०००	६५०००	६५०००
८१.१२	250x250x100 mm Φ	No	७००००	७००००	७००००
८१.१३	Rubber Gasket	Kg	३५०	३५०	३५०
८१.१४	Nut Bolt (Different size)	Kg	२५०	२५०	२५०
८१.१५	MS Saddle Clamps Different Size with nut bolt all complete	No	४५००	४५००	४५००
८२.००	HDPE Saddle Clamp				
८२.०१	160*160*15 Dia (HDPE*HDPE	No	१२५०	१२५०	१२५०
८२.०२	140*140*15 Dia (HDPE*HDPE	No	११००	११००	११००
८२.०३	125*125*15 Dia (HDPE*HDPE	No	१०००	१०००	१०००
८२.०४	110*110*15 Dia (HDPE*HDPE	No	६५०	६५०	६५०
८२.०५	90*90*15 Dia (HDPE*HDPE	No	६५०	६५०	६५०
८२.०६	75*75*15 Dia (HDPE*HDPE	No	४५०	४५०	४५०
८२.०७	63*63*15 Dia (HDPE*HDPE	No	४५०	४५०	४५०
८२.०८	50*50*15 Dia (HDPE*HDPE	No	३५०	३५०	३५०
८२.०९	40*40*15 Dia (HDPE*HDPE	No	३५०	३५०	३५०
८२.१०	32*32*15 Dia (HDPE*HDPE	No	२५०	२५०	२५०
८३.००	MS Flange Cutting, Welding, Granding, Instalation				
८३.०१	80mm Dia	No	७५०	७५०	७५०
८३.०२	100mm Dia	No	१०००	१०००	१०००
८३.०३	125mm Dia	No	१३५०	१३५०	१३५०
८३.०४	150mm Dia	No	१५५०	१५५०	१५५०
८३.०५	200mm Dia	No	२२५०	२२५०	२२५०
८३.०६	250mm Dia	No	३०००	३०००	३०००
८३.०७	300mm Dia	No	५०००	५०००	५०००
८३.०८	250 mm dia Top surface plate	No	३५०००	३५०००	३५०००
८३.०९	pressure gage	No	५५००	५५००	५५००
८३.१०	Chain Puli 3 ton	No	४५०००	४५०००	४५०००

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
८३.११	4" Pipe Clamp	No	६५००	६५००	६५००
८३.१२	Wire Rope for Pump Lowering	Mrt	५५००	५५००	५५००
८३.१३	Distribution board	Set	७५०००	७५०००	७५०००
८३.१४	OHT Lighting Arrestor	Set	२५०००	२५०००	२५०००
८३.१५	OHT Water level indicator	Set	६५०००	६५०००	६५०००
	औजार/उपकरण (खानेपानी तथा अन्य कार्य सम्बन्धि)				
८१	गल (सव्वल)	गोटा	११३३	११३३	११८९
८२	फरुवा	गोटा	३२४	३२४	३४०
८३	दाते, नग्रे	गोटा	५८७	५८७	६१६
८४	धुर्मुस ५ केजी	गोटा	१०३०	१०३०	१०८०
८५	हजारी	गोटा	८५४	८५४	८९५
८६	बासको टोकरी	गोटा	१८५	१८५	१९४
८७	हसिया				
८७.१	क) सानो	गोटा	२६७	२६७	२८०
८७.२	ख) ठुलो	गोटा	८६५	८६५	९००
८८	ठुलो कोवाल	गोटा	५२५३	५२५३	५५१५
८९	हतौडा	के.जी.	२३६	२३६	२४५
९०	हावा भर्ने पम्प (खुट्टाले)	गोटा	१०८१	१०८१	११३५
९१	हावा भर्ने पम्प (हातले)	गोटा	३२४	३२४	३४०
९२	बन्चरो	गोटा	१८५४	१८५४	१९४५
९३	सेफ्टी भेष्ट पहेलो रंगको (सडक मर्मत सम्भार कर्ताको लागि)	गोटा	५६६	५६६	५९०
९४	हेल्मेट (सडक मर्मत सम्भार कर्ताको लागि)	गोटा	४५३	४५३	४७५
९५	मास्क	गोटा	५९	५९	६०
९६	गम बुट	गोटा	८२४	८२४	८६५
९७	कपडाको जुता	गोटा	७२१	७२१	७५७
९८	रेनकोट	गोटा	२५७५	२५७५	२७००
९९	कडा पन्जा	गोटा	३०९	३०९	३२४
१००	सन ग्लास	गोटा	६१८	६१८	६४५
१०१	पाँच ली. को प्लाष्टिक जेरीकेन	गोटा	१२३	१२३	१२९
१०२	बेल्चा	गोटा	६६९	६६९	७००
१०३	गैटी	गोटा	७२१	७२१	५७५
१०४	कोदालो/फाउडो	गोटा	६१८	६१८	६४५
१०५	रोड डिभाइडरका लागि प्रयोग हुने सिन्थेटिक सेफ्टी कोन	गोटा	६१८	६१८	६४५
१०६	फोर्कड हेरो	गोटा	२५७	२५७	२६५
१०७	व्हील बेरो				
१०७.१	क) हलुका	गोटा	७७२५	७७२५	७७२५
१०७.२	ख) हेभी	गोटा	९७८५	९७८५	९७८५
१०८	छिनो १x६ इन्चको	गोटा	३०९	३०९	३०९

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
१०९	छिनो १x१२ इन्चको	गोटा	४१२	४१२	४१२
११०	घन ५ किलोको	गोटा	९९९	९९९	९९९
१११	घन १० किलोको	गोटा	१६४८	१६४८	१६४८
११२	हिटिङ प्लेट १०० मि.मि.को	गोटा	७२१	७२१	७२१
११३	हिटिङ प्लेट १५० मि.मि.को	गोटा	१४४२	१४४२	१४४२
११४	टेफ्लोन कभर	मी.	२३९९	२३९९	२३९९
११५	थेर्मोक्रोम चक	गोटा	५४०	५४०	५४०
११६	ब्लो टर्च	गोटा	५९४	५९४	५९४
११७	बर्नर	गोटा	१०८१	१०८१	१०८१
११८	पाईप रेन्च १४ ईन्ची	गोटा	६९०	६९०	६९०
११९	पाईप रेन्च १८ ईन्ची	गोटा	८४९	८४९	८४९
१२०	पाईप रेन्च २४ ईन्ची	गोटा	१५४५	१५४५	१५४५
१२१	पाईप चेन रेन्च ४८ ईन्ची	ईन्ची	१०२	१०२	१०२
१२२	हेक्सा फ्रेम	गोटा	१३५	१३५	१३५
१२३	हेक्सा ब्लेड	गोटा	२१	२१	२१
१२४	एडजस्टेबल रेन्च	गोटा	६४८	६४८	६४८
१२५	फलामे तसला	गोटा	२१६	२१६	२१६
१२६	कर्नी	गोटा	१२८	१२८	१२८
१२७	रेती	गोटा	३८१	३८१	३८१
१२८	वायर ब्रश	गोटा	७७	७७	७७
१२९	डाई सेट १/२" देखि १ " साधारण	गोटा	२५७५	२५७५	२५७५
१३०	डाई सेट १/२" देखि १" Richard or Equivalent	गोटा	३८३६	३८३६	३८३६
१३१	डाई सेट १.२५" देखि २" साधारण	गोटा	४३२६	४३२६	४३२६
१३२	डाई सेट १.२५" देखि २" Richard or Equivalent	गोटा	८१५३	८१५३	८१५३
१३३	डाई सेट टीथ १/२" देखि १" साधारण Richard or Equivalent	गोटा	२६०१	२६०१	२६०१
१३४	डाई सेट टीथ १.२५" देखि २" Richard or Equivalent	गोटा	३५८२	३५८२	३५८२
१३५	डाई टीथ आयल भाँडो समेत	लीटर	५४०	५४०	५४०
१३६	टेवुल भाईस, २"	गोटा	२२६६	२२६६	२२६६
१३७	टेवुल भाईस, ३"	गोटा	२७५८	२७५८	२७५८
१३८	मेजरिङ टेप ५ मिटर	गोटा	२१६	२१६	२१६
१३९	मेजरिङ टेप ३० मिटर	गोटा	७७२	७७२	७७२
१४०	काठे हाते आरी / करौति	गोटा	५१५	५१५	५१५
१४१	टुल बक्स १४x ८x१२ इन्च साइजको	गोटा	२५७५	२५७५	२५७५
	सेनेटरी (सरसफाई) तर्फ				
१४२	युरिनल सेट				
१४२.०१	१०.५"x१४.५"x१२.५" को (राम्रो)	गोटा	१७३२	१७३२	१७३२
१४२.०२	" " (साधारण)	गोटा	११५५	११५५	११५५

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
१४२.०३	६८x३० से.मि. लेडिज युरिनल (राम्रो)	सेट	२२०५	२२०५	२२०५
१४२.०४	" " (साधारण)	सेट	१२६०	१२६०	१२६०
१४३	**सिपी बेण्ड सहितको सावर**	गोटा	१४४३	१४४३	१४४३
१४४	तौलिया रड				
१४४.०१	१८"x०.५" (राम्रो)	गोटा	११०२	११०२	११०२
१४४.०२	१८"x०.५" (साधारण)	गोटा	६५६	६५६	६५६
१४५	**सी.पी. सोप डिस**	गोटा	५५१	५५१	५५१
१४६	**१२"x१८" को वाथरुम ऐना**	गोटा	११०२	११०२	११०२
१४७	वास वेसिन सेट				
१४७.०१	२०"x१६" को (राम्रो)	सेट	२६२५	२६२५	२६२५
१४७.०२	१६"x२२" को वास वेसिन सेट (राम्रो)	सेट	३६७५	३६७५	३६७५
१४८	लो लेभल सिस्टर्न				
१४८.०१	(राम्रो) सेरामिक	सेट	६८२५	६८२५	६८२५
१४८.०२	लो लेभल सिस्टर्न (प्लास्टीक)	सेट	२३१०	२३१०	२३१०
१४९	**एच.डी.पी. कोअल २"ø को**	**सेट**	६८	६८	६८
१५०	ट्याइलेट सिट (वाटर क्लोसेट)				
१५०.०१	१८" भारती पायदान सहित (ISI)	सेट	२६००	२६००	२६००
१५०.०२	१८" भारती लोकल पायदान सहित	सेट	१५००	१५००	१५००
१५०.०३	उडिसा हिन्दुस्तान टाइप प्यान २१" (ISI)	सेट	२४१५	२४१५	२४१५
१५०.०४	उडिसा हिन्दुस्तान टाइप प्यान २१" (local)	सेट	१२१५	१२१५	१२१५
१५०.०५	कमोड पि वा एस ढयाप (ISI)	सेट	३६००	३६००	३६००
१५०.०६	कमोड पि वा एस ढयाप (local)	सेट	१८५०	१८५०	१८५०
१५०.०७	इकोस्यान प्यान सेट	सेट	१९००	१९००	१९००
१५०.०८	White glazed porcelain clay EWC Constellation commode with 'P ' & 's ' trap and seat cover set.	सेट	१९०००	१९०००	१९०००
१५०.०९	White glazed porcelain clay One Piece commode with 'P ' & 's ' trap and slow falling seat cover complete set.	सेट	२१०००	२१०००	२१०००
१५०.१०	White glazed porcelain clay One Piece commode with 'P ' & 'S ' trap and slow falling seat cover complete set.	सेट	३००००	३००००	३००००
१५१	**११/४" सि.पि.पाईप कपलिं समेत**	गोटा	९७१	९७१	९७१
१५२	**११/४" सि.पि.पाईप पि.वा एस ढयाप**	गोटा	११५५	११५५	११५५
१५३	**१/२"फेन्सी पिल्ट कक**	गोटा	१०५०	१०५०	१०५०
१५४	**१/२"ø ३० " पाईप कनेक्टर**	गोटा	२३१	२३१	२३१
१५५	सिङ्क				
१५५.०१	१८ x २२ x ८ ईन्ची स्टील	गोटा	३२३४	३२३४	३२३४
१५५.०२	१८ x ३८ x ८ ईन्ची स्टील	गोटा	४६२०	४६२०	४६२०
१५५.०३	१८ x २२ x ८ सि, फलामे	गोटा	२३१०	२३१०	२३१०
१५६	**११/२" वासर कपलिङ्ग**	गोटा	५५१	५५१	५५१

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
१५७	११/२"पितलको बिब कक	गोटा	३५०	३५०	३५०
१५८	१/२" सि.पि बिब कक	गोटा	१०००	१०००	१०००
१५९	१/२"सि.पि स्टप कक	गोटा	९५०	९५०	९५०
१६०	१/२"कनेक्टर स्टप कक	गोटा	७५०	७५०	७५०
१६१	**PVC Pipe and Fittings**				
१६१.०१	110 mm dia 4kg/cm2 (6m long)	पीस	३०८०	३०८०	३०००
१६१.०२	110 mm dia 4kg/cm2 (3m long)	पीस			१५००
१६१.०३	75 mm dia 4kg/cm2 (6m long)	पीस	१५५०	१५५०	१५८४
१६१.०४	75 mm dia 4kg/cm2 (3m long)	पीस			७९२
१६१.०५	50 mm dia 6kg/cm2 (3m long)	पीस			५००
१६१.०६	50mm Bend 87.5*	पीस			७८
१६१.०७	75mm Bend 87.5*	पीस			२१२
१६१.०८	110mm Bend 87.5*	पीस			३८४
१६१.०९	50mm Bend 45*	पीस			७३
१६१.१०	75mm Bend 45*	पीस			१८०
१६१.११	110mm Bend 45*	पीस			३३१
१६१.१२	50mm Coupler	पीस			७८
१६१.१३	75mm Coupler	पीस			१७४
१६१.१४	110mm Coupler	पीस			२९२
१६१.१५	४"ø को सकेट	पीस	३२०	३२०	३२०
१६१.१६	४"ø को हर्न बेण्ड	पीस	७८०	७८०	७८०
१६१.१७	४"ø को बेण्ड	पीस	४३०	४३०	४३०
१६१.१८	४"ø को टी	पीस	५९०	५९०	५९०
१६१.१९	३"ø को सकेट	पीस	२१०	२१०	२१०
१६१.२०	३"ø को बेण्ड	पीस	३३०	३३०	३३०
१६१.२१	३"ø को टी	पीस	३८०	३८०	३८०
१६२	एच.डी.पि.इ. फिटिङ्ग				
१६२.०१	४"ø को सकेट	पीस	२१०	२१०	२१०
१६२.०२	४"ø को हर्न बेण्ड	पीस	४२०	४२०	४२०
१६२.०३	४"ø को बेण्ड	पीस	३६७	३६७	३६७
	रंगरोगनका सामग्री				
१६३	खाक्सी	गोटा	२७	२७	२७
१६४	गुद	के.जी.	२३०	२३०	२३०
१६५	सरेस	के.जी.	२१९	२१९	२१९
१६६	आकयालिक डिस्टेरम्पर	के.जी.	२०७	२०७	२०७
१६७	वासेबल डिस्टेम्पर	के.जी.	२७५	२७५	२७५
१६८	सिमेण्ट प्राइमर Internal	लिटर	४३०	३९०	३९०
१६९	तयारी इनामेल पेन्ट	लिटर	६५८	७००	७००
१७०	इनामेल प्राइमर (काठ)	लिटर	४३०	४३०	४३०

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
कैलाली, टीकापुर

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
१७१	इनामेल प्राइमर (फलाम)	लिटर	३८०	३८०	३८०
१७२	प्लाष्टिक इमोल्शन पेन्ट (एक्स्ट्रेरियर) राम्रो	लिटर	११५०	१०५०	१०५०
१७३	प्लाष्टिक इमोल्शन पेन्ट (एक्स्ट्रेरियर) मध्यम	लिटर	९३०	८५०	८५०
१७४	प्लाष्टिक इमोल्शन पेन्ट (इन्टिरियर) राम्रो	लिटर	१०९७	१०९७	१०९७
१७५	प्लाष्टिक इमोल्शन पेन्ट (इन्टिरियर) मध्यम	लिटर	८५०	८५०	८५०
१७६	तयारी अल्मुनिम पेन्ट	लिटर	६५८	६५८	६५८
१७७	वार्निस क्लियर	लिटर	४१५	४१५	४१५
१७८	अलकत्रा पेन्ट (Black Japan)	लिटर	३३०	३३०	३३०
१७९	तारपिन तेल	लिटर	२००	२००	२००
१८०	चुना	के.जी.	२४	२४	२४
१८१	गेरु रंग	के.जी.	५९	५९	५९
१८२	लिन्सीड आयल	लिटर	२२०	२२०	२२०
१८३	चप्रा	के.जी.	७६०	७६०	७६०
१८४	स्प्रीट	लिटर	१७५	१७५	१७५
१८५	स्नोसेम (सिमेन्ट पेन्ट)	के.जी.	८३	८३	८३
१८६	वेदर कोट पेन्ट (राम्रो) NS/ IS	लिटर	१३१५	१२६०	१२६०
१८७	वेदर कोट पेन्ट (हल्का) NS/IS	लिटर	९३२	८९२	८९२
१८८	वेदर कोट प्राइमर outer	लिटर	४०९	४००	४००
१८९	वाटर प्रुफिग कम्पाउण्ड (जापनिज)	के.जी.	३४४	३४४	३४४
१९०	Wall Putty- Inner	के.जी.	४१	४०	४०
१९१	Wall Putty- Water Proof (Outer)	के.जी.	६२	६५	६५
१९२	Plaster of paris (POP)	के.जी.		२५	२५
	कंक्रिट प्रोडक्टस्				
१९३	ह्युम पाईप (ढुवानी बाहेक)				
१९३.०१	३०० ø को एनपी–३ को (२.५मीटर)	गोटा	१०९२०	१०९२०	१०९२०
१९३.०२	४५० ø को एनपी–३ को (२.५मीटर)	गोटा	१३६८०	१३६८०	१३६८०
१९३.०३	४५० ø को एनपी–३ को कोलार	गोटा	१३६७	१३६७	१३६७
१९३.०४	६०० ø को एनपी–३ को (२.५मीटर)	गोटा	१८६६०	१८६६०	१८६६०
१९३.०५	६०० ø को एनपी–३ को कोलार	गोटा	१८६०	१८६०	१८६०
१९३.०६	९०० ø को एनपी–३ को (२.५मीटर)	गोटा	३०६४०	३०६४०	३०६४०
१९३.०७	९०० ø को एनपी–३ को कोलार	गोटा	३०६४	३०६४	३०६४
१९३.०८	१२०० ø को एनपी–३ को (२.५मीटर)	गोटा	४२३१०	४२३१०	४२३१०
१९३.०९	१२०० ø को एनपी–३ को कोलार	गोटा	४२३०	४२३०	४२३०
१९३.१०	१०० ø को एनपी–२ को (२.५मीटर)	गोटा	२३३०	२३३०	२३३०
१९३.११	१०० ø को एनपी–२ को कोलार	गोटा	२३३	२३३	२३३
१९३.१२	१५० ø को एनपी–२ को (२.५मीटर)	गोटा	२६२०	२६२०	२६२०
१९३.१३	१५० ø को एनपी–२ को कोलार	गोटा	२६०	२६०	२६०
१९३.१४	२०० ø को एनपी–२ को (२.५मीटर)	गोटा	३५००	३५००	३५००
१९३.१५	२०० ø को एनपी–२ को कोलार	गोटा	३५०	३५०	३५०
१९३.१६	२२५ ø को एनपी–२ को (२.५मीटर)	गोटा	४२००	४२००	४२००

नेपाल सरकार गृह मन्त्रालय जिल्ला प्रशासन कार्यालय

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
१९३.१७	२२५ ø को एनपी–२ को कोलार	गोटा	४२०	४२०	४२०
१९३.१८	२५० ø को एनपी–२ को (२.५मीटर)	गोटा	४६८०	४६८०	४६८०
१९३.१९	२५० ø को एनपी–२ को कोलार	गोटा	४६५	४६५	४६५
१९३.२०	३०० ø को एनपी–२ को (२.५मीटर)	गोटा	६५८३	६५८३	६५८३
१९३.२१	३०० ø को एनपी–२ को कोलार	गोटा	६६०	६६०	६६०
१९३.२२	३५० ø को एनपी–२ को (२.५मीटर)	गोटा	६७७६	६७७६	६७७६
१९३.२३	३५० ø को एनपी–२ को कोलार	गोटा	६७५	६७५	६७५
१९३.२४	३७५ ø को एनपी–२ को (२.५मीटर)	गोटा	६८८०	६८८०	६८८०
१९३.२५	३७५ ø को एनपी–२ को कोलार	गोटा	६८५	६८५	६८५
१९३.२६	४०० ø को एनपी–२ को (२.५मीटर)	गोटा	७०००	७०००	७०००
१९३.२७	४०० ø को एनपी–२ को कोलार	गोटा	७००	७००	७००
१९३.२८	४५० ø को एनपी–२ को (२.५मीटर)	गोटा	८६००	८६००	८६००
१९३.२९	४५० ø को एनपी–२ को कोलार	गोटा	८६०	८६०	८६०
१९३.३०	५०० ø को एनपी–२ को (२.५मीटर)	गोटा	९८३०	९८३०	९८३०
१९३.३१	५०० ø को एनपी–२ को कोलार	गोटा	९८०	९८०	९८०
१९३.३२	६०० ø को एनपी–२ को (२.५मीटर)	गोटा	१२०००	१२०००	१२०००
१९३.३३	६०० ø को एनपी–२ को कोलार	गोटा	१२००	१२००	१२००
१९३.३४	७०० ø को एनपी–२ को (२.५मीटर)	गोटा	१३०००	१३०००	१३०००
१९३.३५	७०० ø को एनपी–२ को कोलार	गोटा	१३००	१३००	१३००
१९३.३६	७५० ø को एनपी–२ को (२.५मीटर)	गोटा	१४०००	१४०००	१४०००
१९३.३७	७५० ø को एनपी–२ को कोलार	गोटा	१४००	१४००	१४००
१९३.३८	८०० ø को एनपी–२ को (२.५मीटर)	गोटा	१६३००	१६३००	१६३००
१९३.३९	८०० ø को एनपी–२ को कोलार	गोटा	१६३०	१६३०	१६३०
१९३.४०	९०० ø को एनपी–२ को (२.५मीटर)	गोटा	१७६७०	१७६७०	१७६७०
१९३.४१	९०० ø को एनपी–२ को कोलार	गोटा	१७६०	१७६०	१७६०
१९३.४२	१००० ø को एनपी–२ को (२.५मीटर)	गोटा	२२१४०	२२१४०	२२१४०
१९३.४३	१००० ø को एनपी–२ को कोलार	गोटा	२२१०	२२१०	२२१०
१९३.४४	१२०० ø को एनपी–२ को (२.५मीटर)	गोटा	२९२३०	२९२३०	२९२३०
१९३.४५	१२०० ø को एनपी–२ को कोलार	गोटा	२९२०	२९२०	२९२०
१९३.४६	१५०० ø को एनपी–२ को (२.५मीटर)	गोटा	३९७४०	३९७४०	३९७४०
१९३.४७	१५०० ø को एनपी–२ को कोलार	गोटा	३९७५	३९७५	३९७५
१९३.४८	**50 mm thick Cement Concrete Block -** Interlocking	ब.फि.	९०	९०	९०
१९३.४९	**50 mm thick Cement Concrete Block (color)-** Interlocking	ब.फि.	९५	९५	९५
१९३.५०	**60 mm thick Cement Concrete Block -** Interlocking	ब.फि.	१०५	१०५	१०५
१९३.५१	**60 mm thick Cement Concrete Block (color)-**Interlocking	ब.फि.	११०	११०	११०
१९३.५२	AAC Block(600x200x100mm)	गोटा	१७९.३५	१७९.३५	१८८
१९३.५३	AAC Block(600x200x150mm)	गोटा	२६९.०४	२६९.०४	२८२
१९३.५४	AAC Block(600x200x200mm)	गोटा	३५८.६५	३५८.६५	३७६

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
१९३.५५	Aerolite AAC Block (Size 600x200x100mm)	गोटा	१५६	१५६	१५६
१९३.५६	Aerolite AAC Block (Size 600x200x150mm)	गोटा	२३४	२३४	२३४
१९३.५७	Aerolite AAC Block (Size 600x200x200mm)	गोटा	३१२	३१२	३१२
१९४	**Interlock Paver, Kerb Stone, Concrete Tile**				
१९४.०१	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	गोटा	३८	३८	३९
१९४.०२	Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	गोटा	४४	४४	४५
१९४.०३	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	गोटा	४७	४७	४८
१९४.०४	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	गोटा	४६	४७	५०
१९४.०५	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	गोटा	५३	५५	५७
१९४.०६	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	गोटा	५५	५७	५९
१९४.०७	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	गोटा	६५	६६	६८
१९४.०८	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	गोटा	७०	७१	७३
१९४.०९	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	गोटा	७५	७६	७८
१९४.१०	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	गोटा	७४	७६	७७

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
१९४.११	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	गोटा	८१	८३	८४
१९४.१२	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	गोटा	८४	८५	८८
१९४.१३	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	गोटा	४३	४३	४४
१९४.१४	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	गोटा	४९	४९	५०
१९४.१५	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	गोटा	५३	५४	५६
१९४.१६	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	गोटा	८८	८८	९०
१९४.१७	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	गोटा	९६	९६	९८
१९४.१८	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	गोटा	९९	१००	१०२
१९४.१९	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	२५	२५	२६
१९४.२०	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	२६	२६	२७
१९४.२१	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	२२	२२	२३

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
१९४.२२	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	२३	२३	२४
१९४.२३	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	गोटा	५३	५३	५४
१९४.२४	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	गोटा	६१	६१	६२
१९४.२५	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	गोटा	६४	६५	६८
१९४.२६	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	गोटा	६८	६९	७१
१९४.२७	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	गोटा	७५	७६	७८
१९४.२८	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	गोटा	७८	७९	८१
१९४.२९	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	गोटा	६८	६९	७२
१९४.३०	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	गोटा	८३	८४	८८
१९४.३१	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	गोटा	८८	९०	९४
१९४.३२	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	गोटा	८४	८४	८६
१९४.३३	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	गोटा	९९	९९	१०१

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
१९४.३४	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	गोटा	१०४	१०५	१०८
१९४.३५	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	गोटा	४००	४०५	४०५
१९४.३६	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	गोटा	४५०	४५५	४६०
१९४.३७	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	गोटा	४७५	४८०	४८५
१९४.३८	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	गोटा	४२५	४३०	४३५
१९४.३९	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	गोटा	४४५	४५०	४६०
१९४.४०	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	गोटा	४८०	४८५	४९०
१९४.४१	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	गोटा	५०५	५११	५२०
१९४.४२	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	सेट	६६०	६७०	७००
१९४.४३	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. Thickness: 40mm, Dimension: 400*400*40mm proper interlock Grooves & pigment colour,water absorption <6%.	गोटा	२३०	२३५	२४०
१९४.४४	Matrix Slab / Tiles Single Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40mm	गोटा	२६०	२६५	२७०
१९४.४५	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40mm	गोटा	२८०	२८५	३००
१९५	सडक सम्बनधि Pre-stressing Accessories				

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
१९५.०१	Supply Installation and prestressing of Ht Strands 12.7 mm- 7 ply as per drawing and specification (DP Wires)	के.जी.	१७२	१७२	१७२
१९५.०२	19JK13, Anchor set 1-Tube unit, 1 Bearing plate, 19 live wedge	सेट	७२०००	७२०००	७२०००
१९५.०३	Supply , Profiling of Corrugated HDPE Sheathings Pipe ID=85mm	मि.	३८०	३८०	३८०
१९५.०४	Strip Seal Expansion Joints	मि.	१६०००	१६०००	१६०००
१९५.०५	Slab Seal Expansion Joints	मि.	२८०००	२८०००	२८०००
१९५.०६	Pot bearings for 40 mtr span 2 girder bridge (347 tons capacity)	सेट	१५००००	१५००००	१५००००
१९५.०७	Pot bearings for 35 mtr span 2 girder bridge (296 tons capacity)	सेट	१३००००	१३००००	१३००००
१९५.०८	Pot bearings for 30 mtr span 2 girder bridge (246 tons capacity)	सेट	११५०००	११५०००	११५०००
१९५.०९	Neoprene bearings for 25 mtr span bridge (2 girder)	गोटा	४००००	४००००	४००००
१९५.१०	Neoprene bearings for 20 mtr span bridge (2 girder)	गोटा	३००००	३००००	३००००
१९५.११	Neoprene bearings for 15 mtr span bridge (2 girder)	गोटा	२८०००	२८०००	२८०००
१९५.१२	Drainage spout 100mm dia GI Pipe	गोटा	४०००	४०००	४०००
१९६	**HDPE DOUBLE WALLED Corrugated Pipes-SN8 (Non Pressure) 6m in length**				
१९६.०१	ID=100mm	मि.	४८०	५००	५५०
१९६.०२	ID=150mm	मि.	१०१६	१०६६	११७३
१९६.०३	ID=200mm	मि.	१५५०	१६२५	१७८८
१९६.०४	ID=250mm	मि.	२०३०	२१००	२३१०
१९६.०५	ID=300mm	मि.	३३१५	३४५०	३७९५
१९६.०६	ID=400mm	मि.	४२००	४४००	४८४०
१९६.०७	ID=500mm	मि.	५२००	५४५०	५९९५
१९६.०८	ID=600mm	मि.	८८८०	९३२०	१०२५०
१९६.०९	ID=800mm	मि.	१३१६०	१३८१०	१५२००
१९६.१०	ID=1000mm	मि.	१८४००	१९५००	२१४५०
१९७	कंक्रिट बिद्युत पोल (ढुवानी बाहेक)				
१९७.०१	८ मिटर लामो	गोटा	६३००	६३००	६३००
१९७.०२	९ मिटर लामो	गोटा	७२३८	७२३८	७२३८
१९७.०३	१० मिटर लामो	गोटा	१३६४८	१३६४८	१३६४८
१९७.०४	११ मिटर लामो	गोटा	१५७१३	१५७१३	१५७१३
१९८	स्टील ट्युबलर पोल (ढुवानी बाहेक)				
१९८.०१	८ मिटर लामो (१२० के.जी.)	गोटा	११८९१	११८९१	११८९१
१९८.०२	९ मिटर लामो (१४७ के.जी.)	गोटा	१६८५५	१६८५५	१६८५५
१९८.०३	११ मिटर लामो (१७५ के.जी.)	गोटा	२०६८०	२०६८०	२०६८०
१९९	एस सी एस आर कण्डक्टर				

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
१९९.०१	ACSR Dog Conductor	कि.मी.	AS PER NEA Rate		
१९९.०२	ACSR Rabbit Conductor	कि.मी.	AS PER NEA Rate		
१९९.०३	ACSR Weasel Conductor	कि.मी.	AS PER NEA Rate		
२००	**Insulator**				
२००.०१	11 kV Pin Insulator with Spindle	सेट	९५०	९५०	९५०
२००.०२	11 kV Disc Insulator with tension Clamp	सेट	१८००	१८००	१८००
२००.०३	D-Iron with Sackle	सेट	२५०	२५०	२५०
२०१	साधारण कंक्रिट पोल (तार बार र यस्तै कामका लागि)				
२०१.०१	६ फिट लामो ३x४ ईन्चीको	गोटा	६३०	६३०	६३०
२०१.०२	७ फिट लामो ३x४ ईन्चीको	गोटा	८६१	८६१	८६१
२०१.०३	६ फिट लामो ४x४ ईन्चीको	गोटा	८५०	८५०	८५०
२०१.०४	७ फिट लामो ४x४ ईन्चीको	गोटा	९९७	९९७	९९७
२०१.०५	८ फिट लामो ४x४ ईन्चीको	गोटा	१३१२	१३१२	१३१२
२०१.०६	१.५ मि. लामो ६x६ ईन्चीको	गोटा	२३१०	२३१०	२३१०
२०१.०७	१ मि. लामो ६x६ ईन्चीको	गोटा	१५७५	१५७५	१५७५
२०२	कंक्रीट रिङ (३' ब्यास, १' उचाइ र २" मोटो)	गोटा	८२९	८२९	८२९
२०३	कंक्रीट रिङ कवर (३' ब्यास र २" मोटाइ)	गोटा	८२९	८२९	८२९
२०४	कंक्रीट आर.सी.सी. रेलिङ पोष्ट १ फुट	गोटा	७८	७८	७८
२०५	कंक्रीट आर.सी.सी. रेलिङ पोष्ट २ फुट	गोटा	११५	११५	११५
२०६	कंक्रीट आर.सी.सी. रेलिङ पोष्ट ३ फुट	गोटा	१५७	१५७	१५७
	मेशीनरी				
२०७	पम्पसेट तथा र्‍यामर				
२०७.०१	१/२ हर्ष पावरको चाईनिज	गोटा	४५२०	४५२०	४५२०
२०७.०२	१ ,, ,,	गोटा	८०००	८०००	८०००
२०७.०३	२ ,, ,,	गोटा	१९३००	१९३००	१९३००
२०७.०४	३ ,, ,,	गोटा	३२२९०	३२२९०	३२२९०
२०७.०५	१/२ हर्ष पावरको भारती (ISI)	गोटा	९६८५	९६८५	९६८५
२०७.०६	१ ,, ,, (ISI)	गोटा	१७२२०	१७२२०	१७२२०
२०७.०७	२ ,, ,, (ISI)	गोटा	२६९००	२६९००	२६९००
२०७.०८	३ ,, ,, (ISI)	गोटा	४३०००	४३०००	४३०००
२०८	इण्डियन सबमरसिवल पम्प (स्टेन्डर्ड कम्पनि)				
२०८.०१	२ हर्ष पावर	गोटा	५१३४५	५१३४५	५१३४५
२०८.०२	३ हर्ष पावर	गोटा	६२७६०	६२७६०	६२७६०
२०८.०३	५ हर्ष पावर	गोटा	७०७४५	७०७४५	७०७४५
२०८.०४	७.५ हर्ष पावर	गोटा	१३१२२४	१३१२२४	१३१२२४
२०८.०५	१० हर्ष पावर	गोटा	१८२५७४	१८२५७४	१८२५७४
२०८.०६	१२.५ हर्ष पावर	गोटा	२१५०००	२१५०००	२१५०००
२०८.०७	१५ हर्ष पावर	गोटा	२२१०००	२२१०००	२२१०००

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
२०८.०८	१७ हर्ष पावरको	गोटा	२३७०००	२३७०००	२३७०००
२०८.०९	20 Hp Submersible Pump Sets	गोटा	२६४०००	२६४०००	२६४०००
२०८.१०	25 Hp Submersible Pump Sets	गोटा	२९७५००	२९७५००	२९७५००
२०८.११	30 Hp Submersible Pump Sets	गोटा	३५६०००	३५६०००	३५६०००
२०८.१२	35 Hp Submersible Pump Sets	गोटा	४२५०००	४२५०००	४२५०००
२०९	डिजेल पम्पसेट				
२०९.०१	५ हर्ष पावरको (ISI)	गोटा	५४०००	५४०००	५४०००
२०९.०२	८ हर्ष पावरको (ISI)	गोटा	८६०००	८६०००	८६०००
२१०	वाटर मीटर	गोटा	१७८५	१७८५	१७८५
	वायरिङ तथा वायरिङका सामान				
२११	स्तरीय सामान र पि.भि.सी.पाइप प्रयोग गरी सर्फेसवायरिङ्ग गर्ने काम राम्रो मेटल बर्क्स, स्वीच, सिलिड. रोज आदि वायरिड. सामान समेत प्रयोग गरी वायरिङ्ग को काम				
२११.०१	क. ३/२२ को तार एन.एस. प्राप्त (कपर वायर) लाइट प्वाइन्ट वायरिङ्ग गर्ने काम ।	प्वाइन्ट	९८९	१००८	१००८
२११.०२	ख. ३/२२, ७/२२ को एन.एस. प्राप्त तार (कपरवायर) तार प्रयोग गरि १५ एम्पियर पावर प्वाइन्ट वायरिङ्ग गर्ने काम ।	प्वाइन्ट	१४०४	१४३२	१४३२
२११.०३	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरवायर) लगाई ५ एम्पियर पावर प्वाइन्ट वायरिङ्ग गर्ने काम ।	प्वाइन्ट	११२७	११४९	११४९
२१२	स्तरिय सामान र पि.भी.सी. पाइप प्रयोग गरी कन्सील्ड वायरिङ्ग गर्ने काम । (स्वीच, स्वीच बोर्ड, सिलिङ्ग रोज, बक्स आदि आवश्यक सम्पूर्ण सामान समेत)				
२१२.०१	क ३/२२ को तार एन.एस. प्राप्त (कपर वायर) लाइट प्वाइन्ट वायरिङ्ग गर्ने काम ।	प्वाइन्ट	११६२	११८५	११८५
२१२.०२	ख. ३/२२, ७/२२ को एन.एस. प्राप्त तार (कपरवायर) तार प्रयोग गरि १५ एम्पियर पावर प्वाइन्ट वायरिङ्ग गर्ने काम ।	प्वाइन्ट	१२५४	१२७९	१२७९
२१२.०३	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरवायर) लगाई ५ एम्पियर पावर प्वाइन्ट वायरिङ्ग गर्ने काम ।	प्वाइन्ट	९६९	९८८	९८८
२१३	पंखा				
	सिलिड. पंखा उषा,ओरिएन्ट,क्रम्पटन ग्रिभ्स वा सो सरह				
२१३.०१	३६ इञ्च	गोटा	३२५५	३२००	३२००
२१३.०२	४२ इञ्च	गोटा	३४६५	३४००	३४००
२१३.०३	४८ इञ्च	गोटा	३६७५	३६००	३६००
२१३.०४	ISI वा NS गुणस्तरको एग्जैस्ट फेन १२ इन्चि	गोटा	३६७५	३६००	३६००
२१३.०५	चाईनिज स्टेण्ड फैन	गोटा	३४६५	३४००	३४००
२१३.०६	इण्डीयन स्टेण्ड फैन	गोटा	३९९०	३९५०	३९५०
२१३.०७	स्टेण्ड पंखा (भारतीय स्पेशल)	गोटा	४७२५	४७२५	४७२५
२१३.०८	वाल फेन चाईनिज	गोटा	३१५०	३१००	३१००

नेपाल सरकार गृह मन्त्रालय जिल्ला प्रशासन कार्यालय

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
२१४	डोम लाइट				
२१४.०१	८ इन्च	गोटा	५१९	५१९	५१९
२१४.०२	६ इन्च	गोटा	४०४	४०४	४०४
२१५	3W Round/square recess conceal	गोटा		३२५	३२५
२१६	6W Round/square recess conceal	गोटा		४५०	४५०
२१७	12W Round/square recess conceal	गोटा		९५०	९५०
२१८	वेदरप्रुफ लाइट	गोटा	२१०	२१०	२१०
२१९	मेन स्वीच				
२१९.०१	६० एम्पियर	गोटा	४९३५	४९३५	४९३५
२१९.०२	३० ,,	गोटा	१९६३	१९६३	१९६३
२१९.०३	१५ ,,	गोटा	१४७०	१४७०	१४७०
२२०	१० एस.डब्लु.जि.प्लाष्टिक कोटेड कपर वायर अर्थिङ्गको लागि	मीटर	१३८	१३८	१३८
२२१	सर्भिस तार	मीटर	२६	२६	२६
२२२	मिटर बक्स				
२२२.०१	प्लाष्टिक	गोटा	२१०	२१०	२१०
२२२.०२	काठको	गोटा	३१५	३१५	३१५
२२३	काठको लिस्टी				
२२३.०१	१/२" को	र.मी.	२६	२६	२६
२२३.०२	३/४" को	र.मी.	३३	३३	३३
२२३.०३	१" को	र.मी.	३६	३६	३६
२२४	एम सि बि				
२२४.०१	६ एम्पियर एस.पी.	गोटा	२६७	२६७	२६७
२२४.०२	१५ एम्पियर एस.पी.	गोटा	३९३	३९३	३९३
२२४.०३	१५ एम्पियर डी.पी.	गोटा	६९३	६९३	६९३
२२४.०४	३० एम्पियर एस.पी.	गोटा	४६२	४६२	४६२
२२४.०५	३० एम्पियर डी.पी.	गोटा	१२६०	१२६०	१२६०
२२५	Solar system with 20 watt solar panel, one 23 Ah battery and 3 nos of 4 watt LED bulbs	सेट	१०५००	१०५००	१०५००
	अन्य सामानहरु				
२२६	खर १५से.मी व्यासको मुठा	मुठा	४४	४४	४४
२२७	नरियलको डोरी	के.जी.	१३६	१३६	१३६
२२८	लाइन स्ट्रिङ्	र.मी.	८	८	८
२२९	जिओ-ब्याग(१.०५मि.x०.७ मि., ३५० ग्राम)	गोटा	३८३	३८३	३८३
२३०	नाइलन क्रेट ४.५ केजी (३X१.०५X१.०५) मि.	गोटा	२२०५	२२०५	२२०५
२३१	चटाई ३X६ फिटको	गोटा	१४४	१४४	१४४
२३२	भुसा	के.जी.	४	४	४
२३३	गोवर	के.जी.	५	५	५
२३४	खाली वोरा				

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
२३४.०१	सिमेन्टको खाली बोरा (पुरानो)	गोटा	१२	१२	१२
२३४.०२	सिमेन्टको खाली बोरा (नयाँ)	गोटा	२४	२४	२४
२३४.०३	जूटको खाली बोरा	गोटा	११०	११०	११०
२३५	हेशन जूट	व.मी.	२१०	२१०	२१०
२३६	नाइलन डोरी	के.जी.	२३२	२३२	२३२
२३७	मोविल (लुब्रिकेन्ट)	लीटर	६८२	६८२	६८२
२३८	गियर आयल	लीटर	६८२	६८२	६८२
२३९	ग्रिज	के.जी	६८२	६८२	६८२
२४०	माछाका भुरा				
२४०.०१	माछा सानो फिंगर साइज	गोटा	०.५२	०.५२	१.५
२४०.०२	माछा एडभान्स साइज	गोटा	१.४१	१.४१	३
२४१	ढुटो	के.जी.	२०	२०	२०
२४२	पिना	के.जी.	२१	२१	२१
२४३	दाउरा	के.जी.	१६	१६	१६
२४४	चिरपट	के.जी.	१६	१६	१६
२४५	फलामे बाल्टी	गोटा	५३७	५३७	५३७
२४६	बांसको डोको	गोटा	२३१	२३१	२३१
२४७	पोलिथिन शीट ५०० गेज	के.जी.	२२०	२२०	२२०
२४८	टारफेल्ट शीट १x२० मिमी.	के.जी.	१४१	१४१	१४१
२४९	कंकीट एडमिक्चर (सेफकीट, सेफबर्न, सेफमाइट आदि)	लीटर	३१५	३१५	३१५
२५०	सिलिका एडमिक्चर	के.जी.	३६७	३६७	३६७
२५१	स्टोभ	गोटा	१०५०	१०५०	१०५०
	बायोइन्जिनियरिङ्गका सामान तथा पशुचौपाया सम्वन्धि				
२५२	बिरुवाहरु				
२५२.०१	अम्लिसो	राईजोम	५.५१	५.५१	६
२५२.०२	सुपर नेपियर	सेट	३.३	३.३	५
२५२.०३	स्मार्ट नेपियर	सेट			१०
२५२.०४	रेड नेपियर	सेट			१५
२५२.०३	कास	स्लिप	१.१	१.१	१.१
२५३	बास विरुवा विउवाट उत्पादन				
२५३.०१	१ वर्षे विरुवा	गोटा	५५.१२	५५.१२	५५.१२
२५३.०२	२ वर्षे विरुवा	गोटा	८२.६८	८२.६८	८२.६८
२५३.०३	३ वर्षे विरुवा	गोटा	१६५.३७	१६५.३७	१६५.३७
२५४	बास राईजोम	राईजोम	४९६.१२	४९६.१२	४९६.१२
२५५	बास विरुवा कटिड.				
२५५.०१	१ वर्षे विरुवा	गोटा	२७५.६२	२७५.६२	२७५.६२
२५५.०२	२ वर्षे विरुवा	गोटा	३३०.७५	३३०.७५	३३०.७५
२५५.०३	३ वर्षे विरुवा	गोटा	३८५.८७	३८५.८७	३८५.८७

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
२५५.०४	निगालो	गोटा	१६.५३	१६.५३	१६.५३
२५५.०५	डालेघास	गोटा	१७.६४	१७.६४	२०
२५६	हिउँदे तथा बर्षे घाँसको विउ				
२५६.०१	जै	कि.ग्रा.	८८.२०	८८.२०	१००.००
२५६.०२	बर्षिम	कि.ग्रा.	३३०.७५	३३०.७५	३५०.००
२५६.०३	भेच	कि.ग्रा.	१३२.३०	१३२.३०	१३५.००
२५६.०४	टियोसेन्टी	कि.ग्रा.	११०.२५	११०.२५	१२५.००
२५६.०५	बाजरा	कि.ग्रा.	१०४.७३	१०४.७३	११०.००
२५६.०६	सुडान	कि.ग्रा.	११०.२५	११०.२५	११५.००
२५७	बहुवर्षे तथा डालेघाँसको विरुवा				
२५७.०१	नेपियर CO4 जरासहित	स्लीप	३.३	३.३	३.३
२५७.०२	नेपियर CO4	स्लीप	२.२	२.२	३
२५७.०३	नेपियर (अन्य) जरासहित	स्लीप	२.२	२.२	३
२५७.०४	मुलाटो, पास्पालम, सेटेरिया, बदामे	गोटा	२.२	२.२	२.२
२५७.०५	डाले घाँसको बेर्ना (बडहर)	गोटा	१७.६४	१७.६४	२०
२५७.०६	डाले घाँसको बेर्ना (अन्य जात)	गोटा	१६.५३	१६.५३	१७
२५८	प्रजननकालागि पालिने बोका बाखा				
२५८.०१	बाखा खरी जातको	कि.ग्रा.	३८५	३८५	६५०
२५८.०२	बोका जमुना पारी, बारबेरी, खरी जातको	कि.ग्रा.	५५१	५५१	८५०
२५८.०३	बोका ५० प्रतिशत बोयर	कि.ग्रा.			१०००
२५८.०४	बोका बोयर जातको	कि.ग्रा.	८८२	८८२	१२००
२५९	उन्नत जातको बगुंरको पाठापाठी				
२५९.०१	पाठी (न्यूनतम ४५ दिन)	गोटा	५५१२	५५१२	६०००
२५९.०२	पाठा (न्यूनतम ४५ दिन)	गोटा	६०६३	६०६३	६३००
२५९.०३	बगुंरको बीर (९० दिन)	गोटा	७७१७	७७१७	८०००
२५९.०४	पाठी (न्यूनतम ६० दिन)	गोटा			७०००
२५९.०५	पाठा (न्यूनतम ६० दिन)	गोटा			७२००
२६०	प्रजननकालागि पालिने भैसी, गाई, रागो, साँढे, कुखुरा				
२६०.०१	प्रजनन योग्य रागो मुर्रा जातको	गोटा	११०२५०	११०२५०	११५०००
२६०.०२	प्रजनन योग्य साँढे होलिष्टिन जातको	गोटा	११०२५०	११०२५०	११५०००
२६०.०३	प्रजनन योग्य साँढे जर्सी जातको	गोटा	८८२००	८८२००	९२०००
२६०.०४	प्रजननयोग्य स्थानीय भैसी	गोटा			८५०००
२६०.०५	प्रजननयोग्य मुर्रा भैसी	गोटा			१२००००
२६०.०६	प्रजननयोग्य स्थानीय गाई	गोटा			३५०००
२६०.०७	स्थानीय कुखुरा भाले	कि.ग्रा.			८००
२६०.०८	स्थानीय कुखुरा पोथी	कि.ग्रा.			६००
२६१	Steel Door and Window				
२६१.०१	900*2100 Steel Door set with frame 50 T Thickness	सेट	२१६३०	२१६३०	२१६३०

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
२६१.०२	1000*2100 Steel Door set with frame 50 T Thickness	सेट	२२६६०	२२६६०	२२६६०
२६१.०३	900*2100 ABS Door set with frame 50 T Thickness	सेट	१८५४०	१८५४०	१८५४०
२६१.०४	900*2100 Panel Door set with frame 50 T Thickness	सेट	१४४२०	१४४२०	१४४२०
२६१.०५	115mm Window set with frame 50 T Thickness	सेट	९००	९००	९००
२६२	**Flush Door**				
२६२.०१	Glossy	व.फु.	२७५	२७५	२७५
२६२.०२	Maat	व.फु.	२६०	२६०	२६०
२६३	**Non Asbestos Sheet**				
२६३.०१	1050mm overall width,6mm thickness-Normal	र.मी.	५७५	५७५	५७५
२६३.०२	1050mm overall width,6mm thickness-Coloured	र.मी.	६७५	६७५	६७५
२६३.०३	Supplying and erection if different mm thick cement base prefabricated everest solid wall panel (RAPION) non abestso incliding 1.1mm thick GI channel (50*25*20)mm with necessary accessories and fittings charge in partition wall all complet.				
	75mm thick	व.फु.	३१५	३१५	३१५
	50mm thick	व.फु.	२५०	२५०	२५०
२६२	**Interior and Finishing Materials**				
A	Roofing Material				
1.00	Stone Coated Roofing having 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	Sqm	४०००	४०००	४०००
2.00	Stone Coated Roofing Sheet 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	Sqm	३०००	३०००	३०००
3.00	Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	Sqm	१४००	१४००	१४००
4.00	Non Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	Sqm	१३००	१३००	१३००
B	Flooring Material				
1.00	Stone Plastic Composit Flooring (SPC) of 4 mm thick with base material and skirting	Sqm	२७००	२७००	२७००

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
C	Material for Wall				
	Mural Wall: 20-25mm thk. Cement tile from Craft Betton of approved colour, shade, pattern, achieved by mixing cement with matching colour pigment as directed, curing, acid cleaning as applicable, laid to required pattern on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointed with white cement slurry mixed with pigment.	Sqm	१५३००	१५३००	१५३००
	TEAK TILE CLADDING: CNC cut or hand made engraving on 8 mm thick teak tile fixed on 12mm thick marine plywood(BWP) base fixed to wall with adequate hardware/fixing arrangement as/design.				
	150X150Tile	Pcs	२८००	२८००	२८००
	150X300 Tile	Pcs	३५००	३५००	३५००
	300X300 Tile	Pcs	४०००	४०००	४०००
D	Ceiling Work				
1.00	DEMOUNTABLE FABRIC LINED ACOUSTIC PANEL: Providing and fixing of fabric panel made with 12mm thick marine ply (BWP) with a top layer of 3mm thick layer of TECSOUND50 soundproofing membrane, then a layer of 50mm infill of resin bonded glass wool (24 kg/cum),wrapped in tissue fiber matt supported suitably with a layer of perforated 12 mm marine ply(BWP) (perforation to be 20% of the surface area).	Sqm	२५०००	२५०००	२५०००
E	SLIDING AND FOLDING ACOUSTIC PARTITION Providing and fixing "Variflex" operable partition of Dorma make consisting of series of individual flat elements of 100 mm thick travelling along the ceiling track assembled to form a solid wall. The sound insulation of the operable partition should be 50db.	Sqm	४५०००	४५०००	४५०००

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
F	EXTERNAL / INTERNAL GLAZED DOOR (FIRE RATED AND ACOUSTICALLY TREATED) ALUMINIUM WITH THERMAL BREAK (CASEMENT- NC 65 HDS): Providing and fixing 46mm thk. TGU with a configuration of 8mm thk. TG+12mm air gap+6mm thk. TG+14 mm air gap+ 6mm TG with performance parameter of the composite	Sqm	१०००००	१०००००	१०००००
२६३	**Concrete Admixture, Water Proofing Sytstem Integral**				
२६३.०१	Protective, Decorative carbonating coating- Fosroc Nitogurd	Kg	१३००	१३००	१३००
२६३.०२	Protective polyerethane sealer Fosroc Promeseal	Ltr	८००	८००	८००
२६३.०३	High Performance water repellant Paint	Ltr	११००	११००	११००
२६३.०४	Concrete curing aid- Fosroc Concure WB	Kg	४५०	४५०	४५०
२६३.०५	Integral waterproofing additive for concrete and plaster- Fosroc Conplast WL Extra	Kg	३२०	३२०	३२०
२६४.००	**PVC -O pipe**				
264.10	**Class 500 PVC -O pipe -PN 12.5**				
	90mm	र.मि	७३०	७३०	७३०
	110mm	र.मि	११५०	११५०	११५०
	125mm	र.मि	१४५०	१४५०	१४५०
	140mm	र.मि	१७५०	१७५०	१७५०
	160mm	र.मि	२२००	२२००	२२००
	200mm	र.मि	३५००	३५००	३५००
	225mm	र.मि	४४००	४४००	४४००
	250mm	र.मि	५२००	५२००	५२००
	315mm	र.मि	८५००	८५००	८५००
	355mm	र.मि	१०८००	१०८००	१०८००
	400mm	र.मि	१४०००	१४०००	१४०००
	450mm	र.मि	१९०००	१९०००	१९०००
	500mm	र.मि	२२७००	२२७००	२२७००
	630mm	र.मि	३६०००	३६०००	३६०००
	800mm	र.मि	५८०००	५८०००	५८०००
	1000mm	र.मि	११००००	११००००	११००००
	1200mm	र.मि	१५००००	१५००००	१५००००
264.20	**Class 500 PVC -O pipe -PN 16**				
	90mm	र.मि	८५४	८५४	८५४
	110mm	र.मि	१२६०	१२६०	१२६०

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
	125mm	र.मि	१५५०	१५५०	१५५०
	140mm	र.मि	१९५०	१९५०	१९५०
	160mm	र.मि	२६००	२६००	२६००
	200mm	र.मि	४०००	४०००	४०००
	225mm	र.मि	४९५०	४९५०	४९५०
	250mm	र.मि	६३००	६३००	६३००
	315mm	र.मि	९६००	९६००	९६००
	355mm	र.मि	१२७००	१२७००	१२७००
	400mm	र.मि	१६०००	१६०००	१६०००
	450mm	र.मि	२२५००	२२५००	२२५००
	500mm	र.मि	२७५००	२७५००	२७५००
	630mm	र.मि	४६५००	४६५००	४६५००
	800mm	र.मि	७५०००	७५०००	७५०००
	1000mm	र.मि	१२०००००	१२०००००	१२०००००
	1200mm	र.मि	१७५०००	१७५०००	१७५०००
264.30	Class 500 PVC -O pipe -PN 25				
	90mm	र.मि	१७००	१७००	१७००
	110mm	र.मि	२५००	२५००	२५००
	125mm	र.मि	२७००	२७००	२७००
	140mm	र.मि	३१००	३१००	३१००
	160mm	र.मि	३८००	३८००	३८००
	200mm	र.मि	५५००	५५००	५५००
	225mm	र.मि	६७००	६७००	६७००
	250mm	र.मि	८५००	८५००	८५००
	315mm	र.मि	१३०००	१३०००	१३०००
	355mm	र.मि	१६०००	१६०००	१६०००
	400mm	र.मि	२०५००	२०५००	२०५००
	450mm	र.मि	३००००	३००००	३००००
	500mm	र.मि	३८०००	३८०००	३८०००
	630mm	र.मि	५७०००	५७०००	५७०००
२६५.००	PVC -O pipe Fittings				
265.10	ELBOW 11.25 degree(PN-16)				
	११०	गोटा	७३७६	७३७६	७३७६
	१६०	गोटा	१६०२२	१६०२२	१६०२२
	२००	गोटा	२९४२९	२९४२९	२९४२९
	२५०	गोटा	४४८११	४४८११	४४८११
	३१५	गोटा	८५८९५	८५८९५	८५८९५
	४००	गोटा	१६०३३३	१६०३३३	१६०३३३
265.20	ELBOW 22.5 degree(PN-16)				
	११०	गोटा	७६७१	७६७१	७६७१

क्र.सं.	विवरण	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट
	१६०	गोटा	१६९१३	१६९१३	१६९१३
	२००	गोटा	३०६०६	३०६०६	३०६०६
	२५०	गोटा	४६६०४	४६६०४	४६६०४
	३१५	गोटा	८९३३१	८९३३१	८९३३१
	४००	गोटा	१६६७४६	१६६७४६	१६६७४६
265.30	**ELBOW 45 degree(PN-16)**				
	११०	गोटा	८४८५	८४८५	८४८५
	१६०	गोटा	१८५७०	१८५७०	१८५७०
	२००	गोटा	३३६५८	३३६५८	३३६५८
	२५०	गोटा	५५२०४	५५२०४	५५२०४
	३१५	गोटा	९७९५०	९७९५०	९७९५०
	४००	गोटा	१८९७४४	१८९७४४	१८९७४४
265.40	**ELBOW 90 degree(PN-16)**				
	११०	गोटा	१२०५०	१२०५०	१२०५०
	१६०	गोटा	२४१४३	२४१४३	२४१४३
	२००	गोटा	४३४१७	४३४१७	४३४१७
	२५०	गोटा	७२३१८	७२३१८	७२३१८
	३१५	गोटा	११२६४०	११२६४०	११२६४०
	४००	गोटा	२२५७९७	२२५७९७	२२५७९७
265.50	**Coupler (PN -16)**				
	११०	गोटा	७३५९	७३५९	७३५९
	१६०	गोटा	१३१२३	१३१२३	१३१२३
	२००	गोटा	१८९६८	१८९६८	१८९६८
	२५०	गोटा	३५५०२	३५५०२	३५५०२
	३१५	गोटा	६७२९६	६७२९६	६७२९६
	४००	गोटा	१४९१५८	१४९१५८	१४९१५८

माथि उल्लेखित आईटम हरु भन्दा थप आइटमहरु आवश्यक परेमा बजार बाट तिनवटा दररेट माग गरी सो मध्यबाट न्यूनतम दररेट लाई आधारमानी कायम गर्न सकिने छ ।

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
धनगढी, कैलाली

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ०८०/८१ को दररेट	आ. ब. ०८१/८२ को दररेट
१.००	**WINDOWS – 2 Pannel Sliding,**	**100 Series**	Sqm	8000	8000
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 101.3 x 44 x 1.3			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.3			
	(5mm clear/ Colour Glass)	101.3 x 44.6 x 1.3			
		Palla - 50 x 28 x 1.0			
		64 x 31.3 x 1.0			
		76.2 x 28 x 1.0			
२.००	**WINDOWS – 2 Pannel Sliding, with Fix Ventilation**	**100 Series**	Sqm	8050	8050
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 101.3 x 44 x 1.3			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.3			
	(5mm clear/ Colour Glass)	101.3 x 44.6 x 1.3			
		Palla - 50 x 28 x 1.0			
		64 x 31.3 x 1.0			
		76.2 x 28 x 1.0			
३.००	**WINDOWS – 2 Pannel Sliding, with Sliding Ventilation**	**100 Series**	Sqm	8715	8715
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 101.3 x 44 x 1.3			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.3			
	(5mm clear/ Colour Glass)	101.3 x 44.6 x 1.3			
		Palla - 50 x 28 x 1.0			
		64 x 31.3 x 1.0			
		76.2 x 28 x 1.0			
४.००	**WINDOWS – 2 Pannel Sliding,**	**100 Series**	Sqm	8231.4	8231.4
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 101.3 x 44 x 1.5			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.5			
	(5mm clear/ Colour Glass)	101.3 x 44.6 x 1.5			
		Palla - 50 x 28 x 1.2			
		64 x 31.3 x 1.2			
		76.2 x 28 x 1.2			
५.००	**WINDOWS – 2 Pannel Sliding, with Sliding Ventilation**	**100 Series**	Sqm	8918	8918
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 101.3 x 44 x 1.5			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.5			
		101.3 x 44.6 x 1.5			
		Palla - 50 x 28 x 1.2			
		64 x 31.3 x 1.2			
		76.2 x 28 x 1.2			

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
धनगढी, कैलाली

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ०८०/८१ को दररेट	आ. ब., ०८१/८२ को दररेट
६.००	**WINDOWS – 3 Pannel Sliding with FIX Ventilation**	**100 Series**	Sqm	10168	10168
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 101.3 x 44 x 1.5			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.5			
	(5mm clear/ Colour Glass)	101.3 x 44.6 x 1.5			
		Palla - 50 x 28 x 1.2			
		64 x 31.3 x 1.2			
		76.2 x 28 x 1.2			
७.००	**WINDOWS – 2 Pannel Sliding,**	**90 Series**	Sqm	7263	7263
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 87 x 40 x 1.2			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	87 x 56 x 1.2			
	(5mm clear/ Colour Glass)	90 x 43 x 1.2			
		Palla - 50 x 27 x 1.0			
		60 x 27 x 1.0			
		62 x 31 x 1.0			
८.००	**WINDOWS – 2 Pannel Sliding, with Sliding Ventilation**	**90 Series**	Sqm	7700	7700
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 87 x 40 x 1.2			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	87 x 56 x 1.2			
	(5mm clear/ Colour Glass)	90 x 43 x 1.2			
		Palla - 50 x 27 x 1.0			
		60 x 27 x 1.0			
		62 x 31 x 1.0			
९.००	**WINDOWS – 2 Pannel Sliding,**	**90 Series**	Sqm	7700	7700
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles				
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	Frame – 87 x 40 x 1.5			
	(5mm clear/ Colour Glass)	87 x 56 x 1.5			
		90 x 43 x 1.5			
		Palla - 50 x 27 x 1.2			
		60 x 27 x 1.2			
		62 x 31 x 1.2			
१०.००	**WINDOWS – 2 Pannel Sliding, with Sliding Ventilation**	**90 Series**	Sqm	10222	10222
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 87 x 40 x 1.5			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	87 x 56 x 1.5			
	(5mm clear/ Colour Glass)	90 x 43 x 1.5			
		Palla - 50 x 27 x 1.2			
		60 x 27 x 1.2			
		62 x 31 x 1.2			

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
धनगढी, कैलाली

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ०८०/८१ को दररेट	आ. ब. ०८१/८२ को दररेट
११.००	**WINDOWS – 3 Pannel Sliding,**	**90 Series**	Sqm	8688.70	8688.70
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 87 x 40 x 1.2			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	87 x 56 x 1.2			
	(5mm clear/ Colour Glass)	90 x 43 x 1.2			
		Paila - 50 x 27 x 1.0			
		60 x 27 x 1.0			
		62 x 31 x 1.0			
१२.००	**WINDOWS – 3 Pannel Sliding,**	**90 Series**	Sqm	9200	9200
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 87 x 40 x 1.5			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	87 x.56 x 1.5			
	(5mm clear/ Colour Glass)	90 x 43 x 1.5			
		Palla - 50 x 27 x 1.2			
		60 x 27 x 1.2			
		62 x 31 x 1.2			
१३.००	**DOORS – Hinge Fabrication**	**100 Series**	Sqm	8339	8339
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.				
	Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Door Lock, Rubber, Brush, Gaskets & Necessary Hardware etc	Frame – 101 x 45 x 1.0			
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	Palla - 48 x 45 x 1.0			
१४.००	**DOORS – Hinge Fabrication**	**100 Series**	Sqm	9684	9684
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.				
	Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Door Lock, Rubber, Brush, Gaskets & Necessary Hardware etc	Frame – 101 x 45 x 1.3			
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	Palla - 48 x 45 x 1.0			
१५.००	**DOORS – Hinge Fabrication**	**100 Series**	Sqm	11298	11298
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.				
	Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Door Lock, Rubber, Brush, Gaskets & Necessary Hardware etc	Frame – 101 x 45 x 1.5			
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	Palla - 83 x 44 x 1.2			
		48 x 45 x 1.0			

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
धनगढी, कैलाली

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ०८०/८१ को दररेट	आ. ब. ०८१/८२ को दररेट
१६.००	**DOORS – Floor Fabrication**	**100 Series**	Sqm	12374	12374
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.				
	Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc	Frame – 101 x 45 x 1.3			
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	Palla - 83 x 44 x 1.2			
	FLOOR SPRING – openabale with both side	48 x 45 x 1.0			
१७.००	**DOORS – SLIDING Fabrication**	**100 Series**	Sqm	11298	11298
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.	Frame – 101 x 45 x 1.2			
	Aluminium Doors Including, Lock, Rubber, Brush,Sliding Bearings, Gaskets & Necessary Hardware etc	Palla - 64 x 28 x 1.2			
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	50 x 28 x 1.2			
१८.००	**VENTILATION – Fixed Fabrication/LOUVER**	Frame -101*45*1.2	Sqm	6550	6550
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles				
	with Fixed 5mm glass and all other necessary Hardware gaskets, brush and rubber				
१९.००	**VENTILATION – Fixed Fabrication/LOUVER**	Frame -63.3*37*1.0	Sqm	5918	5918
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles				
	with Fixed 5mm glass and all other necessary Hardware gaskets, brush and rubber				
२०.००	**Partation – Fabrication, Supplying & Fixing in Natural Anodised/ Black Anodised/ White Powder Coated Profiles**	Frame -101*45*1.2	Sqm	6994	6994
	Aluminium with necessary hardware				
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)				
२१.००	**Partation – Fabrication, Supplying & Fixing in Natural Anodised/ Black Anodised/ White Powder Coated Profiles**	Frame -63.3*37*1.0	Sqm	5918	5918
	Aluminium with necessary hardware				
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)				
२२.००	Fabrication of Steel Railing with 4 row of steel pipe (running Ft) ROUND S S PIPES	2"/1"/1"/1" with support 1.5" steel pipe	r.ft	1080	1080
२३.००	Fabrication of Steel with 3 row of Steel Pipe (running Ft) ROUND S S PIPES	2"/1"/1" with support 1.5" steel pipe	r.ft	900	900
२४.००	Fabrication of Steel Railing with 2 row of steel pipe (running Ft)) ROUND S S PIPES	2"/1"/" with support 1.5" steel pipe	r.ft	735	735
२५.००	Fabrication of Steel with single row of Steel Pipe (running Ft) ROUND S S PIPES	1.5" with support 1.5" steel pipe	Sq.ft	577	577
२६.००	Fabrication of Steel Gate , Steel Furniture like Bench, Arching Table, Modulur Rack and all kinds		kg	493	493
२७.००	Powder Coated MS Door/Window/Ventilation of Frame size 100mm*50mm with 1.6mm thick moulded iron sheet including holdfast, Hinge		Sq.ft		290

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
धनगढी, कैलाली

क. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ०८०/८१ को दररेट	आ. ब. ०८१/८२ को दररेट
२८.००	Powder Coated iron Window/Ventilation glazed shutter of Frame size 70mm*25mm with 1.0mm thick moulded iron sheet including 4mm glass and accessories and fittings all complete		Sq.ft		650
२९.००	Powder Coated iron Window/Ventilation mesh shutter of Frame size 36mm*20mm including 4 accessories and fittings all complete		Sq.ft		490

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
धनगढी, कैलाली

१४.१० बिभिन्न साईजका मेशीन मेड गेवियन जालीहरुको आ.ब. २०८१/८२ को जिल्ला दररेट

Machine Made and mechanically selvedged Double twist hexagonal mesh product

Specification			
Mesh Type			***10x12***
Wire mesh Dia			***3.00 mm***
Selvedge wire dia			***3.90 mm***
Lacing Wire Dia			***2.40 mm***
Type of Coating			***Heavy Zinc Coating***
S.N.	Size /With Diapharm	unit	Price(NRS)
1	1.5x1x0.5/0	Nos	1682
2	2x1x0.5/1	Nos	2288
3	3x1x0.5/2	Nos	3265
4	4x1x0.5/3	Nos	4122
5	1.5x1x1/0	Nos	2444
6	2x1x1/1	Nos	3249
7	3x1x1/2	Nos	4610
8	4x1x1/3	Nos	5937
9	3x1.5x0.5/2	Nos	4797
10	4x1.5x0.5/3	Nos	6071
11	5x1.5x0.5/4	Nos	7527
12	6x1.5x0.5/5	Nos	9000
13	3x1.5x1/2	Nos	6754
14	4x1.5x1/3	Nos	8514
15	5x1.5x1/4	Nos	10526
16	6x1.5x1/5	Nos	12520
17	3x2x0.5/2	Nos	6017
18	4x2x0.5/3	Nos	7670
19	5x2x0.5/4	Nos	9520
20	6x2x0.5/5	Nos	11370
21	3x2x1/2	Nos	8352
22	4x2x1/3	Nos	10509
15	5x2x1/4	Nos	12987
16	6x2x1/5	Nos	15448
17	Wire mesh Netting	SQM	306

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
धनकुटा, नेपाल

कृषि कार्यका लागि ०.५५ मि.मि. जी.आई.पाताको मेटल बिन (तयारी भकारी)को क्षमता, नाप, तौल, मूल्य बिबरण

सेट	मेटल बिनको क्षमता (के.जी.)	मेटल बिनको तौल (के.जी.)	मेटल बिनको तयारी भित्रि व्यास (से.मि.)	मेटल बिनको तयारी भित्रि उचाई (से.मि.)	एकाई	आ.व. ७९/८० को दररेट	आ.व. ८०/८१ को दररेट	आ.व. ८१/८२ को दररेट
ए.	२६२	१४.०	६१	१२१.०	गोटा	३०१७	३०१७	३०१७
ए.	२४५	१३.३	५९	१२१.०	"	२९२०	२९२०	२९२०
ए.	२२८	१२.५	५७	१२१.०	"	२८००	२८००	२८००
ए.	२१३	११.८	५५	१२१.०	"	२७२३	२७२३	२७२३
ए.	१९८	११.०	५३	१२१.०	"	२६२१	२६२१	२६२१
जम्मा	११४६	६२.५						
बि.	१९६	११.०	६१	९०.५	"	२२००	२२००	२२००
बि.	१८४	१०.५	५९	९०.५	"	२१४०	२१४०	२१४०
बि.	१७०	१०.०	५७	९०.५	"	२०५४	२०५४	२०५४
बि.	१६०	९.५	५५	९०.५	"	१९८९	१९८९	१९८९
बि.	१४८	९.०	५३	९०.५	"	१९१४	१९१४	१९१४
जम्मा	८५८	५०.०						
सी.	१४८	९.०	५३	९०.५	"	१९९३	१९९३	१९९३
सी.	१३६	८.५	५१	९०.५	"	१९२८	१९२८	१९२८
सी.	१२४	८.०	४९	९०.५	"	१८००	१८००	१८००
सी.	११२	७.५	४७	९०.५	"	१७००	१७००	१७००
सी.	७५	६.०	३८	९०.५	"	१४१२	१४१२	१४१२
जम्मा	५९५	३९.०						

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
धनकुटा, नेपाल

आ.व. ०८१/०८२ को घर भाडा प्रति वर्ग फिट फ्लोर एरिया प्रति महिना

क्षेत्र	घरको किसिम				कैफियत
	A	B	C	D	
क	२८.१६	२७.११	२५.८३	२३.४६	
ख	२३.४८	२२.३३	२१.३२	२०.३४	
ग	२१.३२	२०.३४	१९.२१	१८.०६	
घ	१९.२१	१८.०५	१७.०६	१५.७५	

पार्किङ्ग क्षेत्रको प्रति बर्ग फिट एरिया प्रति महिना रु ११

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
धनगढी, कैलाली

क्षेत्रको बिबरण

क	जिल्ला बन कार्यालयदेखि धनगढी ट्राफिक कार्यालयसम्म
ख	भन्सारदेखी चौराहा चटकपुर, बैयाबेहड़ी, उत्तरबेहाड़ी, हसनपुर, बोराडाडी, जिल्ला बन कर्यालायदेखी क्याम्पस रोड,लक्ष्मिनारायण मन्दिर रोड, नेपाल राष्ट्र बैंक रोड, अदालत रोड त्रिबेणी चोक अत्तरिया वरिपरी क्षेत्र
ग	सन्तोषी टोल, बिशाल नगर तारानगर पुरानो भन्सार रोड धनगढी न.पा. का अन्य क्षेत्रहरू, टिकापुर र लम्की बजार
घ	माथि उल्लेखित बाहेकका क्षेत्रहरू

घरको किसिमको बिबरण

A	Frame structure building with cement sand mortar
B	Load bearing wall building with cement sand mortar
C	Load bearing wall building with mud mortar
D	Load bearing building with mud mortar and tile/C.G.I. sheet roofing

गाडी भाडा ईन्धन बाहेक प्रति दिन रु	३५००	without AC
	४५००	with AC

जिल्ला प्रशासन कार्यालय कैलाली

विरुवाहरुको जिल्ला दररेट आ.व.०८१/०८२

क्र.सं	विरुवाको प्रजाती	एकाई	प्रति एकाइ दर रु.	कैफियत
१	अमला	गोटा	१६	
२	पारिजात ३ फिट माथी	गोटा	३३३	
३	गोल्डमोहर	गोटा	२०५	
४	वाँस कलमी २ बर्षे	गोटा	५१२	
५	श्रीखण्ड १ फिट माथी २ बर्षे	गोटा	२८७	
६	रक्तचन्द्र १८ ईन्च २ बर्षे	गोटा	२८७	
७	रुद्राक्ष २ फिट माथी २ बर्षे	गोटा	५६३	
८	समी ४ फिट माथी	गोटा	६१५	
९	कपुर ३ फिट माथी	गोटा	३०७	
१०	राजवृक्ष ३ फिट माथी	गोटा	३०७	
११	अगर उड	गोटा	२५६	
१२	गुर्जो	गोटा	८२	
१३	अम्रपाली २ वर्षे विरुवा	गोटा	१३३	
१४	आँप निलम बहुवर्षिय	गोटा	१३३	
१५	आँप मलिका बहुवर्षिय	गोटा	१३३	
१६	आँप अन्य जात	गोटा	१०२	
१७	लिची सबैजात	गोटा	१०७	
१८	कागती सबैजात	गोटा	६२	
१९	सुन्तला सबैजात	गोटा	६२	
२०	भेटिभर स्लिप	गोटा	१०	
२१	विजयसाल	गोटा	७५	
२२	वेत वाँस	गोटा	३५	
२३	सतिसाल	गोटा	७५	
२४	टिमुर	गोटा	८५	
२५	केरा टिस्यू कल्चर विरुवा	गोटा	४५	

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
धनगढी, कैलाली