


जिल्ला प्रशासन कार्यालय
कैलाली



आ.व. २०७८।०७९ को स्वीकृत जिल्ला दररेट
कैलाली










२०७८

आज मिति २०७८।०३।३० गते सार्वजनिक खरिद नियमावली २०६४ को परिच्छेद १५ को नियम १४८(१) बमोजिम जिल्ला दररेट निर्धारण समितिका अध्यक्ष प्रमुख जिल्ला अधिकारी श्री खगेन्द्र प्रसाद रिजालज्यूको अध्यक्षतामा तपसिलमा उल्लेखित पदाधिकारीहरूको उपस्थितिमा जिल्ला दररेट समितिको बैठक बसी देहाय बमोजिमको निर्णय गरियो ।

उपस्थिति

	प्र.जि.अ.	श्री खगेन्द्र प्रसाद रिजाल	जिल्ला प्रशासन कार्यालय कैलाली	अध्यक्ष
	जि.स.स.सदस्य	श्री देवी भण्डारी	जिल्ला समन्वय समितिको कार्यालय कैलाली	सदस्य
	नि.जि.स.अ.	श्री नन्दलाल पाण्डेय	जिल्ला समन्वय समितिको कार्यालय कैलाली	सदस्य
	प्र.को.नि.	श्री जगत प्रकाश भट्ट	कोष तथा लेखा नियन्त्रक कार्यालय कैलाली	सदस्य
	प्रतिनिधि	श्री टेक बहादुर मल्ल	निर्माण व्यवसायी संघ धनगढी	सदस्य
	प्रतिनिधि	श्री श्याम राज जोशी	कैलाली उद्योग वाणिज्य संघ धनगढी	सदस्य
	ई.	श्री झंक बहादुर थापा	संघिय आयोजना कार्यान्वयन ईकाइ धनगढी	सदस्य - सचिव


आमन्त्रित प्रतिनिधी:-

	स.प्र.जि.अ.	श्री हिरालाल चौधरी	जिल्ला प्रशासन कार्यालय कैलाली
	प्र.अ.	श्री शिवराज जोशी	जिल्ला प्रशासन कार्यालय कैलाली
	का.प्र.	श्री सुरेन्द्र चौधरी	नेपाल विद्युत प्राधिकरण धनगढी वितरण केन्द्र
		श्री प्रकाश बहादुर सेठी	निर्माण व्यवसायी महासंघ धनगढी
		श्री बिनोद शाह	सेती महाकाली ईटा एशोसियसन
		श्री सुरेन्द्र राठी	कैलाली हार्डवेयर व्यवसायी संघ
		" मनोज शम्शेर - कैलाली उद्योग वाणिज्य संघ	



निर्णय:-

१. स्थानीय उद्योगी, व्यापारी, विभिन्न सामग्रीहरूको फ्याक्ट्री दररेट, निर्माण व्यवसायी संघ तथा उद्योग वाणिज्य संघ समेतबाट प्रस्तावित दररेटहरूमा सहभागी समितिका सदस्यहरू एवं आमन्त्रित कार्यालय प्रमुख तथा प्रतिनिधीहरू बीच व्यापक छलफल भई गत वित्तको आ.व.हरूको जिल्ला दररेटमा देखिएको घटबढ समेतको मुल्यांकन गरी चालु आ.व. २०७८।०७९ का लागि कैलाली जिल्लामा निर्माण सामग्री, ढुवानी दररेट, मेसिन तथा उपकरणहरूको भाडा, कामदारको ज्याला, घरजग्गा भाडादर आदि लगायतका सामग्रीहरूको निम्नानुसार जिल्ला दररेट निर्धारण गर्ने निर्णय गरियो । उल्लेखित जिल्ला दररेटहरूमा मु.अ.क. समावेश गरिएको छैन ।



क्र. सं.	विवरण	ईकाई	आ. ब. ७५/७६ को दररेट	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
१	अदक्ष (ज्यामी)	श्रमदिन	४६५	५२०	५८०	६१०
२	दक्ष (मिस्त्री)	"	६८५	७६०	८५०	८९०
३	चौकिदार	"	४६५	५२०	५८०	६१०
४	क्याम्प वर्कर	"	४६५	५२०	५८०	६१०
५	चैनमेन	"	४६५	५२०	५८०	६१०
१३	प्लम्बर	"	५५५	६२०	६९५	७३०
१४	प्लम्बिड हेल्पर	"	४६५	५२०	५८०	६१०
१५	हेल्पर (खलासी)	"	४६५	५२०	५८०	६१०
१६	सुपरभाईजर (साधारण)	"	४७०	५२०	५८०	६१०
१७	सिनियर सुपरभाईजर (तालीम प्राप्त)	"	४९५	५५०	६१५	६५०
१८	सडक सुपरभाईजर	"	४७०	५२०	५८०	६१०
१९	लेन्थ वर्कर दैनिक ज्यालादारीमा	"	४६५	५२०	५८०	६१०
२०	लेन्थ वर्कर (रोड बोर्ड तर्फ करारमा)	"	४६५	५२०	५८०	६१०
२१	सडक सुपरभाईजर (रोड बोर्ड तर्फ करारमा)	"	४७०	५२०	५८०	६१०
२२	सिचाइ ढाल्या	"		५२०	५८०	६१०
२३	सिचाइ गेट अपरेटर	"		५२०	५८०	६१०
२४	डाईभर	"				
२५	अमिन	"				
२६	कम्प्युटर अपरेटर	"				
२७	ईन्जिनियर	"				
२८	सव-ईन्जिनियर	"				
२९	ल्याब टेक्निसियन (ना.सु. वा खरिदार सरह)	"				
३०	इक्विपमेन्ट अपरेटर					
३०.१	हेवि	श्रमदिन				
३०.२	लाइट	"				
३१	नाला तथा सेफ्टी टंकी सफा गर्ने कार्य	"	६६०	७३०	८१५	८५५
३०	Mechanically treated earth work for Road and Canal including mobilization and de-mobilization of machine					
३०.०१	Excavation in Ordinary soil	cum	७०	७०	७०	७२
३०.०२	Excavation in Hard soil	cum	९५	९५	९५	९७
३०.०३	Excavation in Ordinary Rock	cum	२९०	२९०	२९०	२९५
३०.०४	Excavation in Medium Rock	cum	४५०	४५०	४५०	४६०
३०.०५	Excavation in Hard Rock	cum	१७००	१७००	१७००	१७३०
३०.०६	Landslide clearance	cum	७०	७०	७०	७२

क्र. सं.	विवरण	ईकाई	आ. ब. ७५/७६ को दररेट	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
३०.०७	Landslide clearance (rocks to be broken)	cum	१००	१००	१००	१०२
३१	मानिस द्वारा ढुवानी गर्ने					
३१.०१	सजिलो भारी पहाडको लागी	रु/केजी/कि मी	१.५८	१.६६	१.६६	१.६६
३१.०२	असजिलो भारी ,,	,,	१.७	१.७९	१.७९	१.७९
३१.०३	सजिलो भारी तराईको लागी	,,	१.२१	१.२७	१.२७	१.२७
३१.०४	असजिलो भारी ,,	,,	१.३३	१.४	१.४	१.४
३१.०५	भोलुंगे पुलका लट्टा बोक्ने	,,	२.७३	२.८७	२.८७	२.८७
३१.०६	एच.डि.पि./जि.आई पाईप बोक्ने	,,	२.७३	२.८७	२.८७	२.८७
३१.०७	विरुवा ढुवानी पहाडमा	,,	२.६१	२.७४	२.७४	२.७४
३१.०८	विरुवा ढुवानी तराइमा	,,	२.०६	२.१६	२.१६	२.१६
३२	गाडा, रिक्सा र ठेलाद्वारा ढुवानी गर्ने कार्य					
३२.०१	पिच रोडमा	,,	०.३५	०.३९	०.३९	०.३९
३२.०२	ग्रावेल सडकमा	,,	०.४२	०.४६	०.४६	०.४६
३२.०३	कच्ची (माटो) सडकमा	,,	०.३९	०.४३	०.४३	०.४३
३३	लोड । अनलोड गर्ने काम					
३३.०१	फलामे सामान	क्वीन्टल	४२.३५	४६.५९	४६.५९	४६.५९
३३.०२	सिमेन्ट (५० केजी.)	व्याग	१६.९४	१८.६३	१८.६३	१८.६३
३३.०३	अन्य सामान (खाद्य सामग्री समेत)	क्वीन्टल	१२.१	१३.३१	१३.३१	१३.३१
३४	ट्रक तथा अन्य निर्माण उपकरण भाडा		सडक विभागबाट निर्धारित दररेट अनुसार			
३५	वन संवन्धि कामको लागि					
३५.०१	मार्किंग	प्रति रुख	२०.५	२२.१४	२२.१४	२३.२४
३५.०२	कटान मुछान	घन फूट	२९.५	३१.८६	३१.८६	३३.४५
३५.०३	बोक्रा भिकने	,,	५	५.४	५.४	५.६७
३५.०४	जरा निमाल्ने कार्य (गोलाइ ३० से.मी. सम्म)	प्रति जरा		३००	३००	३१५
३५.०५	जरा निमाल्ने कार्य (गोलाइ ३१ से.मी. देखी ६० से.मी. सम्म)	प्रति जरा		४००	४००	४२०
३५.०६	जरा निमाल्ने कार्य (गोलाइ ६० से.मी. भन्दा बढी)	प्रति जरा		५००	५००	५२५
३५.०७	जरा ढुवानी (गोलाइ ३० से.मी. सम्म) २५ कि.मि. सम्म	प्रति जरा		१००	१००	१०५
३५.०८	जरा ढुवानी (गोलाइ ३१ से.मी. देखी ६० से.मी. सम्म) २५ कि.मि. सम्म	प्रति जरा		१५०	१५०	१५७

क्र. सं.	विवरण	ईकाई	आ. ब. ७५/७६ को दररेट	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
३५.०९	जरा हुवानी (गोलाइ ६० से.मी. भन्दा बढी) २५ कि.मि. सम्म	प्रति जरा		२००	२००	२१०
३६	याईलिंग					
३६.०१	क) पहाडि भिराला क्षेत्रमा गोलिया	घन फूट	९२	९९.००	९९	१०४
३६.०२	ख) तराईमा गोलिया	"	१३	१४.००	१४	१४.७
३६.०३	ग) पहाडि भिराला क्षेत्रमा दाउरा	चट्टा	३६००	३८८८.००	३८८८	४०८०
३६.०४	घ) तराई क्षेत्रमा दाउरा	चट्टा	६००	६४८.००	६४८	६८०
३७	पाईलिंग	"	१५.५	१६.००	१६	१६.५
३८	लोडिंग (गोलिया)	"	१९.५	२१.००	२१	२२
३९	अनलोडिंग	"	१२	१३.००	१३	१३.५
४०	हुवानी (वन जंगल क्षेत्रमा) गोलिया					
४०.०१	० देखि ३ कि.मि. सम्म	घन फुट	३१.५	३४.००	३४.००	३५.००
४०.०२	४ देखि ७ कि.मि. सम्म	"	३५	३७.८०	३७.८०	३९.००
४०.०३	८ देखि १२ कि.मि. सम्म	"	३६	३८.८०	३८.८०	४०.००
४०.०४	१३ देखि १६ कि.मि. सम्म	"	३८	४१.००	४१.००	४३.००
४०.०५	१७ देखि २० "	"	४२.५	४५.९०	४५.९०	४८.००
४०.०६	२१ देखि २४ "	"	४३	४६.४०	४६.४०	४८.००
४०.०७	२५ देखि ३० "	"	४९	५२.९०	५२.९०	५५.००
४०.०८	३० कि.मि. देखि माथि प्रति कि.मि. मा थप	"	१.८	१.९०	१.९०	१.९९
४१	हुवानी गोलिया काठ र चिरानी काठ हुवानी (घाटगद्दी देखि मिल र मिल देखि डिपो सम्म)					
४१.०१	० देखि ५ कि.मि. सम्म	घन फुट	१७.५	१८.९०	१८.९०	१९.००
४१.०२	६ देखि १० कि.मि. सम्म	"	२०	२१.६०	२१.६०	२२.००
४१.०३	११ देखि १५ कि.मि. सम्म	"	२२	२३.७०	२३.७०	२४.००
४१.०४	१६ देखि २० कि.मि. सम्म	"	२८	३०.२०	३०.२०	३१.००
४१.०५	२१ देखि २५ कि.मि. सम्म	"	२९.२५	३१.५०	३१.५०	३३.००
४१.०६	२६ देखि ३० कि.मि. सम्म	"	३०.५	३२.९०	३२.९०	३४.००
४१.०७	३१ देखि ४० कि.मि. सम्म	"	३१.५	३४.००	३४.००	३५.००
४१.०८	४० कि.मि. देखि माथि प्रति कि.मि. मा थप	"	१.७५	१.८०	१.८०	१.९०
४२	चिरान पाईलिंग	घ.मी.	१४	१५.१०	१५.१०	१५.८०
४३	चिरान लोडिंग	"	१३	१४.००	१४.००	१४.५०
४४	चिरान अनलोडिंग	"	९.४	१०.१०	१०.१०	१०.५०
४५	दाउरा कटानी संबन्धि					
४५.१	कटान मुहान (२० X ५ X ५) फिट	चट्टा	४३१४	५०००.००	५०००.००	५२००.००
४५.२	लोड अनलोड	"	२५६५	२७७०.००	२७७०.००	२८८०.००
४५.३	चट्टा निर्माण	"	१७५०	१८९०.००	१८९०.००	१९६५.००

क्र. सं.	विवरण	ईकाई	आ. ब. ७५/७६ को दररेट	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
४५.४	ढुवानी २५ कि.मि. सम्म	"	४७८०	५१६२.००	५१६२.००	५३६८.००
४५.५	ढुवानी २५ कि.मि.भन्दा माथि थप प्रत्येक कि.मि. का लागि	"	२३३	२५१.००	२५१.००	२६१.००
४६	हरेक गोलियमा ईनामेलले गोलियाको साईज र नं. एवं लट नं. समेत स्पष्ट बुझिने गरी लेख्ने कामका लागि	गोलिया	५.८५	६.००	६.००	६.२०
४७	चिरान उत्पादन गर्ने कार्य	घ.फी.	६४.२	६९.००	६९.००	७१.००
४८	उत्पादित चिरान बाहेक भुस,वाकल तोकिएको स्थानमा फाल्ने कार्य	प्रति क्वीन्टल	२५.६५	२७.००	२७.००	२८.००
४९	अन्य साइज तथा सह उतपादन कार्य	प्रति क्वीन्टल	८१.६	८८.००	८८.००	९१.००
५०	वाकल लोड गर्ने कार्य	प्रति क्वीन्टल	४०.८	४४.००	४४.००	४५.००
५१	वाकल अन लोड गर्ने कार्य	प्रति क्वीन्टल	१४	१५.००	१५.००	१५.५०
५२	१०० मी. टाढाबाट गोलिया मिलडेकसम्म बेलान गर्ने कार्य	घ.फी.	१४	१५.००	१५.००	१५.५०
५३	चिरान काठमाण्डौ सिपमेण्ट	घ.फी.	१९८	२१३.००	२१३.००	२२१.००
५४	दाउरा काठमाण्डौ सिपमेण्ट	क्वेटल	६३५.५	६८६.००	६८६.००	७१३.००
५५	भाडाको सःमिलवाट गोलिया काठ चिरान गर्नुपर्दा गोलियामा	घ.फी.	९५.४	१०३.००	१०३.००	१०७.००
५६	घाटगढी स्थानवाट सःमिल सम्म गोलिया काठ ढुवानी गर्दा लोड	घ.फी.	३२.८	३५.००	३५.००	३६.००
५७	घाटगढी स्थानवाट सःमिल सम्म गोलिया काठ ढुवानी गर्दा अनलोड	घ.फी.	७.४	७.९०	७.९०	८.००
५८	ट्रकजान नसक्ने अवस्थामा स्थान देखी सडक सम्म टेक्टर वाट गोलिया भिकाउने	घ.फी.	११.६	१२.५०	१२.५०	१३.००
५९	सहजपुर, पण्डौन, निगाली र सुगरखाल क्षेत्रको रा.व. बाट गोलिया काठको कटान, मुछ्यानसहित पहाडी बेलान	घ.फी.	२५०	२७०.००	२७०.००	२८०.००
६०	छपान गरेको रुखको फोटो खिंचेको	गोटा	१०	१०.००	१०.००	१०.४०
६१	घाटगढीबाट दाउरा ढुवानी गर्दा लोड अनलोड	चट्टा		७०००.००	७०००.००	७२८०.००
६२	जलवायु कार्यको लागी					
६२.१	गोज रिडर	श्रम दिन	३७५	४०५.००	४०५.००	४२१.००
६२.२	अञ्जरभर	"	२१०	२२६.००	२२६.००	२३५.००
६३	हलुका सवारी साधन (जीप) भाडा ईन्धन बाहेक	कार्य दिन	४५००	४८६०.००	४८६०.००	५०५४.००

क्र. सं.	विवरण	ईकाई	आ. ब. ७५/७६ को दररेट	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
६४	सभै ईक्युप्मेन्ट भाडा (टोटल स्टेशन सेट)	,,	३०००	३२४०.००	३२४०.००	३३६९.००
६५	घर भाडा	महिना	छुट्टै तालिकामा दिइएअनुसार	छुट्टै तालिकामा दिइएअनुसार	छुट्टै तालिकामा दिइएअनुसार	छुट्टै तालिकामा दिइएअनुसार
	भवनको प्लिन्य एरिया दर (मुआब्जा प्रयोजनको लागी)					
६६	फ्रेम स्ट्रक्चर पक्की भवन सिमेन्ट मसालमा					
६६.०१	ग्राउन्ड फ्लोर	वर्ग फिट	२०००	२२००.००	२२००.००	२२८८.००
६६.०२	अन्य फ्लोर	वर्ग फिट	१६००	१७६०.००	१७६०.००	१८३०.००
६७	लोड वियरिङ्ग पक्की भवन सिमेन्ट मसाल					
६७.०१	ग्राउन्ड फ्लोर	वर्ग फिट	२०००	२२००.००	२२००.००	२२८८.००
६७.०२	अन्य फ्लोर	वर्ग फिट	१३३०	१४६३.००	१४६३.००	१५२९.००
६८	लोड वियरिङ्ग पक्की भवन माटोको जोडाईमा					
६८.०१	ग्राउन्ड फ्लोर	वर्ग फिट	१२००	१३२०.००	१३२०.००	१३७२.००
६८.०२	अन्य फ्लोर	वर्ग फिट	९३०	१०२३.००	१०२३.००	१०६३.००
६९	लोड वियरिङ्ग भवन टाईलको छाना भएको	वर्ग फिट	९३०	१०२३.००	१०२३.००	१०६३.००
	शिलालेख लेख्ने कार्य					
७०	मार्वलमा					
७०.०१	अक्षर माथी उठेको	वर्ग फिट	२६५०	२९१५.००	२९१५.००	३०३९.००
७०.०२	अक्षर तल दवेको	वर्ग फिट	२१२०	२३३२.००	२३३२.००	२४२५.००
७१	पित्तलमा					
७१.०१	अक्षर माथी उठेको	वर्ग फिट	३७१०	४०८१.००	४०८१.००	४२४४.००
७१.०२	अक्षर तल दवेको	वर्ग फिट	३१८०	३४९८.००	३४९८.००	३६३७.००
७२	तामामा					
७२.०१	अक्षर माथी उठेको	वर्ग फिट	४२४०	४६६४.००	४६६४.००	४८५०.००
७२.०२	अक्षर तल दवेको	वर्ग फिट	३७१०	४०८१.००	४०८१.००	४२४४.००





क्र.सं.	विवरण	ईकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
१	ईटा नेपाल स्टान्डार्डको				
१.१	अव्वल (एक नम्बर) - चिमनी भट्टाको	१०००	१२५००	१३०००	१३२००
१.२	दुई नम्बर (लालपेटी) - चिमनी भट्टाको	१०००	९९००	१००००	१००००
१.३	ओवर बर्नड/अण्डर बर्नड - चिमनी भट्टाको	१०००	७७००	८०००	९०००
१.४	टुक्रा	टुली	६८२०	७०००	७०००
१.५	मेसिनबाट उत्पादित ईटा (१ नम्बर)	१०००		११५००	११७००
२	सिमेन्टको ईटा				
२.१	Compressed Interlocking Concrete Block 12"*6"*4"	गोटा		३८	३९
३	वालुवा , ढुंगा र माटो				
३.१	वालुवा	घ.मि.	नर्मस् अनुसार		
३.२	धोएको वालुवा	घ.मि.	६००	६६०	७१०
३.३	खोलाको ढुंगा	घ.मि.	नर्मस् अनुसार		
३.४	कुदेको "	घ.मि.	नर्मस् अनुसार		
३.५	वण्ड "	घ.मि.	नर्मस् अनुसार		
३.६	माटो खरिद धनगढी उ.म.न.पा. भित्र	घ.मि.	३८०	४५०	४००
३.७	माटो खरिद अन्य क्षेत्रमा	घ.मि.			३००
४	गिट्टी क्रसरको				
४.१	४० मि.मि. ढुवानी वाहेक	घ.मि.	१३२०	१३२०	१२५०
४.२	२० मि.मि. "	घ.मि.	१८००	१८००	१८००
४.३	१० मि.मि. "	घ.मि.	११५०	११५०	१३००
४.४	६ मि.मि. "	घ.मि.	१४५०	१४५०	१५००
४.५	ढुङ्गाको धूलो "	घ.मि.	५५०	६०५	६५०
५	खोलाको छानेको गोली गिट्टी				
५.१	४० मि.मि. ढुवानी वाहेक	घ.मि.	नर्मस् अनुसार		
५.२	२० मि.मि. "	घ.मि.	नर्मस् अनुसार		
५.३	१० मि.मि. "	घ.मि.	नर्मस् अनुसार		
५.४	४ मि.मि. देखि १० मि.मि सम्म	घ.मि.	नर्मस् अनुसार		
६	सिमेन्ट				
६.१	४३/५३ ग्रेड ५० केजीको PPC (NS)	बोरा	७५०	७५०	७५०
६.२	४३/५३ ग्रेड ५० केजीको OPC (NS)	बोरा	८५०	८५०	८५०
६.३	सेतो सिमेन्ट	के.जी.	३८	३२.५	३५.०
७	काठ				
७.१	साल	घ.मी.	१९४०००	२०३७००	२११०००
७.२	सिसम	घ.मी.	१३५०००	१४१७५०	१४६८००
७.३	सल्लो	घ.मी.	४८०००	५०४००	५२२००
७.४	कुकाठ	घ.मी.	३३०००	३४६५०	३५८००
८	बाँस (७ मी लम्बाइ)				
८.१	धनगढी नपा. क्षेत्रमा	गोटा	३९०	३९०	३९०

क्र.सं.	विवरण	ईकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
८.२	धनगढी नपा. बाहेकका क्षेत्रमा	गोटा	३४०	३४०	३४०
९	ग्रेनाइट/मार्बल				
९.०१	१६ मि.मि. बाक्लो ग्रेनाइट	व.मी.			३८००
९.०२	१३ मि.मि. बाक्लो ग्रेनाइट	व.मी.			३०००
९.०३	१६ मि.मि. बाक्लो मार्बल	व.मी.	२९२०	२९२०	२९२०
९.०४	१३ मि.मि. बाक्लो मार्बल	व.मी.	१४६०	१४६०	१६००
९.०५	मार्बल चिप्स (३ मि.मी.को)	के.जी.	२०	२०	२०
९.०६	मार्बल चिप्स (५ मि.मी.को)	के.जी.	२१	२१	२१
९.०७	अकजालीक एसिड पाउडर	के.जी.	१७०	१७०	१७०
९.०८	मैन पोलिस	के.जी.	६२०	६२०	६२०
९.०९	कार्वोरेन्डम ढुंगा (२ X २ X ४ ईन्ची)	गोटा	६४५	६४५	६४५
१०	टाईल (Procelain Glazed & Non-skid Tiles)				
१०.०१	12"*18" Wall Tile	ब.फि.	८०	१००	१००
१०.०२	12"*24" Wall Tile	ब.फि.		१२०	१२५
१०.०३	16"*32" Wall Tile	ब.फि.		१३०	१३५
१०.०४	12"*12" Floor Tile	ब.फि.	८०	१००	१००
१०.०५	24"*24" Vertified Tile-Plain Ivory	ब.फि.	१५०	१०६	११०
१०.०६	24"*24" Doube Charged Vertified Tile-Light Shade	ब.फि.		११५	१२०
१०.०७	24"*24" Doube Charged Vertified Tile-Dark Shade	ब.फि.		१२५	१३०
१०.०८	16"*16" Parking Tile- 12mm thickness			११०	११५
११	Bitumen/ Emulsion/Anti stripping additive				
११.१	Bitumen 80/100 grade	के.जी.	नेपाल बिटुमीन तथा ब्यारेल उद्योग लिमिटेडले निर्धारण गरे वमोजिम ।	नेपाल बिटुमीन तथा ब्यारेल उद्योग लिमिटेडले निर्धारण गरे वमोजिम ।	नेपाल बिटुमीन तथा ब्यारेल उद्योग लिमिटेडले निर्धारण गरे वमोजिम ।
११.२	ईमल्सन Medium Setting with 65% Bitumen (M/S 65%)	के.जी.			
११.३	Anti stripping additive, ex-factory rate Amlekhgunj	के.जी.	४००	४००	४००
१२	फलामे डण्डी				
१२.१	४.७५ देखि ७ मि.मि.को टीएमटी	के.जी.	९२	८९	९६
१२.२	८ मिमि को टीएमटी	के.जी.	९०	८७	९३
१२.३	१० देखि २० मि.मि. सम्मका टीएमटी	के.जी.	८५	८२	९०
१२.४	२५, २८ र ३२ मि.मि का टीएमटी	के.जी.	९०	८९	९३
१२.५	वाईण्डींग तार	के.जी.	११०	१०६	११४
१३	गिष्टी छान्ने तारजाली				
१३.१	२४ गेजको	व.मी.	१०००	१०००	१०००
१३.२	२६ गेजको	व.मी.	८००	८००	८००
१३.३	एक्सपेण्डेड मेटल वायर मेश	व.मी.	२६०	२६०	२६०

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
१३.४	चिकेन वायर मेश	व.मी.	३२०	३२०	३२०
१४	गेविन जी.आइ. तार				
१४.०१	७ र ८ गेजको हेभी	के.जी.	१२४	१२४	१३०
१४.०२	१० " "	के.जी.	१२४	१२४	१३०
१४.०३	१२ " "	के.जी.	१२५	१२५	१३२
१४.०४	७ र ८ गेजको मध्यम	के.जी.	११८	११८	१२५
१४.०५	१० " "	के.जी.	११८	११८	१२५
१४.०६	१२ " "	के.जी.	११९	११९	१२७
१४.०७	७ र ८ गेजको कमर्सियल (हल्का)	के.जी.	११३	११३	१२२
१४.०८	१० " "	के.जी.	११३	११३	१२२
१४.०९	१२ " "	के.जी.	११३	११३	१२४
१४.१०	विभिन्न साइजको मेसिनमेड जालीहरु		छुट्टै तालिकामा दिईएअनुसार		
१४.११	जीओ-टेक्स्टाइल (१०० ग्राम)	व.मी.	१००	१००	१००
१४.१२	जीओ-टेक्स्टाइल (१५० ग्राम)	व.मी.	११३	११३	११३
१४.१३	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-२५० जी.एस.एम.)	व.मी.	४१५	४१५	४१५
१४.१४	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-३०० जी.एस.एम.)	व.मी.	४५०	४५०	४५०
१४.१५	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-३५० जी.एस.एम.)	व.मी.	५१६	५१६	५१६
१४.१६	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-४०० जी.एस.एम.)	व.मी.	५५०	५५०	५५०
१४.१७	रङ्गरोगन सहितको ट्राफिक चिन्ह	गोटा	५५२५	५५२५	५५२५
१४.१८	सौर्य उर्जा सडक स्ट्रुड	थान	३८२५	३८२५	३८२५
१४.१९	साधारण क्याट्स आई	गोटा	५७५	५७५	५७५
१४.२०	सडकमा लगाउने थर्मोप्लास्टिक रङ्ग	कि.ग्रा.	२२०	२२०	२२०
१४.२१	सडकमा मार्किङ गर्ने रङ्ग	लीटर	५१०	५१०	५१०
१५	काडेतार				
१५.१	१२ गेजको	के.जी.	१२०	१२०	१२५
१५.२	१४ गेजको	के.जी.	१२३	१२३	१२७
१६	किला काँटी विभिन्न साइज				
१६.१	साधारण किला	के.जी.	११५	११५	११९
१६.२	लुवाड किला	के.जी.	२१०	२१०	२१८
१६.३	नटवोल्ट ६० मि.मिको	के.जी.	२१०	२१०	२१८
१६.४	नटवोल्ट ८० मि.मिको	के.जी.	२२०	२२०	२२८
१६.५	जे हुक/यू हुक विभिन्न साइजको	के.जी.	१३५	१३५	१४०
१६.६	जस्ता पाताको किला	के.जी.	१६०	१६०	१६६
१६.७	५० मि.मि.को पेच किला	गोटा	३.६	३.६	३.७
१६.८	६० मि.मि. को पेच किला	गोटा	४.२	४.२	४.३
१७	बिटुमिन वासर	पेकेट	३६	३६	३७.४
१८	होल्ड फाष्ट	के.जी.	१४५	१४५	१५०

क्र.सं.	विवरण	ईकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
१९	कच्चा				
१९.१	कच्चा ६ इन्ची	गोटा	५१	५०.८८	५२
१९.२	" ४ "	गोटा	२८	२७.५६	२८
१९.३	" ३ "	गोटा	२१	२१.२	२२
२०	छेस्कीनी				
२०.१	६" स्टील	गोटा	८०	८०	८२
२०.२	४" स्टील	गोटा	७५	७५	७७
२०.३	६" पितलको	गोटा	२५०	२५०	२५८
२०.४	४" "	गोटा	२००	२००	२०६
२०.५	६" अलम्युनियम	गोटा	१००	१००	१०३
२०.६	४" "	गोटा	९०	९०	९३
२१	डोर लकिड सेट/अल्ड्राफ (वेलन)				
२१.१	१०" स्टील	सेट	२१५	२१५	२२१
२१.२	१२" "	सेट	२७०	२७०	२७८
२१.३	१० " पितलको	सेट	१११५	१११५	११४८
२१.४	१२ " पितलको	सेट	१२८०	१२८०	१३१८
२१.५	१० " अलम्युनियम	सेट	४३०	४३०	४४३
२१.६	१२ " अलम्युनियम	सेट	५४०	५४०	५५६
२२	हेण्डील				
२२.१	६" स्टील	गोटा	५०	५०	५२
२२.२	४" "	गोटा	४०	४०	४१
२२.३	६" पितलको	गोटा	२५०	२५०	२५८
२२.४	४" "	गोटा	१६०	१६०	१६५
२२.५	६" अलम्युनियम	गोटा	६०	६०	६२
२२.६	४" "	गोटा	५५	५५	५७
२२.७	मोर्टिस ताला ढोकाको साधारण	गोटा	१०६०	१०६०	१०९०
२२.८	" " राम्रो पित्तल	गोटा	२२१०	२२१०	२२७५
२३	डोर स्पीड (जाली ढोकाको)				
२३.१	साधारण	गोटा	३६०	३६०	३७१
२३.२	मध्यम	गोटा	११००	११००	११३३
२३.३	राम्रो	गोटा	२०००	२०००	२०६०
२४	ग्लास				
२४.१	३.५ मिमी.	व.फु.	७०	७०	७२
२४.२	४ मिमी.	व.फु.	८०	८०	८२
२४.३	४ मिमी. (रगिन)	व.फु.	८८	८८	९१
२४.४	५.० मिमी.	व.फु.	१००	१००	१०३
२४.५	५.० मिमी. (रगिन)	व.फु.	१२०	१२०	१२४
२५	प्लाइउड				
२५.०१	३ मिमी. कमर्सियल	व.फु.	३५	३५	३६
२५.०२	४ मिमी. कमर्सियल	व.फु.	२६	२६	२७

क्र.सं.	विवरण	ईकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
२५.०३	६ मिमी. कमर्सियल	व.फु.	३६	३६	३७
२५.०४	८ मिमी. कमर्सियल	व.फु.	५५	५५	५७
२५.०५	१० मिमी. कमर्सियल	व.फु.	५८	५८	६०
२५.०६	१२ मिमी. कमर्सियल	व.फु.	८२	८२	८४
२५.०७	४ मिमी. वाटरपुफ	व.फु.	५२	५२	५४
२५.०८	६ मिमी. वाटरपुफ	व.फु.	६७	६७	६९
२५.०९	८ मिमी. वाटरपुफ	व.फु.	६३	६३	६५
२५.१०	९ मिमी. वाटरपुफ	व.फु.	८९	८९	९२
२५.११	१२ मिमी. वाटरपुफ	व.फु.	११०	११०	११३
२५.१२	१९ मिमी. कमर्सियल भित्र काठ राखेको	व.फु.	११०	११०	११३
२५.१३	१९ मिमी. कमर्सियल भित्र काठ नराखेको	व.फु.	१२०	१२०	१२४
२५.१४	१९ मिमी. वाटरपुफ	व.फु.	१५०	१५०	१५५
२५.१५	टिक प्लाइउड ४ मी.मी. (Natural texture)	व.फु.	६२	६२	६४
२५.१६	टिक प्लाइउड ४ मी.मी. (Simple texture)	व.फु.	६२	६२	६४
२५.१७	12mm thick 8*4* Film Coated Ply	व.फु.		९६	९६
२५.१८	19mm thick 8*4* Film Coated Ply	व.फु.		१६०	१६०
२५.१९	32m thick Paandoor Flush Door of Differnet Size	व.फु.		२७५	२७५
२६	लेभिनेटेड पार्टिशन बोर्ड				
२६.१	४ मिमी.	व.फु.	२०	२०	२१
२६.२	९ मिमी.	व.फु.	७०	७०	७२
२६.३	१२ मिमी.	व.फु.	२१०	२१०	२१६
२६.४	१८ मिमी.	व.फु.	३१५	३१५	३२४
२६.५	२५ मिमी.	व.फु.	४५०	४५०	४६४
२७	सनमाईका तथा फरमाईका				
२७.१	सनमाईका (४'x८')	व.फु.		१७	१७
२७.२	फोरमाईका	व.फु.		७५	७५
२८	Gypsum Board				
२८.१	12.5mm thick Gypsum Board False ceiling including all necessary material -Simple	व.फु.		८३	८३
२८.२	12.5mm thick Gypsum Board False ceiling including all necessary material -Designed	व.फु.		९१	९१
२९	Fiber Cement Board				
२९.१	6mm thick (6*4')	व.फु.		३५	३५
२९.२	8mm thick (8*4')	व.फु.		४८	५४
२९.३	10mm thick (8*4')	व.फु.		५७	५७
२९.४	16mm thick (8*4')	व.फु.		७०	७०

क्र.सं.	विवरण	ईकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
२९.५	20mm thick (8'*4')	व.फु.		९०	९०
२९.६	Fiber Cement Board Wall Pannel-50mm (70-80 Kg/pc)	व.फु.		१३२	१३२
२९.७	Fiber Cement Board Wall Pannel-75mm (100-110 Kg/pc)	व.फु.		१६८	१६८
२९.८	Cement Board Flse Ceiling- 2'*2' Plain	व.फु.		८४	८४
३०	Sandwich PUF Panel				
३०.१०	50mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.		२५५	२५५
३०.२०	75mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.		३००	३००
३०.३०	100mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.		३६५	३६५
३०.४०	150mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.		४३०	४३०
३०.५०	30mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with all accessories	व.फु.		२३०	२३०
३०.६०	40mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with all accessories	व.फु.		२५०	२५०
३०.७०	50mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with all accessories	व.फु.		२७५	२७५
३०.८०	0.4mm thick Ridge Cap	र.फि		१८०	१८०
३१	जस्ता पाता (सिजिआई सीट)				
३१.१	0.35 mm (26 guage light)	वण्डल	८०००	८०००	८२४०
३१.२	0.37 mm (26 guage Medium)	वण्डल	८९००	८९००	९१६५
३१.३	0.41 mm (26 guage Heavy)	वण्डल	९८००	९८००	१००९०
३१.४	0.45 mm (24 guage light)	वण्डल	९७००	९९००	१०१९०
३१.५	0.50 mm (24 guage Medium)	वण्डल	१०५००	१०५००	१०८१५
३१.६	0.52 mm (24 guage Heavy)	वण्डल	१२०००	१२०००	१२३६०
३२	जि आई प्लेन सीट				
३२.१	३*६ फीट २६ गेजको मिडियम	गोटा	६९०	६९०	७१०
३२.२	३*६ फीट २४ गेजको मिडियम	गोटा	७२०	७२०	७४०
३३	रंगीन जस्ता पाता (सिजिआई सीट)				

क्र.सं.	विवरण	ईकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
३३.१	0.35 mm (26 guage light)	वण्डल	१०२००	१०२००	१०५००
३३.२	0.37 mm (26 guage Medium)	वण्डल	१०५००	१०५००	१०८१०
३३.३	0.41 mm (26 guage Heavy)	वण्डल	११५००	११५००	११८४०
३३.४	0.45 mm (24 guage light)	वण्डल	१२२००	१२२००	१२५६०
३३.५	0.50 mm (24 guage Medium)	वण्डल	१३२००	१३२००	१३५९५
३३.६	0.52 mm (24 guage Heavy)	वण्डल	१४०००	१४०००	१४४२०
३४	रंगीन प्लेन सीट				
३४.१	३×६ फीट २४ गेजको	गोटा	११००	११००	११३०
३४.२	३×६ फीट २६ गेजको	गोटा	९००	९००	९२५
	फलामे सामग्री				
३५	फलामको स्क्वायर पाईप र गोलो पाईप	के.जी.	९९	९९	११०
३६	विभिन्न साइजको एंगल, चैनल, टी, फ्ल्याट इत्यादि	के.जी.	९४	९४	१०२
३७	कालो पाईपको तयारी ट्रेस	के.जी.	१२०	१२०	१३२
३८	३×२०मि.मि./४.५×२०मि.मि तयारी ग्रील	के.जी.	११५	११५	१०३
३९	फलामे गेट (घर कम्पाउण्डको)	के.जी.	१२०	१२०	१३०
४०	च्यानल गेट (घर कम्पाउण्डको)	के.जी.	१२०	१२०	१३०
४१	च्यानल एंगल गेट (घर कम्पाउण्डको)	के.जी.	१२०	१२०	१३०
४२	कोल्याब्रीवल गेट	के.जी.	१२०	१२०	१३०
४३	रोलिङ सटर				
४३.१	१८ गेजको ब्याकसीट	व.फु.	१४५	१४५	१५०
४३.२	२०गेजको ब्याकसीट	व.फु.	१४०	१४०	१४५
४४	रबरसिल				
४४.१	क्यानल लाईनिङ	मी.	१०००	१०००	१०००
४४.२	गेटको लागि	मी.	३०००	३०००	३०००
	पाइप, फिटिङ तथा टंकी (खानेपानी, सिचाई सम्बन्धि)				
४५	जि. आई पाईप				
४५.०१	१/२"Ø को लाइट	र.मी.	१४५.००	१४५.००	१४५.००
४५.०२	१/२"Ø को मिडियम	र.मी.	१७०.००	१७०.००	१७०.००
४५.०३	१/२"Ø को हेवी	र.मी.	२००.००	२००.००	२००.००
४५.०४	३/४"Ø को लाइट	र.मी.	२००.००	२००.००	२००.००
४५.०५	३/४"Ø को मिडियम	र.मी.	२१५.००	२१५.००	२१५.००
४५.०६	३/४"Ø को हेवी	र.मी.	२५५.००	२५५.००	२५५.००
४५.०७	१"Ø को लाइट	र.मी.	२७५.००	२७५.००	२७५.००
४५.०८	१"Ø को मिडियम	र.मी.	३२५.००	३२५.००	३२५.००
४५.०९	१"Ø को हेवी	र.मी.	३८०.००	३८०.००	३८०.००
४५.१०	१ १/४"Ø को लाइट	र.मी.	३७०.००	३७०.००	३७०.००
४५.११	१ १/४"Ø को मिडियम	र.मी.	४२०.००	४२०.००	४२०.००
४५.१२	१ १/४"Ø को हेवी	र.मी.	४८५.००	४८५.००	४८५.००
४५.१३	१ १/२"Ø को लाइट	र.मी.	४३५.००	४३५.००	४३५.००

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
४५.१४	१½"Ø को मिडियम	र.मी.	४८५.००	४८५.००	४८५.००
४५.१५	१½"Ø को हेवी	र.मी.	५६०.००	५६०.००	५६०.००
४५.१६	२"Ø को लाइट	र.मी.	५५०.००	५५०.००	५५०.००
४५.१७	२"Ø को मिडियम	र.मी.	६६०.००	६६०.००	६६०.००
४५.१८	२"Ø को हेवी	र.मी.	८१५.००	८१५.००	८१५.००
४५.१९	२½"Ø को लाइट	र.मी.	७६०.००	७६०.००	७६०.००
४५.२०	२½"Ø को मिडियम	र.मी.	८४५.००	८४५.००	८४५.००
४५.२१	२½"Ø को हेवी	र.मी.	१०२०.००	१०२०.००	१०२०.००
४५.२२	३"Ø को लाइट	र.मी.	८९०.००	८९०.००	८९०.००
४५.२३	३"Ø को मिडियम	र.मी.	१०४५.००	१०४५.००	१०४५.००
४५.२४	३"Ø को हेवी	र.मी.	१२००.००	१२००.००	१२००.००
४५.२५	४"Ø को लाइट	र.मी.	१२७५.००	१२७५.००	१२७५.००
४५.२६	४"Ø को मिडियम	र.मी.	१५५०.००	१५५०.००	१५५०.००
४५.२७	४"Ø को हेवी	र.मी.	१८६०.००	१८६०.००	१८६०.००
४५.२८	५"Ø को लाइट	र.मी.	२०४२.००	२०४२.००	२०४२.००
४५.२९	५"Ø को मिडियम	र.मी.	२१५८.००	२१५८.००	२१५८.००
४५.३०	५"Ø को हेवी	र.मी.	२४३१.००	२४३१.००	२४३१.००
४५.३१	६"Ø को लाइट	र.मी.	२४२४.००	२४२४.००	२४२४.००
४५.३२	६"Ø को मिडियम	र.मी.	२६१२.००	२६१२.००	२६१२.००
४५.३३	६"Ø को हेवी	र.मी.	२७५२.००	२७५२.००	२७५२.००
४५.३४	८"Ø को लाइट	र.मी.	३३८७.००	३३८७.००	३३८७.००
४५.३५	८"Ø को मिडियम	र.मी.	३९९३.००	३९९३.००	३९९३.००
४५.३६	८"Ø को हेवी	र.मी.	४२४२.००	४२४२.००	४२४२.००
४६	एम्. एस्. केसिड पाईप र फिटिंहर				
४६.०१	२५० मि मि Ø केसिड पाईप	मी.	१०५००	१०५००	१०५००
४६.०२	१५० मि मि Ø केसिड पाईप	मी.	२८८७	२८८७	२८८७
४६.०३	१५० मि मि Ø स्लटेड स्कीन पाइप	मी.	३९३७	३९३७	३९३७
४६.०४	२०० मि मि Ø केसिड पाईप	मी.	६३००	६३००	६३००
४६.०५	१०० मि मि Ø केसिड पाईप	मी.	१८३७	१८३७	१८३७
४६.०६	१२५ मि मि Ø केसिड पाईप	मी.	२५००	२५००	२५००
४६.०७	Casing Shoe 5" dia	गोटा	४५००	४५००	४५००
४६.०८	Casing Shoe 6" dia	गोटा	८०००	८०००	८०००
४६.०९	Casing Shoe 8" dia	गोटा	१५०००	१५०००	१५०००
४६.१०	150mm dia. .30*.50m Elbow	गोटा	२६२५	२६२५	२६२५
४६.११	150mm dia.Non Return Valve	गोटा	१८३७५	१८३७५	१८३७५
४६.१२	150mm dia. Flange	गोटा	२१००	२१००	२१००
४६.१३	150mm dia. .45*.15m Tee	गोटा	३१५०	३१५०	३१५०
४६.१४	150mm dia. Sluice Valve	गोटा	१८३७५	१८३७५	१८३७५
४६.१५	150mm dia. .3*.3m Bend	गोटा	२६२५	२६२५	२६२५
४६.१६	200mm dia. .60*.40m Tee	गोटा	५२५०	५२५०	५२५०

Handwritten signatures and marks at the bottom of the page.

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
४६.१७	200mm dia. Flange	गोटा	२६२५	२६२५	२६२५
४६.१८	250mm dia. Flange	गोटा	३६७५	३६७५	३६७५
४६.१९	200mm dia. Sluice Valve	गोटा	२८८७५	२८८७५	२८८७५
४६.२०	200mm dia. .3*.3m Elbow	गोटा	४२००	४२००	४२००
४६.२१	100mm dia.Non Return Valve (Wt min ^m 10Kg)	गोटा	१३१२५	१३१२५	१३१२५
४६.२२	100mm dia. .15*.15m Elbow	गोटा	१५७५	१५७५	१५७५
४६.२३	100mm dia. Sluice Valve	गोटा	१३१२५	१३१२५	१३१२५
४६.२४	100mm dia. Flange (Wt. min ^m 6 kg)	गोटा	१३१२	१३१२	१३१२
४६.२५	४" एम्. एस्. पाईप Screen Knock	गोटा	२१००	२१००	२१००
४६.२६	माछा छेक्ने जाली स्टेनलेस स्टीलको ५ मि.मी. मेश भएको	व.मी.	५७७	५७७	५७७
४६.२७	माछा छेक्ने जाली मशीनमेड जी.आई. ५ सेमी. मेश भएको	व.मी.	५२५	५२५	५२५
४७	२०० मि.मि. Alpha Alpha Valve	गोटा	४७२५	४७२५	४७२५
४८	बटरफ्लाई भल्भ ६"	गोटा	७८७५	७८७५	७८७५
४९	बटरफ्लाई भल्भ ४"	गोटा	६८२५	६८२५	६८२५
५०	आपतकालिन नदी नियन्त्रण कार्यका लागि नाइलन जाली ६x३x०.७५ मि., २०x२० से.मी. ६ मि.मि dia ७.२५ kg	गोटा	२२००	२२००	२२००
५१	10mm joint filler for canal lining	व.मि.	१२००	१२००	१२००
५२	Polysulphide joint sealer for cana lining	मि.	८००	८००	८००
५३	Supplying, fitting, fixing and installation complete work of Steel Gate for HR/CR	के.जी.	३००	३००	३००
५४	PVC Water stopper 230mm width 25mm dia center bub	मि.	११००	११००	११००
५५	यू.पी.भि.सि. फिटिंग				
५५.०१	Tee ND 16*16*16 cm (4 Kg/sq.cm)	गोटा	१२००	१२००	१२००
५५.०२	Tee ND 20*20*20 cm (4 Kg/sq.cm)	गोटा	२२५०	२२५०	२२५०
५५.०३	Bend ND 200 mm (4 Kg/sq.cm)	गोटा	१७५०	१७५०	१७५०
५५.०४	Bend ND 160 mm (4 Kg/sq.cm)	गोटा	७१०	७१०	७१०
५५.०५	Reducer ND 200 mm (4 Kg/sq.cm)	गोटा	१२५०	१२५०	१२५०
५५.०६	Coupler ND 160 mm (4 Kg/sq.cm)	गोटा	६५०	६५०	६५०
५५.०७	Coupler ND 200 mm (4 Kg/sq.cm)	गोटा	८५०	८५०	८५०
५५.०८	End Cap ND 200 mm (4 Kg/sq.cm)	गोटा	१०००	१०००	१०००
५५.०९	End Cap ND 160 mm (4 Kg/sq.cm)	गोटा	८००	८००	८००
५५.१०	PVC Coupler Flange 6" dia	गोटा	२५००	२५००	२५००
५५.११	Solvent Cement	लि.	५५०	५५०	५५०
५६	४"Ø सक्सन पाइप	र.मी.	७१०	७१०	७१०
५७	४"Ø सर्भिस पाइप	के.जी.	२७५	२७५	२७५
५८	४"Ø भल्व वेण्ड	सेट	२५००	२५००	२५००
५९	कस टी				

क्र.सं.	विवरण	ईकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
५९.१	१½"Ø मिडियम जि.आई. ६ मुखे	गोटा	३२५५	३२५५	३२५५
५९.२	१½"Ø " ४ मुखे	गोटा	१८९०	१८९०	१८९०
६०	जि.आई. सकेट				
६०.१	½"Ø को मिडियम	गोटा	४२	४२	४२
६०.२	¾"Ø को मिडियम	गोटा	६५	६५	६५
६०.३	१"Ø को मिडियम	गोटा	८४	८४	८४
६०.४	१¼"Ø को मिडियम	गोटा	१३२	१३२	१३२
६०.५	१½"Ø को मिडियम	गोटा	१७८	१७८	१७८
६०.६	२"Ø को मिडियम	गोटा	२७६	२७६	२७६
६०.७	२½"Ø को मिडियम	गोटा	४६३	४६३	४६३
६०.८	३"Ø को मिडियम	गोटा	६९८	६९८	६९८
६०.९	४"Ø को मिडियम	गोटा	९७७	९७७	९७७
६१	जि.आई युनियन				
६१.०१	½"Ø को मिडियम	गोटा	१२८	१२८	१२८
६१.०२	¾"Ø को मिडियम	गोटा	१८०	१८०	१८०
६१.०३	१"Ø को मिडियम	गोटा	२४२	२४२	२४२
६१.०४	१¼"Ø को मिडियम	गोटा	३६०	३६०	३६०
६१.०५	१½"Ø को मिडियम	गोटा	४६८	४६८	४६८
६१.०६	२"Ø को मिडियम	गोटा	६५९	६५९	६५९
६१.०७	२½"Ø को मिडियम	गोटा	७७२	७७२	७७२
६१.०८	३"Ø को मिडियम	गोटा	१७४०	१७४०	१७४०
६१.०९	४"Ø को मिडियम	गोटा	२३७९	२३७९	२३७९
६२	जि.आई. निष्पल				
६२.०१	½"Ø को मिडियम ६"	गोटा	८३	८३	८३
६२.०२	¾"Ø को मिडियम ६"	गोटा	११४	११४	११४
६२.०३	१"Ø को मिडियम ६"	गोटा	१५४	१५४	१५४
६२.०४	१¼"Ø को मिडियम ६"	गोटा	२०६	२०६	२०६
६२.०५	१½"Ø को मिडियम ६"	गोटा	२५७	२५७	२५७
६२.०६	२"Ø को मिडियम ६"	गोटा	३६०	३६०	३६०
६३	जि.आई. टी				
६३.०१	½"Ø को मिडियम	गोटा	७३	७३	७३
६३.०२	¾"Ø को मिडियम	गोटा	११८	११८	११८
६३.०३	१"Ø को मिडियम	गोटा	१५९	१५९	१५९
६३.०४	१¼"Ø को मिडियम	गोटा	२५७	२५७	२५७
६३.०५	१½"Ø को मिडियम	गोटा	३०९	३०९	३०९
६३.०६	२"Ø को मिडियम	गोटा	४८४	४८४	४८४
६४	ग्लोब भल्म				
६४.०१	½"Ø को मिडियम	गोटा	७६४	७६४	७६४
६४.०२	¾"Ø को मिडियम	गोटा	१२९२	१२९२	१२९२
६४.०३	१"Ø को मिडियम	गोटा	१८३८	१८३८	१८३८

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
६४.०४	१¼"Ø को मिडियम	गोटा	३५७३	३५७३	३५७३
६४.०५	१½"Ø को मिडियम	गोटा	४५३६	४५३६	४५३६
६४.०६	२"Ø को मिडियम	गोटा	६०२४	६०२४	६०२४
६५	गोट भल्भ (ब्रास)				
६५.०१	½"Ø को मिडियम	गोटा	८२४	८२४	८२४
६५.०२	¾"Ø को मिडियम	गोटा	११४५	११४५	११४५
६५.०३	१"Ø को मिडियम	गोटा	१७२०	१७२०	१७२०
६५.०४	१¼"Ø को मिडियम	गोटा	२६३०	२६३०	२६३०
६५.०५	१½"Ø को मिडियम	गोटा	३५७४	३५७४	३५७४
६५.०६	२"Ø को मिडियम	गोटा	५४९३	५४९३	५४९३
६६	एयर भल्भ				
६६.०१	½"Ø को मिडियम	गोटा	४५६८	४५६८	४५६८
६६.०२	¾"Ø को मिडियम	गोटा	४७४६	४७४६	४७४६
६६.०३	१"Ø को मिडियम	गोटा	७०९६	७०९६	७०९६
६७	जि.आई. रिड्यूसर				
६७.०१	½ X ¾" को	गोटा	७२	७२	७२
६७.०२	¾ X १" को	गोटा	९२	९२	९२
६७.०३	१ X १¼" को	गोटा	१४४	१४४	१४४
६७.०४	१¼ X १½" को	गोटा	१७५	१७५	१७५
६७.०५	१½ X २" को	गोटा	३०९	३०९	३०९
६७.०६	२ X २½" को	गोटा	४९२	४९२	४९२
६७.०७	२½ X ३" को	गोटा	७७२	७७२	७७२
६७.०८	३ X ४" को	गोटा	१०८१	१०८१	१०८१
६८	जि.आई. एल्बो				
६८.०१	½"Ø को मिडियम	गोटा	४६	४६	४६
६८.०२	¾"Ø को मिडियम	गोटा	७३	७३	७३
६८.०३	१"Ø को मिडियम	गोटा	११६	११६	११६
६८.०४	१¼"Ø को मिडियम	गोटा	१७५	१७५	१७५
६८.०५	१½"Ø को मिडियम	गोटा	२४९	२४९	२४९
६८.०६	२"Ø को मिडियम	गोटा	३७९	३७९	३७९
६९	जि.आई. इन्डक्याप				
६९.०१	½" को मिडियम	गोटा	४६	४६	४६
६९.०२	¾" को मिडियम	गोटा	७२	७२	७२
६९.०३	१" को मिडियम	गोटा	९२	९२	९२
६९.०४	१¼" को मिडियम	गोटा	१८०	१८०	१८०
६९.०५	१½" को मिडियम	गोटा	२००	२००	२००
६९.०६	२" को मिडियम	गोटा	२५७	२५७	२५७
७०	फलामे मेनहोल कवर				
७०.०१	६० से.मी. ब्यासको (खानेपानीको लागि)	गोटा	२२६६	२२६६	२३७०
७०.०२	९० से.मी. ब्यासको (खानेपानीको लागि)	गोटा	२६७८	२६७८	२८१२

क्र.सं.	विवरण	ईकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
७१	टुटी				
७१.०१	पित्तलको हेभी	गोटा	६६९	६६९	६८०
७१.०२	पित्तलको लाईट	गोटा	४६३	४६३	४७०
७१.०३	प्लास्टिकको	गोटा	१५४	१५४	१५५
७२	पोलिथिनको पानी टंकी	लिटर	१३	१३	१३
७३	स्टिलको पानी टंकी	लिटर	२०	२०	२०
७४	हेण्डपम्प गाड्ने कार्य				
७४.०१	६० फीटसम्म गहिरो	फिट	४३२६	४३२६	४३२६
७४.०२	६० फीटभन्दा बढी गहिरो	फिट	६६	६६	६६
७५	हेण्डपम्प				
७५.०१	४ नं. को लाइट	गोटा	१८०२	१८०२	१८०२
७५.०२	४ नं. को हेभी	गोटा	२५२३	२५२३	२५२३
७५.०३	६ नं. को हेभी	गोटा	३२९६	३२९६	३२९६
७५.०४	६ नं. को लाईट	गोटा	३६०५	३६०५	३६०५
७६	फ्लोट भल्भ				
७६.०१	१/२" Ø को	गोटा	२८६८	२८६८	२८६८
७६.०२	३/४" Ø को	गोटा	३३२६	३३२६	३३२६
७६.०३	१" Ø को	गोटा	४३६२	४३६२	४३६२
७६.०४	१ १/४" Ø को	गोटा	९२७०	९२७०	९२७०
७६.०५	१ १/२" Ø को	गोटा	१२७१०	१२७१०	१२७१०
७७	जि.आई/एच.डि.पि फ्लेन्ज सेट				
७७.०१	१/२" Ø को	गोटा	५०९	५०९	५०९
७७.०२	३/४" Ø को	गोटा	५६६	५६६	५६६
७७.०३	१" Ø को	गोटा	७३६	७३६	७३६
७७.०४	१ १/४" Ø को	गोटा	९०६	९०६	९०६
७७.०५	१ १/२" Ø को	गोटा	११८९	११८९	११८९
७७.०६	२" Ø को	गोटा	१५४५	१५४५	१५४५
७७.०७	२ १/२" Ø को	गोटा	१९०५	१९०५	१९०५
७७.०८	३" Ø को	गोटा	२३१७	२३१७	२३१७
७७.०९	४" Ø को	गोटा	२८३२	२८३२	२८३२
७८	ब्रास युनियन				
७८.०१	१/२" Ø को	गोटा	१८३	१८३	१८३
७८.०२	३/४" Ø को	गोटा	३८२	३८२	३८२
७८.०३	१" Ø को	गोटा	४७३	४७३	४७३
७८.०४	१ १/४" Ø को	गोटा	६६९	६६९	६६९
७८.०५	१ १/२" Ø को	गोटा	९६८	९६८	९६८
७८.०६	२" Ø को	गोटा	१६५९	१६५९	१६५९
७८.०७	२ १/२" Ø को	गोटा	५१३९	५१३९	५१३९
७८.०८	३" Ø को	गोटा	७६९६	७६९६	७६९६
७८.०९	४" Ø को	गोटा	११७३१	११७३१	११७३१

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
७८.१०	५"Ø को	गोटा	१६४२८	१६४२८	१६४२८
७९	एच.डी.पि.ई. पाईप NS	के.जी.	२७२	२७२	२७२
औजार/उपकरण (खानेपानी तथा अन्य कार्य सम्बन्धि)					
८०	गल (सव्वल)	गोटा	११३३	११३३	११३३
८१	फरुवा	गोटा	३२४	३२४	३२४
८२	दाते, नग्रे	गोटा	५८७	५८७	५८७
८३	धुर्मुस ५ केजी	गोटा	१०३०	१०३०	१०३०
८४	हजारी	गोटा	८५४	८५४	८५४
८५	बासको टोकरी	गोटा	१८५	१८५	१८५
८६	हसिया				
८६.१	क) सानो	गोटा	२६७	२६७	२६७
८६.२	ख) ठुलो	गोटा	८६५	८६५	८६५
८७	ठुलो क्रोवाल	गोटा	५२५३	५२५३	५२५३
८८	हतौडा	के.जी.	२३६	२३६	२३६
८९	हावा भर्ने पम्प (खुट्टाले)	गोटा	१०८१	१०८१	१०८१
९०	हावा भर्ने पम्प (हातले)	गोटा	३२४	३२४	३२४
९१	बन्चरो	गोटा	१८५४	१८५४	१८५४
९२	सेफ्टी भेष्ट पहेलो रंगको (सडक मर्मत सम्भार कर्ताको लागि)	गोटा	५६६	५६६	५६६
९३	हेल्मेट (सडक मर्मत सम्भार कर्ताको लागि)	गोटा	४५३	४५३	४५३
९४	मास्क	गोटा	५९	५९	५९
९५	गम बुट	गोटा	८२४	८२४	८२४
९६	कपडाको जुता	गोटा	७२१	७२१	७२१
९७	रेनकोट	गोटा	२५७५	२५७५	२५७५
९८	कडा पन्जा	गोटा	३०९	३०९	३०९
९९	सन ग्लास	गोटा	६१८	६१८	६१८
१००	पाँच ली. को प्लाष्टिक जेरीकेन	गोटा	१२३	१२३	१२३
१०१	बेल्चा	गोटा	६६९	६६९	६६९
१०२	गैठी	गोटा	७२१	७२१	७२१
१०३	कोदालो/फाउडो	गोटा	६१८	६१८	६१८
१०४	रोड डिभाइडरका लागि प्रयोग हुने सिन्थेटिक सेफ्टी कोन	गोटा	६१८	६१८	६१८
१०५	हसिया	गोटा	२७२	२७२	२७२
१०६	फोर्कड हेरो	गोटा	२५७	२५७	२५७
१०७	व्हील बेरो				
१०७.१	क) हलुका	गोटा	७७२५	७७२५	७७२५
१०७.२	ख) हेभी	गोटा	९७८५	९७८५	९७८५
१०८	छिनो १X६ इन्चको	गोटा	३०९	३०९	३०९
१०९	छिनो १X१२ इन्चको	गोटा	४१२	४१२	४१२
११०	घन ५ किलोको	गोटा	९९९	९९९	९९९

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
१११	घन १० किलोको	गोटा	१६४८	१६४८	१६४८
११२	हिटिड प्लेट १०० मि.मि.को	गोटा	७२१	७२१	७२१
११३	हिटिड प्लेट १५० मि.मि.को	गोटा	१४४२	१४४२	१४४२
११४	टेफ्लोन कभर	मी.	२३९९	२३९९	२३९९
११५	थर्मोक्रोम चक	गोटा	५४०	५४०	५४०
११६	ब्लो टर्च	गोटा	५९४	५९४	५९४
११७	बर्नर	गोटा	१०८१	१०८१	१०८१
११८	पाईप रेन्च १४ ईन्ची	गोटा	६९०	६९०	६९०
११९	पाईप रेन्च १८ ईन्ची	गोटा	८४९	८४९	८४९
१२०	पाईप रेन्च २४ ईन्ची	गोटा	१५४५	१५४५	१५४५
१२१	पाईप चेन रेन्च ४८ ईन्ची	ईन्ची	१०२	१०२	१०२
१२२	हेक्सा फेम	गोटा	१३५	१३५	१३५
१२३	हेक्सा ब्लेड	गोटा	२१	२१	२१
१२४	एडजस्टेबल रेन्च	गोटा	६४८	६४८	६४८
१२५	फलामे तसला	गोटा	२१६	२१६	२१६
१२६	कर्नी	गोटा	१२८	१२८	१२८
१२७	रेती	गोटा	३८१	३८१	३८१
१२८	वायर ब्रश	गोटा	७७	७७	७७
१२९	डाई सेट १/२" देखि १" साधारण	गोटा	२५७५	२५७५	२५७५
१३०	डाई सेट १/२" देखि १" Richard or Equivalent	गोटा	३८३६	३८३६	३८३६
१३१	डाई सेट १.२५" देखि २" साधारण	गोटा	४३२६	४३२६	४३२६
१३२	डाई सेट १.२५" देखि २" Richard or Equivalent	गोटा	८१५३	८१५३	८१५३
१३३	डाई सेट टीथ १/२" देखि १" साधारण Richard or Equivalent	गोटा	२६०१	२६०१	२६०१
१३४	डाई सेट टीथ १.२५" देखि २" Richard or Equivalent	गोटा	३५८२	३५८२	३५८२
१३५	डाई टीथ आयल भाँडो समेत	लीटर	५४०	५४०	५४०
१३६	टेबुल भाईस, २"	गोटा	२२६६	२२६६	२२६६
१३७	टेबुल भाईस, ३"	गोटा	२७५८	२७५८	२७५८
१३८	मेजरिड टेप ५ मिटर	गोटा	२१६	२१६	२१६
१३९	मेजरिड टेप ३० मिटर	गोटा	७७२	७७२	७७२
१४०	काठे हाते आरी / करौति	गोटा	५१५	५१५	५१५
१४१	तुल बक्स १४x ८x १२इन्च साइजको	गोटा	२५७५	२५७५	२५७५
१४२	सेनेटरी (सरसफाई) तर्फ				
१४२	युरिनल सेट				
१४२.०१	१०.५"X१४.५"X१२.५" को (राम्रो)	गोटा	१७३२	१७३२	१७३२
१४२.०२	" " (साधारण)	गोटा	११५५	११५५	११५५
१४२.०३	६.८X३० से.मि. लेडिज युरिनल (राम्रो)	सेट	२२०५	२२०५	२२०५
१४२.०४	" " (साधारण)	सेट	१२६०	१२६०	१२६०
१४३	सिपी बेण्ड सहितको सावर	गोटा	१४४३	१४४३	१४४३

क्र.सं.	विवरण	ईकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
१४४	तौलिया रड				
१४४.०१	१८"X०.५" (राम्रो)	गोटा	११०२	११०२	११०२
१४४.०२	१८"X०.५" (साधारण)	गोटा	६५६	६५६	६५६
१४५	सी.पी. सोप डिस	गोटा	५५१	५५१	५५१
१४६	१२"X१८" को वाथरुम ऐना	गोटा	११०२	११०२	११०२
१४७	वास वेसिन सेट				
१४७.०१	२०"X१६" को (राम्रो)	सेट	२६२५	२६२५	२६२५
१४७.०२	१६"X२२" को वास वेसिन सेट (राम्रो)	सेट	३६७५	३६७५	३६७५
१४८	लो लेभल सिस्टर्न				
१४८.०१	(राम्रो) सेरामिक	सेट	६८२५	६८२५	६८२५
१४८.०२	लो लेभल सिस्टर्न (प्लास्टिक)	सेट	२३१०	२३१०	२३१०
१४९	एच.डी.पी. कोबल २"Ø को	सेट	६८	६८	६८
१५०	दयाइलेट सिट (वाटर क्लोसेट)				
१५०.०१	१८" भारती पायदान सहित (ISI)	सेट	२५२०	२५२०	२५२०
१५०.०२	१८" भारती लोकल पायदान सहित	सेट	१३६५	१३६५	१३६५
१५०.०३	उडिसा हिन्दुस्तान टाइप प्यान २१" (ISI)	सेट	२३१०	२३१०	२३१०
१५०.०४	उडिसा हिन्दुस्तान टाइप प्यान २१" (local)	सेट	११५५	११५५	११५५
१५०.०५	कमोड पि वा एस टयाप (ISI)	सेट	३४६५	३४६५	३४६५
१५०.०६	कमोड पि वा एस टयाप (local)	सेट	१७३२	१७३२	१७३२
१५०.०७	इकोस्थान प्यान सेट	सेट	१८३७	१८३७	१८३७
१५०.०८	White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.	सेट	१८०००	१८०००	१८०००
१५०.०९	White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.	सेट	२०३००	२०३००	२०३००
१५०.१०	White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.	सेट	२८८००	२८८००	२८८००
१५१	१¼" सि.पि.पाईप कपलिं समेत	गोटा	९७१	९७१	९७१
१५२	१¼" सि.पि.पाईप पि.वा एस टयाप	गोटा	११५५	११५५	११५५
१५३	½"फेन्सी पिल्ट कक	गोटा	१०५०	१०५०	१०५०
१५४	½"Ø ३० " पाईप कनेक्टर	गोटा	२३१	२३१	२३१
१५५	सिङ्ग				
१५५.०१	१८ X २२ X ८ ईन्ची स्टील	गोटा	३२३४	३२३४	३२३४
१५५.०२	१८ X ३८ X ८ ईन्ची स्टील	गोटा	४६२०	४६२०	४६२०
१५५.०३	१८ X २२ X ८ सि, फलामे	गोटा	२३१०	२३१०	२३१०
१५६	१½" वासर कपलिङ्ग	गोटा	५५१	५५१	५५१
१५७	१½"पितलको बिब कक	गोटा	३५०	३५०	३५०
१५८	½" सि.पि बिब कक	गोटा	१०००	१०००	१०००
१५९	½"सि.पि स्टप कक	गोटा	९५०	९५०	९५०
१६०	½"कनेक्टर स्टप कक	गोटा	७५०	७५०	७५०

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
१६१	पि.भि.सि. पाइप तथा फिटिङ्ग				
१६१.०१	११० मी.मी. ४ के.जी. प्रेशर	पीस	२९४०	२९४०	२९४०
१६१.०२	७५ मी.मी. ४ के.जी. प्रेशर	पीस	१५२२	१५२२	१५२२
१६१.०३	४"० को सकेट	पीस	३१५	३१५	३१५
१६१.०४	४"० को हर्न बेण्ड	पीस	७३५	७३५	७३५
१६१.०५	४"० को बेण्ड	पीस	४२०	४२०	४२०
१६१.०६	४"० को टी	पीस	५७७	५७७	५७७
१६१.०७	३"० को सकेट	पीस	२१०	२१०	२१०
१६१.०८	३"० को बेण्ड	पीस	३१५	३१५	३१५
१६१.०९	३"० को टी	पीस	३६७	३६७	३६७
१६२	एच.डी.पि.इ. फिटिङ्ग				
१६२.०१	४"० को सकेट	पीस	२१०	२१०	२१०
१६२.०२	४"० को हर्न बेण्ड	पीस	४२०	४२०	४२०
१६२.०३	४"० को बेण्ड	पीस	३६७	३६७	३६७
	रंगरोगनका सामग्री				
१६३	खाक्सी	गोटा	२६	२६	२६
१६४	गुद	के.जी.	२२०	२२०	२२०
१६५	सरेस	के.जी.	२१०	२१०	२१०
१६६	आक्यालिक डिस्टेरम्पर	के.जी.	१९९	१९९	१९९
१६७	वासेबल डिस्टेरम्पर	के.जी.	२६४	२६४	२६४
१६८	सिमेण्ट प्राइमर	लिट्र	४१३	४१३	४१३
१६९	तयारी इनामेल पेन्ट	लिट्र	६३०	६३०	६३०
१७०	इनामेल प्राइमर (काठ)	लिट्र	४१५	४१५	४१५
१७१	इनामेल प्राइमर (फ्लाम)	लिट्र	३६९	३६९	३६९
१७२	प्लाष्टिक इमोल्यान पेन्ट (एक्स्टेरियर) राम्रो	लिट्र	११०२	११०२	११०२
१७३	प्लाष्टिक इमोल्यान पेन्ट (एक्स्टेरियर) मध्यम	लिट्र	८९२	८९२	८९२
१७४	प्लाष्टिक इमोल्यान पेन्ट (इन्टरियर) राम्रो	लिट्र	१०५०	१०५०	१०५०
१७५	प्लाष्टिक इमोल्यान पेन्ट (इन्टरियर) मध्यम	लिट्र	८१९	८१९	८१९
१७६	तयारी अल्मुनिम पेन्ट	लिट्र	६३०	६३०	६३०
१७७	वार्निश क्लियर	लिट्र	३९९	३९९	३९९
१७८	अलकत्रा पेन्ट (Black Japan)	लिट्र	३१५	३१५	३१५
१७९	तारपिन तेल	लिट्र	१९३	१९३	१९३
१८०	चुना	के.जी.	२३	२३	२३
१८१	गेरु रंग	के.जी.	५७	५७	५७
१८२	लिन्सीड आयल	लिट्र	२१०	२१०	२१०
१८३	चप्रा	के.जी.	७३५	७३५	७३५
१८४	स्प्रीट	लिट्र	१६८	१६८	१६८
१८५	स्नोसेम (सिमेन्ट पेन्ट)	के.जी.	८०	८०	८०
१८६	वेदर कोट पेन्ट (राम्रो) NS/IS	लिट्र	१२६०	१२६०	१२६०
१८७	वेदर कोट पेन्ट (हल्का) NS/IS	लिट्र	८९२	८९२	८९२

क्र.सं.	विवरण	ईकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
१८८	वेदर कोट प्राइमर	लिट्र	३९२	३९२	३९२
१८९	वाटर प्रूफिंग कम्पाउण्ड (जापनिज)	के.जी.	३३०	३३०	३३०
१९०	Wall Putty- Plain	के.जी.	३८	४०	४०
१९१	Wall Putty- Water Proof	के.जी.	६०	६०	६०
	कंक्रीट प्रोडक्टस्				
१९२	ह्युम पाईप (दुवानी बाहेक)				
१९२.०१	३०० Ø को एनपी-३ को (२.५मीटर)	गोटा	१०८१५	१०८१५	१०८१५
१९२.०२	४५० Ø को एनपी-३ को (२.५मीटर)	गोटा	१३५४५	१३५४५	१३५४५
१९२.०३	४५० Ø को एनपी-३ को कोलार	गोटा	१३५४	१३५४	१३५४
१९२.०४	६०० Ø को एनपी-३ को (२.५मीटर)	गोटा	१८४८०	१८४८०	१८४८०
१९२.०५	६०० Ø को एनपी-३ को कोलार	गोटा	१८४८	१८४८	१८४८
१९२.०६	९०० Ø को एनपी-३ को (२.५मीटर)	गोटा	३०३४५	३०३४५	३०३४५
१९२.०७	९०० Ø को एनपी-३ को कोलार	गोटा	३०३४	३०३४	३०३४
१९२.०८	१२०० Ø को एनपी-३ को (२.५मीटर)	गोटा	४१८९५	४१८९५	४१८९५
१९२.०९	१२०० Ø को एनपी-३ को कोलार	गोटा	४१८९	४१८९	४१८९
१९२.१०	१०० Ø को एनपी-२ को (२.५मीटर)	गोटा	२३१०	२३१०	२३१०
१९२.११	१०० Ø को एनपी-२ को कोलार	गोटा	२३१	२३१	२३१
१९२.१२	१५० Ø को एनपी-२ को (२.५मीटर)	गोटा	२५९८	२५९८	२५९८
१९२.१३	१५० Ø को एनपी-२ को कोलार	गोटा	२५९	२५९	२५९
१९२.१४	२०० Ø को एनपी-२ को (२.५मीटर)	गोटा	३४७५	३४७५	३४७५
१९२.१५	२०० Ø को एनपी-२ को कोलार	गोटा	३४७	३४७	३४७
१९२.१६	२२५ Ø को एनपी-२ को (२.५मीटर)	गोटा	४१६३	४१६३	४१६३
१९२.१७	२२५ Ø को एनपी-२ को कोलार	गोटा	४१६	४१६	४१६
१९२.१८	२५० Ø को एनपी-२ को (२.५मीटर)	गोटा	४६३५	४६३५	४६३५
१९२.१९	२५० Ø को एनपी-२ को कोलार	गोटा	४६३	४६३	४६३
१९२.२०	३०० Ø को एनपी-२ को (२.५मीटर)	गोटा	६५८३	६५८३	६५८३
१९२.२१	३०० Ø को एनपी-२ को कोलार	गोटा	६५८	६५८	६५८
१९२.२२	३५० Ø को एनपी-२ को (२.५मीटर)	गोटा	६७०९	६७०९	६७०९
१९२.२३	३५० Ø को एनपी-२ को कोलार	गोटा	६७०	६७०	६७०
१९२.२४	३७५ Ø को एनपी-२ को (२.५मीटर)	गोटा	६८१४	६८१४	६८१४
१९२.२५	३७५ Ø को एनपी-२ को कोलार	गोटा	६८१	६८१	६८१
१९२.२६	४०० Ø को एनपी-२ को (२.५मीटर)	गोटा	६९५१	६९५१	६९५१
१९२.२७	४०० Ø को एनपी-२ को कोलार	गोटा	६९५	६९५	६९५
१९२.२८	४५० Ø को एनपी-२ को (२.५मीटर)	गोटा	८५२६	८५२६	८५२६
१९२.२९	४५० Ø को एनपी-२ को कोलार	गोटा	८५२	८५२	८५२
१९२.३०	५०० Ø को एनपी-२ को (२.५मीटर)	गोटा	९७३३	९७३३	९७३३
१९२.३१	५०० Ø को एनपी-२ को कोलार	गोटा	९७३	९७३	९७३
१९२.३२	६०० Ø को एनपी-२ को (२.५मीटर)	गोटा	११९५४	११९५४	११९५४
१९२.३३	६०० Ø को एनपी-२ को कोलार	गोटा	११९५	११९५	११९५
१९२.३४	७०० Ø को एनपी-२ को (२.५मीटर)	गोटा	१२९५७	१२९५७	१२९५७

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
१९२.३५	७०० Ø को एनपी-२ को कोलार	गोटा	१२९५	१२९५	१२९५
१९२.३६	७५० Ø को एनपी-२ को (२.५मीटर)	गोटा	१३८८१	१३८८१	१३८८१
१९२.३७	७५० Ø को एनपी-२ को कोलार	गोटा	१३८८	१३८८	१३८८
१९२.३८	८०० Ø को एनपी-२ को (२.५मीटर)	गोटा	१६२०१	१६२०१	१६२०१
१९२.३९	८०० Ø को एनपी-२ को कोलार	गोटा	१६२०	१६२०	१६२०
१९२.४०	९०० Ø को एनपी-२ को (२.५मीटर)	गोटा	१७४९८	१७४९८	१७४९८
१९२.४१	९०० Ø को एनपी-२ को कोलार	गोटा	१७४९	१७४९	१७४९
१९२.४२	१००० Ø को एनपी-२ को (२.५मीटर)	गोटा	२१९२४	२१९२४	२१९२४
१९२.४३	१००० Ø को एनपी-२ को कोलार	गोटा	२१९२	२१९२	२१९२
१९२.४४	१२०० Ø को एनपी-२ को (२.५मीटर)	गोटा	२८९४८	२८९४८	२८९४८
१९२.४५	१२०० Ø को एनपी-२ को कोलार	गोटा	२८९४	२८९४	२८९४
१९२.४६	१५०० Ø को एनपी-२ को (२.५मीटर)	गोटा	३९३५४	३९३५४	३९३५४
१९२.४७	१५०० Ø को एनपी-२ को कोलार	गोटा	३९३५	३९३५	३९३५
१९२.४८	50 mm thick Cement Concrete Block - Interlocking	ब.फि.	९०	९०	९०
१९२.४९	50 mm thick Cement Concrete Block (color)-Interlocking	ब.फि.	९५	९५	९५
१९२.५०	60 mm thick Cement Concrete Block - Interlocking	ब.फि.	१०५	१०५	१०५
१९२.५१	60 mm thick Cement Concrete Block (color)-Interlocking	ब.फि.	११०	११०	११०
१९२.५२	AAC Block- 625x250x225mm	गोटा	२९०	२९०	२९०
१९२.५३	AAC Block- 625x250x150mm	गोटा	१४०	१४०	१४०
१९२.५४	AAC Block- 625x250x100mm	गोटा	२२०	२२०	२२०
१९३	Interlock Paver, Kerb Stone, Concrete Tile				
१९३.०१	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	गोटा			३८
१९३.०२	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	गोटा			४४
१९३.०३	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	गोटा			४७
१९३.०४	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	गोटा			४४
१९३.०५	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	गोटा			५०

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
१९३.०६	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	गोटा			५२
१९३.०७	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	गोटा			३८८
१९३.०८	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	गोटा			४१८
१९३.०९	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	गोटा			४३८
१९३.१०	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. Thickness: 40mm, Dimension: 400*400*40mm	गोटा			२२०
१९३.११	Matrix Slab / Tiles Single Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40mm	गोटा			२४२
१९३.१२	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40mm	गोटा			२६९
१९४	सडक सम्बन्धि Pre-stressing Accessories				
१९४.०१	Supply Installation and prestressing of Ht Strands 12.7 mm- 7 ply as per drawing and specification (DP Wires)	के.जी.	१७२	१७२	१७२
१९४.०२	19JK13, Anchor set 1-Tube unit, 1 Bearing plate, 19 live wedge	सेट	७२०००	७२०००	७२०००
१९४.०३	Supply , Profiling of Corrugated HDPE Sheathings Pipe ID=85mm	मि.	३८०	३८०	३८०
१९४.०४	Strip Seal Expansion Joints	मि.	१६०००	१६०००	१६०००
१९४.०५	Slab Seal Expansion Joints	मि.	२८०००	२८०००	२८०००
१९४.०६	Pot bearings for 40 mtr span 2 girder bridge (347 tons capacity)	सेट	१५००००	१५००००	१५००००
१९४.०७	Pot bearings for 35 mtr span 2 girder bridge (296 tons capacity)	सेट	१३००००	१३००००	१३००००
१९४.०८	Pot bearings for 30 mtr span 2 girder bridge (246 tons capacity)	सेट	११५०००	११५०००	११५०००
१९४.०९	Neoprene bearings for 25 mtr span bridge (2 girder)	गोटा	४००००	४००००	४००००
१९४.१०	Neoprene bearings for 20 mtr span bridge (2 girder)	गोटा	३००००	३००००	३००००
१९४.११	Neoprene bearings for 15 mtr span bridge (2 girder)	गोटा	२८०००	२८०००	२८०००
१९४.१२	Drainage spout 100mm dia GI Pipe	गोटा	४०००	४०००	४०००

क्र.सं.	विवरण	ईकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
१९५	HDPE DOUBLE WALLED Corrugated Pipes-SN8				
१९५.०१	ID=100mm	मि.			४५०
१९५.०२	ID=150mm	मि.			९५०
१९५.०३	ID=200mm	मि.			१४५०
१९५.०४	ID=250mm	मि.			१९००
१९५.०५	ID=300mm	मि.			३१००
१९५.०६	ID=400mm	मि.			४०००
१९५.०७	ID=500mm	मि.			४९००
१९५.०८	ID=600mm	मि.			८३००
१९५.०९	ID=800mm	मि.			१२३००
१९५.१०	ID=1000mm	मि.			१७२००
१९६	कंक्रीट बिच्चत पोल (ढुवानी बाहेक)				
१९६.०१	८ मिटर लामो	गोटा	६१००	६१००	६१००
१९६.०२	९ मिटर लामो	गोटा	७०००	७०००	७०००
१९६.०३	१० मिटर लामो	गोटा	१३२००	१३२००	१३२००
१९६.०४	११ मिटर लामो	गोटा	१५२००	१५२००	१५२००
१९७	स्टील ट्युबलर पोल (ढुवानी बाहेक)				
१९७.०१	८ मिटर लामो (१२० के.जी.)	गोटा	११५००	११५००	११५००
१९७.०२	९ मिटर लामो (१४७ के.जी.)	गोटा	१६३००	१६३००	१६३००
१९७.०३	११ मिटर लामो (१७५ के.जी.)	गोटा	२००००	२००००	२००००
१९८	एस सी एस आर कण्डक्टर				
१९८.०१	ACSR Dog Conductor	कि.मी.	९५३००	९५३००	९५३००
१९८.०२	ACSR Rabbit Conductor	कि.मी.	४९०००	४९०००	४९०००
१९८.०३	ACSR Weasel Conductor	कि.मी.	२९४००	२९४००	२९४००
१९९	Insulator				
१९९.०१	11 kV Pin Insulator with Spindle	सेट	२२०	२२०	२२०
१९९.०२	11 kV Disc Insulator with tension Clamp	सेट	९००	९००	९००
१९९.०३	D-Iron with Sackle	सेट	२००	२००	२००
२००	साधारण कंक्रीट पोल (तार बार र यस्तै कामका लागि)				
२००.०१	६ फिट लामो ३X४ ईन्चीको	गोटा	६३०	६३०	६३०
२००.०२	७ फिट लामो ३X४ ईन्चीको	गोटा	८६१	८६१	८६१
२००.०३	६ फिट लामो ४X४ ईन्चीको	गोटा	८५०	८५०	८५०
२००.०४	७ फिट लामो ४X४ ईन्चीको	गोटा	९९७	९९७	९९७
२००.०५	८ फिट लामो ४X४ ईन्चीको	गोटा	१३१२	१३१२	१३१२
२००.०६	१.५ मि. लामो ६X६ ईन्चीको	गोटा	२३१०	२३१०	२३१०
२००.०७	१ मि. लामो ६X६ ईन्चीको	गोटा	१५७५	१५७५	१५७५
२०१	कंक्रीट रिड (३' व्यास, १' उचाइ र २" मोटो)	गोटा	८२९	८२९	८२९
२०२	कंक्रीट रिड कवर (३' व्यास र २" मोटाइ)	गोटा	८२९	८२९	८२९


क्र.सं.	विवरण	ईकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
२०३	कंक्रीट आर.सी.सी. रेलिड पोष्ट १ फुट	गोटा	७८	७८	७८
२०४	कंक्रीट आर.सी.सी. रेलिड पोष्ट २ फुट	गोटा	११५	११५	११५
२०५	कंक्रीट आर.सी.सी. रेलिड पोष्ट ३ फुट	गोटा	१५७	१५७	१५७
	मेशीनरी				
२०६	पम्पसेट तथा र्यामर				
२०६.०१	१/२ हर्ष पावरको चाईनिज	गोटा	४४१०	४४१०	४४१०
२०६.०२	१ " "	गोटा	७८७५	७८७५	७८७५
२०६.०३	२ " "	गोटा	१८९००	१८९००	१८९००
२०६.०४	३ " "	गोटा	३१५००	३१५००	३१५००
२०६.०५	१/२ हर्ष पावरको भारती (ISI)	गोटा	९४५०	९४५०	९४५०
२०६.०६	१ " " (ISI)	गोटा	१६८००	१६८००	१६८००
२०६.०७	२ " " (ISI)	गोटा	२६२५०	२६२५०	२६२५०
२०६.०८	३ " " (ISI)	गोटा	४२०००	४२०००	४२०००
२०७	इण्डियन सबमरसिबल पम्प (स्टेन्डर्ड कम्पनि)				
२०७.०१	२ हर्ष पावर	गोटा	४९६१२	४९६१२	४९६१२
२०७.०२	३ हर्ष पावर	गोटा	६०६३७	६०६३७	६०६३७
२०७.०३	५ हर्ष पावर	गोटा	६८३५५	६८३५५	६८३५५
२०७.०४	७.५ हर्ष पावर	गोटा	१२६७८७	१२६७८७	१२६७८७
२०७.०५	१० हर्ष पावर	गोटा	१७६४००	१७६४००	१७६४००
२०८	डिजेल पम्पसेट				
२०८.०१	५ हर्ष पावरको (ISI)	गोटा	५२५००	५२५००	५२५००
२०८.०२	८ हर्ष पावरको (ISI)	गोटा	८४०००	८४०००	८४०००
२०९	वाटर मीटर	गोटा	१७३२	१७३२	१७३२
	वायरिड तथा वायरिडका सामान				
२१०	स्तरीय सामान र पि.भि.सी.पाइप प्रयोग गरी सर्फेसवायरिड गर्ने काम राम्रो मेटल बक्स, स्वीच, सिलिड. रोज आदि वायरिड. सामान समेत प्रयोग गरी वायरिडको काम				
२१०.०१	क. ३/२२ को तार एन.एस. प्राप्त (कपर वायर) लाइट प्वाइन्ट वायरिड गर्ने काम ।	प्वाइन्ट	९३७	९३७	९६५
२१०.०२	ख. ३/२२, ७/२२ को एन.एस. प्राप्त तार (कपरवायर) तार प्रयोग गरि १५ एम्पियर पावर प्वाइन्ट वायरिड गर्ने काम ।	प्वाइन्ट	१३३३	१३३३	१३७०
२१०.०३	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरवायर) लगाई ५ एम्पियर पावर प्वाइन्ट वायरिड गर्ने काम ।	प्वाइन्ट	१०६९	१०६९	११००
२११	स्तरीय सामान र पि.भी.सी. पाइप प्रयोग गरी कन्सील्ड वायरिड गर्ने काम । (स्वीच, स्वीच बोर्ड, सिलिड रोज, बक्स आदि आवश्यक सम्पूर्ण सामान समेत)				
२११.०१	क ३/२२ को तार एन.एस. प्राप्त (कपर वायर) लाइट प्वाइन्ट वायरिड गर्ने काम ।	प्वाइन्ट	१११३	१११३	११४०

क्र.सं.	विवरण	ईकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
२११.०२	ख. ३/२२, ७/२२ को एन.एस. प्राप्त तार (कपरवायर) तार प्रयोग गरि १५ एम्पियर पावर प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	१२०१	१२०१	१२३०
२११.०३	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरवायर) लगाई ५ एम्पियर पावर प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	९३४	९३४	९५०
२१२	पंखा				
	सिलिड. पंखा उषा,ओरिएन्ट,कम्पटन ग्रिभ्स वा सो सरह				
२१२.०१	३६ इन्च	गोटा	३२५५	३२५५	३२५५
२१२.०२	४२ इन्च	गोटा	३४६५	३४६५	३४६५
२१२.०३	४८ इन्च	गोटा	३६७५	३६७५	३६७५
२१२.०४	ISI वा NS गूणस्तरको एग्नैस्ट फेन १२ इन्च	गोटा	३६७५	३६७५	३६७५
२१२.०५	चाईनिज स्टेण्ड फैन	गोटा	३४६५	३४६५	३४६५
२१२.०६	इण्डीयन स्टेण्ड फैन	गोटा	३९९०	३९९०	३९९०
२१२.०७	स्टेण्ड पंखा (भारतीय स्पेशल)	गोटा	४७२५	४७२५	४७२५
२१२.०८	बाल फेन चाईनिज	गोटा	३१५०	३१५०	३१५०
२१३	डोम लाइट				
२१३.०१	८ इन्च	गोटा	५१९	५१९	५१९
२१३.०२	६ इन्च	गोटा	४०४	४०४	४०४
२१४	वेदरपुफ लाइट	गोटा	२१०	२१०	२१०
२१५	मेन स्वीच				
२१५.०१	६० एम्पियर	गोटा	४९३५	४९३५	४९३५
२१५.०२	३० ,,	गोटा	१९६३	१९६३	१९६३
२१५.०३	१५ ,,	गोटा	१४७०	१४७०	१४७०
२१६	१० एस.डब्लु.जि.प्लाष्टिक कोटेड कपर वायर अर्थिङको लागि	मीटर	१३८	१३८	१३८
२१७	सर्भिस तार	मीटर	२६	२६	२६
२१८	मिटर बक्स				
२१८.०१	प्लाष्टिक	गोटा	२१०	२१०	२१०
२१८.०२	काठको	गोटा	३१५	३१५	३१५
२१९	काठको लिस्टी				
२१९.०१	१/२" को	र.मी.	२६	२६	२६
२१९.०२	३/४" को	र.मी.	३३	३३	३३
२१९.०३	१" को	र.मी.	३६	३६	३६
२२०	एम सि बि				
२२०.०१	६ एम्पियर एस.पी.	गोटा	२६७	२६७	२६७
२२०.०२	१५ एम्पियर एस.पी.	गोटा	३९३	३९३	३९३
२२०.०३	१५ एम्पियर डी.पी.	गोटा	६९३	६९३	६९३
२२०.०४	३० एम्पियर एस.पी.	गोटा	४६२	४६२	४६२
२२०.०५	३० एम्पियर डी.पी.	गोटा	१२६०	१२६०	१२६०




क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
२२१	Solar system with 20 watt solar panel, one 23 Ah battery and 3 nos of 4 watt LED bulbs	सेट	१०५००	१०५००	१०५००
	अन्य सामानहरु				
२२२	खर १५से.मी व्यासको मुठा	मुठा	४४	४४	४४
२२३	नरियलको डोरी	के.जी.	१३६	१३६	१३६
२२४	लाइन स्ट्रिड्	र.मी.	८	८	८
२२५	जिओ-ब्याग(१.०५मि.×०.७ मि., ३५० ग्राम)	गोटा	३८३	३८३	३८३
२२६	नाइलन क्रेट ४.५ केजी (३×१.०५×१.०५) मि.	गोटा	२२०५	२२०५	२२०५
२२७	चटाई ३×६ फिटको	गोटा	१४४	१४४	१४४
२२८	भुसा	के.जी.	४	४	४
२२९	गोवर	के.जी.	५	५	५
२३०	खाली बोरा				
२३०.०१	सिमेन्टको खाली बोरा (पुरानो)	गोटा	१२	१२	१२
२३०.०२	सिमेन्टको खाली बोरा (नयाँ)	गोटा	२४	२४	२४
२३०.०३	जूटको खाली बोरा	गोटा	११०	११०	११०
२३१	हेशन जूट	व.मी.	२१०	२१०	२१०
२३२	नाइलन डोरी	के.जी.	२३२	२३२	२३२
२३३	मोविल (लुब्रिकेन्ट)	लीटर	६८२	६८२	६८२
२३४	गियर आयल	लीटर	६८२	६८२	६८२
२३५	ग्रिज	के.जी	६८२	६८२	६८२
२३६	माछाका भुरा				
२३६.०१	सानो	गोटा	०.५२	०.५२	०.५२
२३६.०२	माछाका भुरा ठूलो	गोटा	१.४१	१.४१	१.४१
२३७	ढुटो	के.जी.	२०	२०	२०
२३८	पिना	के.जी.	२१	२१	२१
२३९	दाउरा	के.जी.	१६	१६	१६
२४०	चिरपट	के.जी.	१६	१६	१६
२४१	फलामे बाल्टी	गोटा	५३७	५३७	५३७
२४२	बांसको डोको	गोटा	२३१	२३१	२३१
२४३	पोलिथिन शीट ५०० गेज	के.जी.	२२०	२२०	२२०
२४४	टारफेल्ड शीट १×२० मिमी.	के.जी.	१४१	१४१	१४१
२४५	कंकीट एडमिक्चर (सेफकीट, सेफबर्न, सेफमाइड आदि)	लीटर	३१५	३१५	३१५
२४६	सिलिका एडमिक्चर	के.जी.	३६७	३६७	३६७
२४७	स्टोभ	गोटा	१०५०	१०५०	१०५०
	बायोइन्जिनियरिङ्का सामान तथा पशुचौपाया सम्बन्धि				
२४८	बिरुवाहरु				
२४८.०१	अम्लिसो	राईजोम	५.५१	५.५१	५.५१
२४८.०२	नेपियर CO4 जरासहित	सेट	३.३	३.३	३.३

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
२४८.०३	कास	स्लिप	१.१	१.१	१.१
२४९	बास विरुवा विउवाट उत्पादन				
२४९.०१	१ वर्षे विरुवा	गोटा	५५.१२	५५.१२	५५.१२
२४९.०२	२ वर्षे विरुवा	गोटा	८२.६८	८२.६८	८२.६८
२४९.०३	३ वर्षे विरुवा	गोटा	१६५.३७	१६५.३७	१६५.३७
२५०	बास राईजोम	राईजोम	४९६.१२	४९६.१२	४९६.१२
२५१	बास विरुवा कटिड.				
२५१.०१	१ वर्षे विरुवा	गोटा	२७५.६२	२७५.६२	२७५.६२
२५१.०२	२ वर्षे विरुवा	गोटा	३३०.७५	३३०.७५	३३०.७५
२५१.०३	३ वर्षे विरुवा	गोटा	३८५.८७	३८५.८७	३८५.८७
२५१.०४	निगालो	गोटा	१६.५३	१६.५३	१६.५३
२५१.०५	डालेघास	गोटा	१७.६४	१७.६४	१७.६४
२५२	हिउँदे तथा बर्षे घाँसको विउ				
२५२.०१	जै	कि.ग्रा.	८८.२०	८८.२०	८८.२०
२५२.०२	बर्षिम	कि.ग्रा.	३३०.७५	३३०.७५	३३०.७५
२५२.०३	भेच	कि.ग्रा.	१३२.३	१३२.३०	१३२.३०
२५२.०४	टियोसेन्टी	कि.ग्रा.	११०.२५	११०.२५	११०.२५
२५२.०५	बाजरा	कि.ग्रा.	१०४.७३	१०४.७३	१०४.७३
२५२.०६	सुडान	कि.ग्रा.	११०.२५	११०.२५	११०.२५
२५३	बहुवर्षे तथा डालेघाँसको विरुवा				
२५३.०१	नेपियर CO4 जरासहित	स्लीप	३.३	३.३	३.३
२५३.०२	नेपियर CO4	स्लीप	२.२	२.२	२.२
२५३.०३	नेपियर (अन्य) जरासहित	स्लीप	२.२	२.२	२.२
२५३.०४	नेपियर (अन्य)	स्लीप	१.६८	१.६८	१.६८
२५३.०५	मुलाटो, पास्पलम, सेटेरिया, बदामे	गोटा	२.२	२.२	२.२
२५३.०६	डाले घाँसको बेर्ना (बडहर)	गोटा	१७.६४	१७.६४	१७.६४
२५३.०७	डाले घाँसको बेर्ना (अन्य जात)	गोटा	१६.५३	१६.५३	१६.५३
२५४	प्रजननकालागि पालिने बोका बाखा				
२५४.०१	बाखा खरी जातको	कि.ग्रा.	३८५	३८५	३८५
२५४.०२	बोका खरी जातको	कि.ग्रा.	५५१	५५१	५५१
२५४.०३	बोका जमुना पारी, बारबेरी	कि.ग्रा.	५५१	५५१	५५१
२५४.०४	बोका बोयर जातको	कि.ग्रा.	८८२	८८२	८८२
२५५	उन्नत जातको बगुरको पाठापाठी				
२५५.०१	पाठी (न्यूनतम ४५ दिन)	गोटा	५५१२	५५१२	५५१२
२५५.०२	पाठा (न्यूनतम ४५ दिन)	गोटा	६०६३	६०६३	६०६३
२५५.०३	बगुरको बीर (९० दिन)	गोटा	७७१७	७७१७	७७१७
२५६	प्रजननकालागि पालिने रागो तथा साढे				
२५६.०१	प्रजनन योग्य रांगो मुर्दा जातको	गोटा	११०२५०	११०२५०	११०२५०
२५६.०२	प्रजनन योग्य साँढे होलिष्टिन जातको	गोटा	११०२५०	११०२५०	११०२५०
२५६.०३	प्रजनन योग्य साँढे जर्सी जातको	गोटा	८८२००	८८२००	८८२००


क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
२५७	Steel Door and Window				
२५७.०१	900*2100 Steel Door set with frame 50 T Thickness	सेट			२१०००
२५७.०२	1000*2100 Steel Door set with frame 50 T Thickness	सेट			२२०००
२५७.०३	900*2100 ABS Door set with frame 50 T Thickness	सेट			१८०००
२५७.०४	900*2100 Panel Door set with frame 50 T Thickness	सेट			१४०००
२५७.०५	115mm Window set with frame 50 T Thickness	सेट			८७५
२५८	Flush Door				
२५८.०१	Glossy	व.फु.			२७५
२५८.०२	Maat	व.फु.			२६०
२५९	Non Asbestos Sheet				
२५९.०१	1050mm overall width,6mm thickness-Normal	र.मी.			५७५
२५९.०२	1050mm overall width,6mm thickness-Coloured	र.मी.			६७५
२६०	Interior and Finishing Materials				
A	Roofing Material				
1.00	Stone Coated Roofing having 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	Sqm			४०००
2.00	Stone Coated Roofing Sheet 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	Sqm			३०००
3.00	Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	Sqm			१४००
4.00	Non Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	Sqm			१३००
B	Flooring Material				
1.00	Stone Plastic Composit Flooring (SPC) of 4 mm thick with base material and skirting	Sqm			२७००
C	Material for Wall				


क्र.सं.	विवरण 	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
	Mural Wall: 20-25mm thk. Cement tile from Craft Betton of approved colour, shade, pattern, achieved by mixing cement with matching colour pigment as directed, curing, acid cleaning as applicable, laid to required pattern on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointed with white cement slurry mixed with pigment.	Sqm			१५०००
	TEAK TILE CLADDING: CNC cut or hand made engraving on 8 mm thick teak tile fixed on 12mm thick marine plywood(BWP) base fixed to wall with adequate hardware/fixing arrangement as/design.				
	150X150Tile	Pcs			२८००
	150X300 Tile	Pcs			३५००
	300X300 Tile	Pcs			४०००
D	Ceiling Work				
1.00	DEMOUNTABLE FABRIC LINED ACOUSTIC PANEL: Providing and fixing of fabric panel made with 12mm thick marine ply (BWP) with a top layer of 3mm thick layer of TECSOUND50 soundproofing membrane, then a layer of 50mm infill of resin bonded glass wool (24 kg/cum), wrapped in tissue fiber matt supported suitably with a layer of perforated 12 mm marine ply(BWP) (perforation to be 20% of the surface area).	Sqm			२५०००
E	SLIDING AND FOLDING ACOUSTIC PARTITION Providing and fixing "Variflex" operable partition of Dorma make consisting of series of individual flat elements of 100 mm thick travelling along the ceiling track assembled to form a solid wall. The sound insulation of the operable partition should be 50db.	Sqm			४५०००









क्र.सं.	विवरण	ईकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
F	EXTERNAL / INTERNAL GLAZED DOOR (FIRE RATED AND ACOUSTICALLY TREATED) ALUMINIUM WITH THERMAL BREAK (CASEMENT- NC 65 HDS): Providing and fixing 46mm thk. TGU with a configuration of 8mm thk. TG+12mm air gap+6mm thk. TG+14 mm air gap+ 6mm TG with performance parameter of the composite	Sqm			१०००००
२५९	Concrete Admixture, Water Proofing Sytstem Integral				
२५९.०१	Protective, Decorative carbonating coating- Fosroc Nitogurd	Kg			१३००
२५९.०२	Protective polyerethane sealer Fosroc Promeseal	Ltr			८००
२५९.०३	High Performance water repellant Paint	Ltr			११००
२५९.०४	Concrete curing aid- Fosroc Concure WB	Kg			४५०
२५९.०५	Integral waterproofing additive for concrete and plaster- Fosroc Conplast WL Extra	Kg			३२०

क्र. सं.	विवरण 	सेक्सन/साईज	एकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
२५७.०१	WINDOWS – 2 Pannel Sliding , Natural Colour anod.	Top – 101.6x38.1x1.2	sqm	8280	8280
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Bottom – 101.6x41.5x1.2			
	Minimum Size 30 sq feet	Side – 101.6x44.5x1.2			
२५७.०२	WINDOWS – 2 Pannel Sliding , Natural Colour anod.	Top – 101.6x38.1x1.2	sqm	8550	8550
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Bottom – 101.6x41.5x1.2			
	Windows Size 20 - 30 sq feet	Side – 101.6x44.5x1.2			
२५७.०३	WINDOWS – 2 Pannel Sliding , Natural Colour anod.	Top – 101.6x38.1x1.2	sqm	9180	9180
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Bottom – 101.6x41.5x1.2			
	Windows Size less then 10 - 20 sq. feet	Side – 101.6x44.5x1.2			
२५७.०४	WINDOWS – 2 Pannel Sliding , Natural Colour anod.	Top – 101.6x38.1x1.2	sqm	9900	9900
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Bottom – 101.6x41.5x1.2			
	Windows Size less then 10 sq. feet	Side – 101.6x44.5x1.2			
२५७.०५	WINDOWS – 3 Pannel Sliding , Natural Colour anod.	Top – 101.6x38.1x1.2	sqm	8550	8550
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Bottom – 101.6x41.5x1.2			
	Windows Size more then 30 sq. feet	Side – 101.6x44.5x1.2			
२५७.०६	WINDOWS – 2 Pannel Sliding , Natural Colour anod.	Top – 101.6x38.1x1.0	sqm	7020	7020
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Bottom – 101.6x41.5x1.0			
	Minimum Size 30 sq feet	Side – 101.6x44.5x1.0			


क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
२५७.०७	WINDOWS – 2 Pannel Sliding , Natural Colour anod.	Top – 101.6x38.1x1.0 Bottom – 101.6x41.5x1.0	sqm	7650	7650
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Side – 101.6x44.5x1.0			
	Windows Size 20 - 30 sq feet				
२५७.०८	WINDOWS – 2 Pannel Sliding , Natural Colour anod.	Top – 101.6x38.1x1.0 Bottom – 101.6x41.5x1.0	sqm	8550	8550
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Side – 101.6x44.5x1.0			
	Windows Size less then 10 - 20 sq. feet				
२५७.०९	WINDOWS – 2 Pannel Sliding , Natural Colour anod.	Top – 101.6x38.1x1.0 Bottom – 101.6x41.5x1.0	sqm	8910	8910
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Side – 101.6x44.5x1.0			
	Windows Size less then 10 sq. feet				
२५७.१	WINDOWS – 3 Pannel Sliding , Natural Colour anod.	Top – 101.6x38.1x1.0 Bottom – 101.6x41.5x1.0	sqm	7380	7380
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Side – 101.6x44.5x1.0			
	Windows Size more then 30 sq. feet				
२५७.११	WINDOWS – 2 Pannel Sliding , Natural Colour anod.	Top – 87x40x1.2 Bottom – 87.4x56x1.2	sqm	7920	7920
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Side – 90.4x32x1.2			
	Minimum Size 30 sq feet				
२५७.१२	WINDOWS – 2 Pannel Sliding , Natural Colour anod.	Top – 87x40x1.2 Bottom – 87.4x56x1.2	sqm	8280	8280
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Side – 90.4x32x1.2			
	Windows Size 20 - 30 sq feet				

क्र. सं.	विवरण  नेपाल एल्युमिनियम गुण मन्त्रालय जिल्ला प्रशासन कार्यालय देवगढी, कैलाली	सेक्सन/साईज	एकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
२५७.१३	WINDOWS – 2 Pannel Sliding , Natural Colour anod.		sqm	8550	8550
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Top – 87x40x1.2 Bottom – 87.4x56x <u>1.2</u>			
	Windows Size less then 10 - 20 sq. feet	Side – 90.4x32x <u>1.2</u>			
२५७.१४	WINDOWS – 2 Pannel Sliding , Natural Colour anod.		sqm	9180	9180
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Top – 87x40x1.2 Bottom – 87.4x56x <u>1.2</u>			
	Windows Size less then 10 sq. feet	Side – 90.4x32x <u>1.2</u>			
२५७.१५	WINDOWS – 3 Pannel Sliding , Natural Colour anod.		sqm	8100	8100
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Top – 87x40x1.2 Bottom – 87.4x56x <u>1.2</u>			
	Windows Size more then 30 sq. feet	Side – 90.4x32x <u>1.2</u>			
२५७.१६	WINDOWS – 2 Pannel Sliding , Natural Colour anod.		sqm	7890	7890
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Top – 87x40x1.0 Bottom – 87.4x56x <u>1.0</u>			
	Minimum Size 30 sq feet	Side – 90.4x32x <u>1.0</u>			
२५७.१७	WINDOWS – 2 Pannel Sliding , Natural Colour anod.		sqm	7380	7380
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Top – 87x40x1.0 Bottom – 87.4x56x <u>1.0</u>			
	Windows Size 20 - 30 sq feet	Side – 90.4x32x <u>1.0</u>			
२५७.१८	WINDOWS – 2 Pannel Sliding , Natural Colour anod.		sqm	7650	7650
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Top – 87x40x1.0 Bottom – 87.4x56x <u>1.0</u>			
	Windows Size less then 10 - 20 sq. feet	Side – 90.4x32x <u>1.0</u>			










क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
२५७.१९	WINDOWS – 2 Pannel Sliding , Natural Colour anod.		sqm	7650	7650
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Top – 87x40x1.0 Bottom – 87.4x56x <u>1.0</u>			
	Windows Size less then 10 sq. feet	Side – 90.4x32x <u>1.0</u>			
२५७.२०	WINDOWS – 3 Pannel Sliding , Natural Colour anod.		sqm	7200	7200
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Top – 87x40x1.0 Bottom – 87.4x56x <u>1.0</u>			
	Windows Size more then 30 sq. feet	Side – 90.4x32x <u>1.0</u>			
२५७.२१	WINDOWS – 2 Pannel Sliding , Natural Colour anod.		sqm	7020	7020
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Top – 78 x 35 x 1.2 Bottom – 78 x 53 x <u>1.2</u>			
	Minimum Size 30 sq feet	Side – 81 x 38 x <u>1.2</u>			
२५७.२२	WINDOWS – 2 Pannel Sliding , Natural Colour anod.		sqm	7380	7380
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Top – 78 x 35 x 1.2 Bottom – 78 x 53 x <u>1.2</u>			
	Windows Size 20 - 30 sq feet	Side – 81 x 38 x <u>1.2</u>			
२५७.२३	WINDOWS – 2 Pannel Sliding , Natural Colour anod.		sqm	7920	7920
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Top – 78 x 35 x 1.2 Bottom – 78 x 53 x <u>1.2</u>			
	Windows Size less then 10 - 20 sq. feet	Side – 81 x 38 x <u>1.2</u>			
२५७.२४	WINDOWS – 2 Pannel Sliding , Natural Colour anod.		sqm	8100	8100
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc	Top – 78 x 35 x 1.2 Bottom – 78 x 53 x <u>1.2</u>			
	Windows Size less then 10 sq. feet	Side – 81 x 38 x <u>1.2</u>			



क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
२५७.२५	WINDOWS – 3 Pannel Sliding , Natural Colour anod.	Top –78 x 35 x 1.2 Bottom – 78 x 53 x <u>1.2</u>	sqm	7380	7380
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc				
	Windows Size more then 30 sq. feet	Side – 81 x 38 x <u>1.2</u>			
२५७.२६	WINDOWS – 2 Pannel Sliding , Natural Colour anod.	Top –78 x 35 x 1.0 Bottom – 78 x 53 x <u>1.0</u>	sqm	6750	6750
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc				
	Minimum Size 30 sq feet	Side – 81 x 38 x <u>1.0</u>			
२५७.२७	WINDOWS – 2 Pannel Sliding , Natural Colour anod.	Top –78 x 35 x 1.0 Bottom – 78 x 53 x <u>1.0</u>	sqm	7020	7020
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc				
	Windows Size 20 - 30 sq feet	Side – 81 x 38 x <u>1.0</u>			
२५७.२८	WINDOWS – 2 Pannel Sliding , Natural Colour anod.	Top –78 x 35 x 1.0 Bottom – 78 x 53 x <u>1.0</u>	sqm	7380	7380
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc				
	Windows Size less then 10 - 20 sq. feet	Side – 81 x 38 x <u>1.0</u>			
२५७.२९	WINDOWS – 2 Pannel Sliding , Natural Colour anod.	Top –78 x 35 x 1.0 Bottom – 78 x 53 x <u>1.0</u>	sqm	7920	7920
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc				
	Windows Size less then 10 sq. feet	Side – 81 x 38 x <u>1.0</u>			
२५७.३०	WINDOWS – 3 Pannel Sliding , Natural Colour anod.	Top –78 x 35 x 1.0 Bottom – 78 x 53 x <u>1.0</u>	sqm	7020	7020
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc				
	Windows Size more then 30 sq. feet	Side – 81 x 38 x <u>1.0</u>			

क्र. सं.	विवरण  नेपाल सरकार गृह मन्त्रालय जिल्ला प्रशासन कार्यालय धनगढी, कैलाली	सेक्सन/साईज	एकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
२५७.३१	WINDOWS – 2 Pannel Sliding , BLACK Colour anod.		sqm	9180	9180
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm colour Glass, Knobs, Gaskets & Necessary Hardware etc	Top – 101.6x38.1x1.3 Bottom – 101.6x41.5x 1.3			
	Minimum Size 30 sq feet	Side – 101.6x44.5x 1.3			
२५७.३२	WINDOWS – 2 Pannel Sliding , BLACK Colour anod.		sqm	9720	9720
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Colour Glass, Knobs, Gaskets & Necessary Hardware etc	Top – 101.6x38.1x1.3 Bottom – 101.6x41.5x 1.3			
	Windows Size 20 - 30 sq feet	Side – 101.6x44.5x 1.3			
२५७.३३	WINDOWS – 2 Pannel Sliding , BLACK Colour anod.		sqm	10350	10350
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Colour Glass, Knobs, Gaskets & Necessary Hardware etc	Top – 101.6x38.1x1.3 Bottom – 101.6x41.5x 1.3			
	Windows Size less then 10 - 20 sq. feet	Side – 101.6x44.5x 1.3			
२५७.३४	WINDOWS – 2 Pannel Sliding , BLACK Colour anod.		sqm	10800	10800
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Colour Glass, Knobs, Gaskets & Necessary Hardware etc	Top – 101.6x38.1x1.3 Bottom – 101.6x41.5x 1.3			
	Windows Size less then 10 sq. feet	Side – 101.6x44.5x 1.3			
२५७.३५	WINDOWS – 3 Pannel Sliding , BLACK Colour anod.		sqm	9900	9900
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Colour Glass, Knobs, Gaskets & Necessary Hardware etc	Top – 101.6x38.1x1.3 Bottom – 101.6x41.5x 1.3			
	Windows Size more then 30 sq. feet	Side – 101.6x44.5x 1.3			
२५७.३६	WINDOWS – CASEMENT type , Natural Colour anod.	54 x 38 x 1.2	sqm	6750	6750
	Aluminium Hinge Windows with fixed Net Including, hings, Tower Bolt, C-Handle, 5mm Clear Glass, Knobs, & Necessary Hardware etc				






क्र. सं.	विवरण नेपाल सरकार गृह मन्त्रालय जिल्ला प्रशासन कार्यालय बनगढी, कैलाली	सेक्सन/साईज	एकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
२५७.३७	WINDOWS – CASEMENT type , Natural Colour anod. Aluminium Hinge Windows with fixed Net Including, hings, Tower Bolt, C-Handle, 5mm Clear Glass, Knobs, & Necessary Hardware etc	83.3 x 27.9 x 1.0	sqm	6750	6750
२५७.३८	DOORS – Hinge Fabrication, Natural Colour anod. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	101.6 x 44.5 x <u>1.2</u>	sqm	10350	10350
२५७.३९	DOORS – Hinge Fabrication, Natural Colour anod. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – Less then 21 sq. feet) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	101.6 x 44.5 x <u>1.2</u>	sqm	10350	10350
२५७.४०	DOORS – Hinge Fabrication, Natural Colour anod. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	101.6 x 44.5 x <u>1.0</u>	sqm	9450	9450
२५७.४१	DOORS – Hinge Fabrication, Natural Colour anod. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – Less then 21 sq. feet) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	101.6 x 44.5 x <u>1.0</u>	sqm	9450	9450
२५७.४२	DOORS – Hinge Fabrication, BLACK Colour anod. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater) (5mm Al. Composite / 5mm Clear Glass / 8mm Board)	101.6 x 44.5 x <u>1.3</u>	sqm	10350	10350
२५७.४३	DOORS – Hinge Fabrication, BLACK Colour anod. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – Less then 21 sq. feet) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	101.6 x 44.5 x <u>1.3</u>	sqm	10350	10350

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
२५७.४४	DOORS – Hinge Fabrication, Natural Colour anod. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	87 x 38.7 x <u>1.0</u>	sqm	8550	8550
२५७.४५	DOORS – Hinge Fabrication, Natural Colour anod. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	78 x 36 x <u>1.0</u>	sqm	7650	7650
२५७.४६	DOORS – Hinge Fabrication, Natural Colour anod. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	70x 50 x <u>1.2</u>	sqm	7650	7650
२५७.४७	DOORS – Hinge Fabrication, Natural Colour anod. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	63.3x 38.1 x <u>1.2</u>	sqm	6750	6750
२५७.४८	DOORS – SWING Fabrication, Natural Colour anod. Aluminium Doors Including, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)		sqm	11250	11250
	FLOOR SPRING – openabale with both side	101.6 x 44.5 x <u>1.2</u>			
२५७.४९	DOORS – SWING Fabrication, Natural Colour anod. Aluminium Doors Including, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)		sqm	11500	11500
	FLOOR SPRING – openabale with both side	101.6 x 44.5 x <u>1.0</u>			

क. सं.	विवरण	सेक्सन/साईज	एकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
२५७.५०	DOORS – SWING Fabrication, BLACK Colour anod. Aluminium Doors Including, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater)		sqm	11250	11250
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)				
	FLOOR SPRING – openabale with both side	101.6 x 44.5 x <u>1.3</u>			
२५७.५१	DOORS – Swing Fabrication, Natural Colour anod. Aluminium Doors Including, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater)	63.3 x 38.1 x <u>1.0</u>	sqm	8820	8820
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)				
२५७.५२	DOORS – SLIDING Fabrication, Natural Colour anod. Aluminium Doors Including, Lock, Rubber, Brush, Sliding Bearings, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater)		sqm	8820	8820
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	63.3 x 38.1 x <u>1.0</u>			
२५७.५३	Partation – Fabrication, Supplying & Fixing in Natural Color anod Aluminium with necessary hardware	63.3 x 38.1 x <u>1.0</u>	sqm	6750	6750
	Aluminium Partation with Tube section (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)				
२५७.५४	Partation – Fabrication, Supplying & Fixing of 100mm Series in Natural Color anod Aluminium with necessary hardware	101.6 x 44.5 x <u>1.2</u>	sqm	9450	9450
	Aluminium Partation with wide frame section (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)				
२५७.५५	Partation – Fabrication, Supplying & Fixing of 100mm Series in Natural Color anod Aluminium with necessary hardware	101.6 x 44.5 x <u>1.0</u>	sqm	8550	8550
	Aluminium Partation with wide frame section (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)				
२५७.५६	ACP GLAZING – structure fabrication or Pannel designing with 3mm aluminium sheet with all other accessory hardware and gaskets.		sqm	4950	4950
२५७.५७	GLASS GLAZING – structure fabrication or Pannel designing with Colour black/green/Blue 5mm glass with all other accessory hardware and gaskets.		sqm	5400	5400
		50 x 61 x <u>1.2</u>			

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
२५७.५८	Glass Door (FISH Model)	12 mm Normal Glass	sqm	10800	10800
२५७.५९	Glass Door (FISH Model)	12 mm Toughned Glass	sqm	12150	12150
२५७.६०	Aluminium Framing Glass Mirror		sqm	4950	4950
	Aluminium Framing Marker Board/ Notice Board/ Projector Board		sqm	4050	4050
२५७.६१	Book Rack/ Display Rack/ Kitchen Rack / Show CASE Rack- Fabrication of Aluminium Draw n Rack	As per Design		16200	16200
२५७.६२	Fabrication of Steel Railing with 4 row of steel pipe (running Ft)	2"/1"/1"1" with support 1.5" steelpipe	r. ft.	1030	1030
	Fabrication of Steel with 3 row of Steel Pipe (running Ft)	2"/1"/1" with support 1.5" steel pipe	r. ft.	900	900
२५७.६३	Fabrication of Steel Railing with 2 row of steel pipe (running Ft)	2"/1" with support 1.5" steel pipe	r. ft.	700	700
	Fabrication of Steel with single row of Steel Pipe (running Ft)	1.5" with support 1.5" steel pipe	r. ft.	550	550
२५७.६४	Fabrication of Steel Gate , Steel Furniture like Bench, Arching Table, Modulur Rack and all kinds of Steel Furniture @ kg		kg	470	470



कृषि कार्यका लागि ०.५५ मि.मि. जी.आई.पाताको मेटल बिन (तयारी भकारी)को क्षमता, नाप, तौल, मूल्य बिबरण



सेट	मेटल बिनको क्षमता (के.जी.)	मेटल बिनको तौल (के.जी.)	मेटल बिनको तयारी भित्रि व्यास (से.मि.)	मेटल बिनको तयारी भित्रि उचाई (से.मि.)	इकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
ए.	२६२	१४.०	६१	१२१.०	गोटा	२८४६	२८४६	२९३०
ए.	२४५	१३.३	५९	१२१.०	"	२७५३	२७५३	२८३५
ए.	२२८	१२.५	५७	१२१.०	"	२६६२	२६६२	२७४१
ए.	२१३	११.८	५५	१२१.०	"	२५६७	२५६७	२६४४
ए.	१९८	११.०	५३	१२१.०	"	२४७२	२४७२	२५४५
जम्मा	११४६	६२.५				१३२९९	१३२९९	१३६९८
बि.	१९६	११.०	६१	९०.५	"	२०९०	२०९०	२१५२
बि.	१८४	१०.५	५९	९०.५	"	२०१८	२०१८	२०७८
बि.	१७०	१०.०	५७	९०.५	"	१९३७	१९३७	१९९५
बि.	१६०	९.५	५५	९०.५	"	१८७६	१८७६	१९३२
बि.	१४८	९.०	५३	९०.५	"	१८०५	१८०५	१८५९
जम्मा	८५८	५०.०				९७२६	९७२६	१००१७
सी.	१४८	९.०	५३	९०.५	"	१८८०	१८८०	१९३५
सी.	१३६	८.५	५१	९०.५	"	१८१८	१८१८	१८७२
सी.	१२४	८.०	४९	९०.५	"	१६९८	१६९८	१७४८
सी.	११२	७.५	४७	९०.५	"	१६१९	१६१९	१६६७
सी.	७५	६.०	३८	९०.५	"	१३३१	१३३१	१३७१
जम्मा	५९५	३९.०				८३४५	८३४५	८५९५

१४.१० बिभिन्न साईजका मेशीन मेड गेवियन जालीहरुको आ.ब. २०७८/७९ को जिल्ला दररेट



1 Machine Made and mechanically selvedged Double twist hexagonal mesh product

Specification			
Mesh Type		10x12	
Wire mesh Dia		3.00 mm	
Selvedge wire dia		3.90 mm	
Lacing Wire Dia		2.40 mm	
Type of Coating		Heavy Zinc Coating	
S.N.	Size / No of Diapharm	unit	Price(NRS)
1	1.5x1x0.5/0	Nos	1558
2	2x1x0.5/1	Nos	2119
3	3x1x0.5/2	Nos	3024
4	4x1x0.5/3	Nos	3817
5	1.5x1x1/0	Nos	2264
6	2x1x1/1	Nos	3009
7	3x1x1/2	Nos	4269
8	4x1x1/3	Nos	5498
9	3x1.5x0.5/2	Nos	4442
10	4x1.5x0.5/3	Nos	5622
11	5x1.5x0.5/4	Nos	6970
12	6x1.5x0.5/5	Nos	8334
13	3x1.5x1/2	Nos	6255
14	4x1.5x1/3	Nos	7884
15	5x1.5x1/4	Nos	9747
16	6x1.5x1/5	Nos	11593
17	3x2x0.5/2	Nos	5622
18	4x2x0.5/3	Nos	7103
19	5x2x0.5/4	Nos	8815
20	6x2x0.5/5	Nos	10528
21	3x2x1/2	Nos	7734
22	4x2x1/3	Nos	9731
15	5x2x1/4	Nos	12025
16	6x2x1/5	Nos	14304
17	Wire mesh Netting	SQM	284

Handwritten signatures and initials are present below the table.

आ.व. ०७८/०७९ को घर भाडा प्रति वर्ग फिट फ्लोर एरिया प्रति महिना



क्षेत्र	घरको किसिम				कैफियत
	A	B	C	D	
क	२४.३४	२३.४२	२२.३२	२०.२८	
ख	२०.३०	१९.३०	१८.४३	१७.५९	
ग	१८.४३	१७.५९	१६.६०	१५.६०	
घ	१६.६०	१५.६०	१४.७५	१३.६९	

पार्किङ्ग क्षेत्रको प्रति वर्ग फिट एरिया प्रति महिना रु १०

क्षेत्रको विवरण

क	जिल्ला बन कार्यालयदेखि धनगढी ट्राफिक कार्यालयसम्म
ख	भन्सारदेखी चौराहा चटकपुर, बैयाबेहडी, उत्तरबेहाडी, हसनपुर, बोराडाडी, जिल्ला बन कार्यालयदेखी क्याम्पस रोड, लक्ष्मिनारायण मन्दिर रोड, नेपाल राष्ट्र बैंक रोड, अदालत रोड त्रिबेणी चोक अत्तरिया वरिपरी क्षेत्र
ग	सन्तोषी टोल, विशाल नगर तारानगर पुरानो भन्सार रोड धनगढी न.पा. का अन्य क्षेत्रहरू, टिकापुर र लम्की बजार
घ	माथि उल्लेखित बाहेकका क्षेत्रहरू

घरको किसिमको विवरण

A	Frame structure building with cement sand mortar
B	Load bearing wall building with cement sand mortar
C	Load bearing wall building with mud mortar
D	Load bearing building with mud mortar and tile/C.G.I. sheet roofing

गाडी भाडा ईन्धन बाहेक प्रति दिन रु	३०००	without AC
	४५००	with AC

जिल्ला प्रशासन कार्यालय कैलाली
विपद् सामग्रीहरूको जिल्ला दररेट आ.व. ०७८-७९



क्र.सं.	विपद् सामग्रीको नाम	स्पेसिफिकेसन	एकाई	प्रति एकाई दर रु.	कैफिय त
क.	हावाहुरी तथा बाढी पहिरो बाट हुने विपद् मा प्रयोग हुने				
१	Safety helmet	हेल्मेट	Materials: PVC , size : Not less than 15" , shape : Round , Weight : Approx 250 gram	थान	३५०
२	Gaiti with wood handle	गैती	Medium size	थान	५५०
३	Belcha with handle	सावेल	Medium size (Metal handle)	थान	४५०
४	Axe with wooden handle	बन्चरो	Axe size 16*10 cm - (+3kg)	थान	५५०
५	Two Hand Saw	आरा	Size : Big (5 Feet)	थान	१०००
६	Sabbal	गल	Size : Big	थान	१३५०
७	Agricultural spade with handle	फरुवा	Regular size (metal handle)	थान	५००
८	Hammer with handle (Ghan)	घन	5 kg	थान	१५००
९	Aasi	आसी	Size : Big	थान	१५००
१०	Hand wood cutter machine Chain Saw	काठ काटने मेसिन	Engine capacity not less than 50cc Minimum cutting diameter not less than 20"	थान	१५०००
११	Hand wood cutter machine Petrol Saw	काठ काटने मेसिन	2 stroke engine, 1 cylinder Minimum cutting diameter: 20-inch (45cm)	थान	२५०००
१२	bold cutter	आईरन रड कटर	Medium Size	थान	२५००
१३	Knee Pad		घुडामा लगाउने	थान	२५०
१४	Head search light with battery	हेड लाईट	Halogen 55 W ABS LED Search Lights	थान	७५०
१५	Power torch light	पावर टर्च लाईट	Lighting Type : LED , Battery : Lead Acid , Capacity : not less than 1500mah	थान	१५००
१६	Come along machine		Capacity: not less than 4 ton	थान	६०००
१७	Hydraulic Jack		Capacity: 20 ton	थान	४०००
१८	plastic rope	नाईलन डोरी	10-20mm diameter , More than 100 metre	थान	२५००
१९	Anti Dust Glass		UV protection, Liquid splash protection	थान	५००
२०	Scene Tape (Barricade Tape)		100 meter Roll	थान	१०००
२१	Mega Phone	मेगाफोन	Material: Fiber, Power Output : Not less than 10W, Max, Voice Range : Not less than 400m , Power Source: Chargable & battery use also Weight : not less than 1.5kg Usage : Public Meetings, Gathering , Tourist Palce Announcing	थान	४५००
२२	Crow bar	क्रो बार	Overall length - Not less than 450 mm DIA -not less than 16 mm (18"*5/8") Ideal for removing nails & demolition work Forged with high carbon steel Good for pulling nails & lifting	थान	१०००

विपद् सामग्रीहरूको जिल्ला दररेट आ.व. ०७८-७९



क्र.सं.	विपद् सामग्रीको नाम	स्पेसिफिकेसन	एकाई	प्रति एकाई दर रु.	कैफियत
२३	Back board (Stretcher) Spinal board	Two handles at tapered end to allow more stable transport. Strong, light weight, one-piece HDPE construction is impervious to all bodily fluids, easy to decontaminate, and provide 100% X-ray translucency. Instahold Buoyant Backboard Stretcher / Spine Board	थान	४५००	
२४	Electric Cord	100 meter	थान	४०००	
२५	Tools box with tools		थान	३०००	
ख	दुर्घटना विपद् मा प्रयोग हुने (Rappelling & clambing equipment)				
१	Sit Harness Belt	सिट हर्नेस बेल्ट Fully adjustable waist and legs Wrap around or step in fitting Well- established , easy interlocking buckiling system Laminasted, high quality , sandwiched closed cell foam padding High quality polyester webbing , with hidden locking stitch 2 fixed Gear Loops - 2 Removable Gear loops 1 front aluminium D & 1 front doble thickness 18mm belay loop 30kn 1 back & 2 side webbing eyes conforming to EN 358 Standard Waist Size : 74cm to 115 cm Standard leg /thing Size : 44cm to 85 cm Rated for: not less than 100kg Weight for standard Harness : not less than 1 kg	थान	४०००	
२	Chest harness	चेस्ट हर्नेस Fully adjustable with comfort padded waist belt thing strap and shoulder Strap 44 mm polyster webbing with min. breaking strength 25 kn Automatic stitching pattern with strength Metal type chest strap with easy handing Adjustable dorsal high strength forged D-ring , Min Breasking Strength 25 kn Two lateral D- rings for work positioning, one sternal D-ring for fall arrest & one ventral D-ring for resque Finished Webbing rnds with web holder Suitable for fall arrest, work positining, descent & ascent & rescue service Speacial design & high resistant polyethylene back plate for holding D- ring even after the fall	थान	१५००	
३	Static Rope	100 metre Roll , 12mm	थान	१२०००	
४	Dynamic Rope	डाइनामिक रोप Diameter: Not less than 8 mm Length : Not less than 50 ft/roll Made up of with nylon material, enduring durability and longevity Light weight and portable , easy o carry Great for survival , rescue camping	थान	१५०००	

विपद् सामग्रीहरूको जिल्ला दररेट आ.व. ०७८-७९



क्र.सं.	विपद् सामग्रीको नाम		स्पेसिफिकेसन	एकाई	प्रति एकाई दर रु.	कैफियत
५	Wire rope pulley	घिर्नी	Capacity: not less than 0.5 ton	थान	२०००	
६	Safety helmet for Rappelling & clambing	हेल्मेट	Materials: PVC , size : Not less than 15" , shape : Round , Weight : Approx 250 gram	थान	८००	
७	Carabiner	क्याराविना	Made up af alloy Steel, Head treated, Min. Breaking Load: not less than 4500 ibs/ 23kn, Net weight : not less than 100gm	थान	१२००	
८	Figure 8 Carabiner		30 k n	थान	२०००	
९	Jumar for clambing		9 cm wide & 19 cm long weight - more than 200 gram	थान	२५००	
१०	Gri - Gri		More than 8 mm	थान	२५००	
११	Prusik		GM CLIMBING 18" / 24" 8mm Pre-Sewn Prusik Cord	थान	५००	
१२	Tin box	टिन बक्स	6*4*4 feet (22 Gauze)	थान	१२०००	
१३	First Aid box	फर्स्ट एड बक्स	Triangular Bandage-15 Pc, Roller bandage-3inch-15pc/4inch-15pc, Sterilized Gauzepad-15 Pc, Foresape-3pc, Scissor mediun-3pc, Huppin-medium size-3set, Savlon-100ml-3pc, soap-dettole 150-3pc, mask-3box, gloves-medium-3 box,towel cotton-small-3pc, handiplast-1 box, oientment tube-100gm- 3 tube, adhesive tape-4 inch-3pc, Crepe bandage-4inch- 15 Pc, Spiral pad-3pc, ballpen-3pc, thermometer digital (microlab)-3 pc, ORS solution-30 pc, Hand sanitizer- 100 ml 3 pc, Bag-1pc)	थान	३०००	
ग	बाढी तथा डुबानबाट हुने विपद् मा प्रयोग हुने					
१	Life Jacket	लाईफ ज्याकेट		थान	३०००	
२	Throw bag		The 3/8" polypropylene rope is yellow for high visibility, The rope has a 1,900 pound tensile strength and it floats for good visibility on the water.	थान	१५००	
३	Life bouy rescue tube	लाईफ व्वाय रेस्क्यु ट्युब	Size : 29*29*4	थान	३०००	
४	Bora	कट्टा	30 kg	थान	२५	
५	Gum boot for water		Size : Medium & Big	थान	१०००	
६	Rain Coat		Size : Medium & Big	थान	२५००	
७	Water Glasses		Liquid splash protection	थान	१००	
८	Safety helmet for water rescue	हेल्मेट	Materials: PVC, size : Not less than 15" , shape : Round , Weight : Approx 250 gram	थान	८५०	
९	Water Rescue shoes			थान	१०००	
१०	Tripal		18*24 ft.	थान	१७००	
घ	आगलागीबाट हुने विपद् मा प्रयोग हुने					
१	Fire extinguisher	अग्नी सामक	Type ABC Powder , more than 5 kg cylender	थान	४५००	
२	Fire fighter shoot	फायर फाईटर सुट	Jacket , Paint & Helmet	थान	७०००	

(Handwritten signatures and marks)

(Handwritten signature)

विपद् सामग्रीहरूको जिल्ला दररेट आ.व. ०७८-७९



नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
धनगढी, कैलाली

क्र.सं.	विपद् सामग्रीको नाम		स्पेसिफिकेसन	एकाई	प्रति एकाई दर रु.	कैफिय त
३	Stell Bucket	फलामे वाल्टी	More than 8 liter	थान	७००	
४	Fire Saffey Gloves		Silica Fabric, Heat Resistant Gloves, Fire Proof	थान	८००	
५	Aluminium ladder	आलमुनियम ल्याडर	Not less than 12 ft.	थान	१५०००	

जिल्ला प्रशासन कार्यालय कैलाली
विरुवाहरुको जिल्ला दररेट आ.व. ०७८-७९



क्र.सं	विरुवाको प्रजाती	एकाई	प्रति एकाइ दर रु.	कैफियत
१	अमला	गोटा	१५	
२	पारिजात ३ फिट माथी	गोटा	३२५	
३	गोल्डमोहर	गोटा	२००	
४	बाँस कलमी २ बर्षे	गोटा	५००	
५	श्रीखण्ड १ फिट माथी २ बर्षे	गोटा	२७५	
६	रक्तचन्द्र १८ ईन्च २ बर्षे	गोटा	२७५	
७	रुद्राक्ष २ फिट माथी २ बर्षे	गोटा	५२५	
८	समी ४ फिट माथी	गोटा	६००	
९	कपुर ३ फिट माथी	गोटा	३००	
१०	राजवृक्ष ३ फिट माथी	गोटा	३००	
११	अगर उड	गोटा	२५०	
१२	गुर्जो	गोटा	८०	
१३	अम्रपाली २ बर्षे विरुवा	गोटा	१३०	
१४	आँप निलम बहुवर्षिय	गोटा	१३०	
१५	आँप मलिका बहुवर्षिय	गोटा	१३०	
१६	आँप अन्य जात	गोटा	१००	
१७	लिची सबैजात	गोटा	१०५	
१८	कागती सबैजात	गोटा	६०	
१९	सुन्तला सबैजात	गोटा	६०	

Handwritten signatures and initials are present below the table, including a large signature on the left and several smaller ones on the right.